ISO/IEC 29341-18-10:2011-08 (E)

Information technology - UPnP Device Architecture - Part 18-10: Remote Access Device Control Protocol - Remote Access Inbound Connection Configuration Service

Contents

Page

1 Overview and Scope 3
1.1 Introduction 3
1.2 Notation 3
1.3 Vendor-defined Extensions 4
1.4 References 4
1.4.1 Normative References 4
1.4.2 Informative References 4
2 Service Modeling Definitions 5
2.1 Service Type 5
2.2 Terms and Abbreviations 5
2.2.1 Abbreviations 5
2.3 *InboundConnectionConfig* Service Architecture 5
2.4 State Variables 5
2.4.1 State Variable Overview 5
2.4.2 *DynamicDNSSupportedProtocols* 6
2.4.3 *DynamcDNSConfigInfo* 6
2.4.4 *STUNServerAddress* 6
2.4.5 *NetworkTopologyInfo* 6
2.5 Eventing and Moderation 7
2.5.1 Relationships Between State Variables 7
2.6 Actions 7
2.6.1 *GetDynamicDNSSupportedProtocols()* 7
2.6.2 *SetDynamicDNSConfigInfo()* 8
2.6.3 *SetSTUNServerAddress()* 9
2.6.4 *GetNetworkTopologyInfo()* 9
2.6.5 Relationships Between Actions 11
2.6.6 Error Code Summary 11
2.7 Theory of Operation 11
3 XML Service Description 12
4 Test 13
Annex A (normative) InboundConnectionConfig Data Structures 14
A.1 DynamicDNSConfig Template 14
A.2 NetworkTopologyInfo Template 15

Table 2-1 — Abbreviations 5
Table 2-2 — State Variables 5
Table 2-3 — Eventing and Moderation 7
Table 2-4 — Actions 7
Table 2-5 — Arguments for *GetDynamicDNSSupportedProtocols()* 7
Table 2-6 — Error Codes for *GetDynamicDNSSupportedProtocols()* 8
Table 2-7 — Arguments for *SetDynamicDNSConfigInfo()* 8
Table 2-8 — Error Codes for *SetDynamicDNSConfigInfo()* 9
Table 2-9 — Arguments for *SetSTUNServerAddress()* 9
Table 2-10 — Error Codes for *SetSTUNServerAddress()* 9
Table 2-11 — Arguments for *GetNetworkTopologyInfo()* 10
Table 2-12 — NetworkTopologyInfo meaning in UPnP Remote Access 1.0 10
Table 2-13 — Error Codes for *GetNetworkTopologyInfo()* 11
Table 2-14 — Error Code Summary 11