

ISO/IEC 29341-4-14:2011-09 (E)

Information technology - UPnP Device Architecture - Part 4-14: Audio Video Device Control Protocol - Level 2 - Scheduled Recording Service

Contents	Page
1 Overview and Scope.....	8
1.1 Introduction	8
1.2 Notation	9
1.2.1 Data Types	9
1.2.2 Strings Embedded in Other Strings	9
1.2.3 Extended Backus-Naur Form	10
1.3 Derived Data Types.....	10
1.3.1 Comma Separated Value (CSV) Lists	11
1.4 Management of XML Namespaces in Standardized DCPs	12
1.4.1 Namespace Prefix Requirements	14
1.4.2 Namespace Names, Namespace Versioning and Schema Versioning	15
1.4.3 Namespace Usage Examples.....	17
1.5 Vendor-defined Extensions.....	18
1.5.1 Vendor-defined Action Names.....	18
1.5.2 Vendor-defined State Variable Names.....	18
1.5.3 Vendor-defined XML Elements and attributes	18
1.5.4 Vendor-defined Property Names	18
1.6 References.....	18
2 Service Modeling Definitions.....	22
2.1 ServiceType	22
2.2 Terms and Abbreviations	22
2.2.1 Abbreviations.....	22
2.2.2 Terms.....	22
2.3 ScheduledRecording Service Architecture.....	29
2.3.1 <i>recordSchedule</i>	29
2.3.2 <i>recordTask</i>	30
2.4 State Variables.....	31
2.4.1 State Variable Overview.....	32
2.4.2 <i>SortCapabilities</i>	32
2.4.3 <i>SortLevelCapability</i>	32
2.4.4 <i>StateUpdateID</i>	33
2.4.5 <i>LastChange</i>	33
2.4.6 <i>A_ARG_TYPE_PropertyList</i>	36
2.4.7 <i>A_ARG_TYPE_DataTypeID</i>	36
2.4.8 <i>A_ARG_TYPE_ObjectID</i>	36
2.4.9 <i>A_ARG_TYPE_ObjectIDList</i>	36
2.4.10 <i>A_ARG_TYPE_PropertyInfo</i>	36
2.4.11 <i>A_ARG_TYPE_Index</i>	37
2.4.12 <i>A_ARG_TYPE_Count</i>	37
2.4.13 <i>A_ARG_TYPE_SortCriteria</i>	37
2.4.14 <i>A_ARG_TYPE_RecordSchedule</i>	37
2.4.15 <i>A_ARG_TYPE_RecordTask</i>	37
2.4.16 <i>A_ARG_TYPE_RecordScheduleParts</i>	38
2.5 Eventing and Moderation	39
2.6 Actions.....	40

2.6.1	<u>GetSortCapabilities()</u>	40
2.6.2	<u>GetPropertyList()</u>	41
2.6.3	<u>GetAllowedValues()</u>	42
2.6.4	<u>GetStateUpdateID()</u>	44
2.6.5	<u>BrowseRecordSchedules()</u>	44
2.6.6	<u>BrowseRecordTasks()</u>	49
2.6.7	<u>CreateRecordSchedule()</u>	50
2.6.8	<u>DeleteRecordSchedule()</u>	53
2.6.9	<u>GetRecordSchedule()</u>	54
2.6.10	<u>EnableRecordSchedule()</u>	55
2.6.11	<u>DisableRecordSchedule()</u>	56
2.6.12	<u>DeleteRecordTask()</u>	57
2.6.13	<u>GetRecordTask()</u>	58
2.6.14	<u>EnableRecordTask()</u>	59
2.6.15	<u>DisableRecordTask()</u>	60
2.6.16	<u>ResetRecordTask()</u>	61
2.6.17	<u>GetRecordScheduleConflicts()</u>	62
2.6.18	<u>GetRecordTaskConflicts()</u>	63
2.6.19	Common Error Codes	64
2.7	State Diagram of <u>recordTask</u>	66
2.7.1	A Full-Featured State Diagram	66
2.7.2	A Minimal-Implementation State Diagram	71
2.7.3	<u>recordTask</u> State Example	74
2.8	ScheduledRecording Service Priority Model	75
2.8.1	Introduction of the ScheduledRecording Service Priority Model	75
2.8.2	Ordered Priority within Each Priority Level	76
2.8.3	Setting the Initial Priority Level of a <u>recordSchedule</u>	77
2.8.4	Sorting <u>recordSchedule</u> Instances Based on their Current Priority Settings	79
2.9	Theory of Operation	79
2.9.1	Introduction	79
2.9.2	Checking the Capabilities of a ScheduledRecording Service	79
2.9.3	Adding a Scheduled Recording Entry to the List	90
2.9.4	Deleting a <u>recordSchedule</u>	102
2.9.5	Browsing <u>recordSchedule</u> and <u>recordTask</u> instances	103
2.9.6	Rating System	108
2.9.7	Conflict Detection and Resolution	109
3	XML Service Description	110
4	Test	118
Annex A	(normative) srs XML Document	119
A.1	<u>A_ARG_TYPE_RecordSchedule</u> AVDT XML Document	119
A.2	<u>A_ARG_TYPE_RecordTask</u> AVDT XML Document	120
A.3	<u>A_ARG_TYPE_RecordScheduleParts</u> AVDT XML Document	120
Annex B	(normative) AV Working Committee Extended Properties	122
B.1	Base Properties	122
B.1.1	<u>@id</u>	122
B.1.2	<u>title</u>	122
B.1.3	<u>class</u>	123
B.1.4	<u>additionalStatusInfo</u>	123

B.1.5	<u><i>cdsReference</i></u>	124
B.2	Priority Properties	125
B.2.1	<u><i>priority</i></u>	125
B.2.2	<u><i>desiredPriority</i></u>	126
B.2.3	<u><i>desiredPriority@type</i></u>	128
B.3	Output Control Properties	128
B.3.1	<u><i>recordDestination</i></u>	128
B.3.2	<u><i>desiredRecordQuality</i></u>	130
B.4	Content Identification Related Properties	133
B.4.1	<u><i>scheduledCDSObjectID</i></u>	133
B.4.2	<u><i>scheduledChannelID</i></u>	134
B.4.3	<u><i>scheduledStartDateTime</i></u>	136
B.4.4	<u><i>scheduledDuration</i></u>	137
B.4.5	<u><i>scheduledProgramCode</i></u>	137
B.5	Matching Content Criteria Properties	138
B.5.1	<u><i>matchingName</i></u>	138
B.5.2	<u><i>matchingID</i></u>	139
B.6	Matching Qualifying Criteria Properties	140
B.6.1	<u><i>matchingChannelID</i></u>	140
B.6.2	<u><i>matchingStartDateTimeRange</i></u>	142
B.6.3	<u><i>matchingDurationRange</i></u>	142
B.6.4	<u><i>matchingRatingLimit</i></u>	143
B.6.5	<u><i>matchingEpisodeType</i></u>	145
B.7	Content Control Properties	146
B.7.1	<u><i>totalDesiredRecordTasks</i></u>	146
B.7.2	<u><i>scheduledStartDateTimeAdjust</i></u>	146
B.7.3	<u><i>scheduledDurationAdjust</i></u>	147
B.7.4	<u><i>activePeriod</i></u>	147
B.7.5	<u><i>durationLimit</i></u>	148
B.7.6	<u><i>channelMigration</i></u>	149
B.7.7	<u><i>timeMigration</i></u>	149
B.7.8	<u><i>allowDuplicates</i></u>	150
B.8	Storage Related Properties	150
B.8.1	<u><i>persistedRecordings</i></u>	150
B.9	Schedule State Properties	152
B.9.1	<u><i>scheduleState</i></u>	152
B.9.2	<u><i>abnormalTasksExist</i></u>	153
B.10	Statistics Properties	153
B.10.1	<u><i>currentRecordTaskCount</i></u>	154
B.10.2	<u><i>totalCreatedRecordTasks</i></u>	154
B.10.3	<u><i>totalCompletedRecordTasks</i></u>	154
B.11	Task General Properties	155
B.11.1	<u><i>recordScheduleID</i></u>	155
B.11.2	<u><i>recordedCDSObjectID</i></u>	155
B.12	Task Content Identification Properties	156
B.12.1	<u><i>taskCDSObjectID</i></u>	156
B.12.2	<u><i>taskChannelID</i></u>	157
B.12.3	<u><i>taskStartDateTime</i></u>	158
B.12.4	<u><i>taskDuration</i></u>	158

B.12.5	<u>taskProgramCode</u>	159
B.12.6	<u>recordQuality</u>	159
B.13	Task Matched Content Criteria Properties	161
B.13.1	<u>matchedName</u>	161
B.13.2	<u>matchedID</u>	162
B.14	Task Matched Qualifying Criteria Properties	163
B.14.1	<u>matchedRating</u>	163
B.14.2	<u>matchedRating@type</u>	163
B.14.3	<u>matchedEpisodeType</u>	163
B.15	Task Matched Content Control Properties	164
B.15.1	<u>taskStartDateTimeAdjust</u>	164
B.15.2	<u>taskDurationAdjust</u>	164
B.15.3	<u>taskDurationLimit</u>	164
B.15.4	<u>taskDurationLimit@effect</u>	165
B.15.5	<u>taskChannelMigration</u>	165
B.15.6	<u>taskTimeMigration</u>	165
B.16	Task State Properties	166
B.16.1	<u>taskState</u>	166
B.17	ContentDirectory Service Imported Properties	175
Annex C	(normative) AV Working Committee Class Definitions	180
C.1	Class Hierarchy	180
C.1.1	Relationships between Classes and Properties	181
C.1.2	<u>recordScheduleParts</u> Properties	182
C.1.3	<u>recordSchedule</u> Properties	186
C.1.4	<u>recordTask</u> Properties	190
C.2	Class Definitions	192
C.3	<u>object</u> Base Class	193
C.3.1	<u>object.recordSchedule</u> Class	194
C.3.2	<u>object.recordTask</u> Class	207
Annex D	(normative) EBNF Syntax Definitions	209
D.1	Priority Syntax	209
D.2	Date&time Syntax	209
D.3	Class Name Syntax	209
Annex E	(informative) ScheduledRecording Service Relationship to ContentDirectory Service	211
Annex F	(informative) ScheduledRecording Service Relationship to EPG	212
Annex G	(informative) AVDT Examples	213
G.1	<u>A_ARG_TYPE_RecordSchedule</u> AVDT Example	213
G.2	<u>A_ARG_TYPE_RecordTask</u> AVDT Example	228
G.3	<u>A_ARG_TYPE_RecordScheduleParts</u> AVDT Example	244
Figure 1	— Creating a new <u>recordSchedule</u>	29
Figure 2	— Capability check.	30
Figure 3	— Browse <u>recordSchedule</u>	30
Figure 4	— Delete a <u>recordSchedule</u>	30
Figure 5	— A Full-Featured State Diagram	67
Figure 6	— A Minimal-Implementation State Diagram	72

Figure 7 — Class hierarchy for the ScheduledRecording service 181

Table 1-1 — EBNF Operators 10

Table 1-2 — CSV Examples..... 11

Table 1-3 — Namespace Definitions 13

Table 1-4 — Schema-related Information 14

Table 1-5 — Default Namespaces for the AV Specifications 15

Table 2-1 — Abbreviations..... 22

Table 2-1 — Properties in XML 25

Table 2-2 — State Variables 32

Table 2-3 — allowedValueList for the *DataTypeID* argument 32

Table 2-4 — Allowed Elements in <StateEvent> Element..... 34

Table 2-5 — Eventing and Moderation 39

Table 2-6 — Actions 40

Table 2-7 — Arguments for *GetSortCapabilities()* 40

Table 2-8 — Error Codes for *GetSortCapabilities()* 41

Table 2-9 — Arguments for *GetPropertyList()*..... 41

Table 2-10 — Error Codes for *GetPropertyList()*..... 42

Table 2-11 — Arguments for *GetAllowedValues()*..... 42

Table 2-12 — Error Codes for *GetAllowedValues()*..... 43

Table 2-13 — Arguments for *GetStateUpdateID()*..... 44

Table 2-14 — Error Codes for *GetStateUpdateID()*..... 44

Table 2-15 — Arguments for *BrowseRecordSchedules()* 44

Table 2-16 — Error Codes for *BrowseRecordSchedules()* 48

Table 2-17 — Arguments for *BrowseRecordTasks()* 49

Table 2-18 — Error Codes for *BrowseRecordTasks()* 50

Table 2-19 — Arguments for *CreateRecordSchedule()* 51

Table 2-20 — Error Codes for *CreateRecordSchedule()* 53

Table 2-21 — Arguments for *DeleteRecordSchedule()*..... 54

Table 2-22 — Error Codes for *DeleteRecordSchedule()*..... 54

Table 2-23 — Arguments for *GetRecordSchedule()*..... 54

Table 2-24 — Error Codes for *GetRecordSchedule()*..... 55

Table 2-25 — Arguments for *EnableRecordSchedule()*..... 56

Table 2-26 — Error Codes for *EnableRecordSchedule()*..... 56

Table 2-27 — Arguments for *DisableRecordSchedule()*..... 57

Table 2-28 — Error Codes for *DisableRecordSchedule()*..... 57

Table 2-29 — Arguments for *DeleteRecordTask()* 57

Table 2-30 — Error Codes for *DeleteRecordTask()* 58

Table 2-31 — Arguments for *GetRecordTask()*..... 58

Table 2-32 — Error Codes for *GetRecordTask()*..... 59

Table 2-33 — Arguments for *EnableRecordTask()*..... 59

Table 2-34 — Error Codes for *EnableRecordTask()*..... 60

Table 2-35 — Arguments for *DisableRecordTask()*..... 60

Table 2-36 — Error Codes for <u>DisableRecordTask()</u>	61
Table 2-37 — Arguments for <u>ResetRecordTask()</u>	61
Table 2-38 — Error Codes for <u>ResetRecordTask()</u>	62
Table 2-39 — Arguments for <u>GetRecordScheduleConflicts()</u>	62
Table 2-40 — Error Codes for <u>GetRecordScheduleConflicts()</u>	63
Table 2-41 — Arguments for <u>GetRecordTaskConflicts()</u>	63
Table 2-42 — Error Codes for <u>GetRecordTaskConflicts()</u>	64
Table 2-43 — Common Error Codes	65
Table 2-44 — <u>recordTask</u> State Timeline	75
Table 2-45 — Example 1: Fewer <u>recordSchedule</u> instances than the Number of Supported Priority Levels.....	76
Table 2-46 — Example 2: More <u>recordSchedule</u> instances than the Number of Supported Priority Levels.....	77
Table 2-47 — Existing <u>recordSchedule</u> Priorities	78
Table 2-48 — <u>desiredPriority</u> Property Set to “RS-C”.....	78
Table 2-49 — <u>desiredPriority</u> Property Set to “HIGHEST”, “L1_HI”, or “RS-A”	78
Table 2-50 — <u>desiredPriority</u> Property Set to “LOWEST”, “L3_LOW”, or “RS-B”	79
Table 2-51 — <u>desiredPriority</u> Property Set to “RS-C”	79
Table B.1 — Base Properties Overview.....	122
Table B.2 — allowedValueList for the <u>class</u> Property.....	123
Table B.3 — Priority Properties.....	125
Table B.4 — allowedValueList for the <u>priority</u> Property	125
Table B.5 — Primary allowedValueList for the <u>desiredPriority</u> Property.....	126
Table B.6 — Additional allowedValueList for the <u>desiredPriority</u> Property	127
Table B.7 — allowedValueList for the <u>desiredPriority@type</u> Property.....	128
Table B.8 — Output Control Properties	128
Table B.9 — <u>desiredRecordQuality</u> Example	131
Table B.10 — allowedValueList for the <u>desiredRecordQuality</u> Property.....	132
Table B.11 — allowedValueList for the <u>desiredRecordQuality@type</u> Property	132
Table B.12 — Content Identification Related Properties	133
Table B.13 — allowedValueList for the <u>scheduledChannelID@type</u> Property	135
Table B.14 — Matching Content Criteria Properties.....	138
Table B.15 — allowedValueList for the <u>matchingName@type</u> Property	139
Table B.16 — allowedValueList for the <u>matchingID@type</u> Property.....	140
Table B.17 — Matching Qualifying Criteria Properties	140
Table B.18 — allowedValueList for the <u>matchingRatingLimit</u> Property Using the MPAA Rating System (<u>matchingRatingLimit@type</u> = “MPAA.ORG”)	143
Table B.19 — allowedValueList for the <u>matchingRatingLimit</u> Property Using the RIAA Rating System (<u>matchingRatingLimit@type</u> = “RIAA.ORG”)	144
Table B.20 — allowedValueList for the <u>matchingRatingLimit</u> Property Using the ESRB Rating System (<u>matchingRatingLimit@type</u> = “ESRB.ORG”).....	144
Table B.21 — allowedValueList for the <u>matchingRatingLimit</u> Property Using the TVGUIDELINES Rating System (<u>matchingRatingLimit@type</u> = “TVGUIDELINES.ORG”)	144
Table B.22 — allowedValueList for the <u>matchingRatingLimit@type</u> Property	145
Table B.23 — allowedValueList for the <u>matchingEpisodeType</u> Property	145

Table B.24 — Content Control Properties.....	146
Table B.25 — allowedValueList for the <u>durationLimit@effect</u> Property	149
Table B.26 — Storage Related Properties	150
Table B.27 — Schedule State Properties	152
Table B.28 — allowedValueList for the <u>scheduleState</u> Property	152
Table B.29 — allowedValueList for the <u>scheduleState@currentErrors</u> Property.....	153
Table B.30 — Statistics Properties.....	153
Table B.31 — Task General Properties	155
Table B.32 — Task Content Identification Properties.....	156
Table B.33 — <u>recordQuality</u> Example.....	160
Table B.34 — allowedValueList for the <u>recordQuality</u> Property	161
Table B.35 — Task Matched Content Criteria Properties	161
Table B.36 — Task Matched Qualifying Criteria Properties.....	163
Table B.37 — Task Matched Content Control Properties	164
Table B.38 — State Related Properties	166
Table B.39 — allowedValueList for the <u>taskState</u> Property	167
Table B.40 — allowedValueList for the <u>taskState</u> Property	167
Table B.41 — allowedValueList for the <u>taskState@phase</u> Property	169
Table B.42 — allowedValueList for the <u>taskState@xxx</u> Properties	173
Table C.1 — Class Properties Overview for <u>recordScheduleParts</u> usage	183
Table C.2 — Class Properties Overview for <u>recordSchedule</u> usage	187
Table C.3 — Class Properties Overview for <u>recordTask</u> usage	191
Table C.4 — <u>object</u> Base Class Properties	193
Table C.5 — <u>object.recordSchedule</u> Base Class Properties	194
Table C.6 — <u>object.recordSchedule.direct</u> Class Properties	196
Table C.7 — <u>object.recordSchedule.direct.manual</u> Class Properties	197
Table C.8 — <u>object.recordSchedule.direct.cdsEPG</u> Class Properties.....	198
Table C.9 — <u>object.recordSchedule.direct.cdsNonEPG</u> Class Properties.....	201
Table C.10 — <u>object.recordSchedule.direct.programCode</u> Class Properties.....	202
Table C.11 — <u>object.recordSchedule.query</u> Class Properties	203
Table C.12 — <u>object.recordSchedule.query.contentName</u> Class Properties	205
Table C.13 — <u>object.recordSchedule.query.contentID</u> Class Properties.....	206
Table C.14 — <u>object.recordTask</u> Base Class Properties	208