

ISO/IEC 29341-1-1:2011-09 (E)

Information technology - UPnP Device Architecture - Part 1-1: UPnP Device Architecture Version 1.1

Contents	Page
Introduction	4
0 Addressing	10
0.1 Determining whether to use Auto-IP	10
0.2 Choosing an address	10
0.3 Testing the address	11
0.4 Forwarding rules.....	11
0.5 Periodic checking for dynamic address availability.....	12
0.6 Device naming and DNS interaction	12
0.7 Name to IP address resolution	12
0.8 References.....	12
1 Discovery	13
1.1 SSDP message format.....	16
1.1.1 SSDP Start-line.....	16
1.1.2 SSDP message header fields	16
1.1.3 SSDP header field extensions	16
1.1.4 UUID format and RECOMMENDED generation algorithms	17
1.1.5 SSDP processing rules	17
1.2 Advertisement	17
1.2.1 Advertisement protocols and standards	18
1.2.2 Device available - NOTIFY with ssdp:alive.....	18
1.2.3 Device unavailable -- NOTIFY with ssdp:byebye	24
1.2.4 Device Update – NOTIFY with ssdp:update	25
1.3 Search	27
1.3.1 Search protocols and standards	27
1.3.2 Search request with M-SEARCH	28
1.3.3 Search response.....	31
1.4 References.....	33
2 Description	33
2.1 Generic requirements on HTTP usage.....	36
2.2 Generic requirements on XML usage.....	38
2.3 Device description	38
2.4 UPnP Device Template	43
2.5 Service description	43
2.5.1 Defining and processing extended data types	50
2.5.2 String equivalents of extended data types.....	51
2.5.3 Generic requirements.....	52
2.5.4 Ordering of Elements	52
2.5.5 Versioning	53
2.6 UPnP Service Template.....	53
2.7 Non-standard vendor extensions and limitations.....	53
2.7.1 Placement of Additional Elements and Attributes	55
2.8 UPnP Device Schema.....	55
2.9 UPnP Service Schema.....	55
2.10 UPnP Datatype Schema	55
2.11 Retrieving a description using HTTP	55

2.12	References.....	59
3	Control	59
3.1	Control protocols	62
3.1.1	SOAP Profile	62
3.2	Actions.....	65
3.2.1	Action invocation.....	65
3.2.2	Action Response.....	68
3.2.3	UPnP Action Schema	70
3.2.4	Recommendations and additional requirements	71
3.2.5	Action error response.....	71
3.2.6	UPnP Error Schema.....	74
3.3	Query for variable.....	74
3.4	References.....	75
4	Eventing.....	75
4.1	Unicast eventing.....	75
4.1.1	Subscription.....	77
4.1.2	SUBSCRIBE with NT and CALLBACK.....	79
4.1.3	Renewing a subscription with SUBSCRIBE with SID	81
4.1.4	Canceling a subscription with UNSUBSCRIBE	82
4.2	Multicast Eventing	84
4.3	Event messages	85
4.3.1	Error Cases	86
4.3.2	Unicast eventing: Event messages: NOTIFY	86
4.3.3	Multicast Eventing: Event messages: NOTIFY	89
4.4	UPnP Event Schema	92
4.5	Augmenting the UPnP Device and Service Schemas	92
4.6	References.....	93
5	Presentation.....	93
5.1	References.....	94
Annex A	(normative) IP Version 6 Support.....	95
A.1	Introduction	95
A.2	General Principles	95
A.2.1	Device operation.....	96
A.2.2	Control point operation.....	96
A.3	Addressing	96
A.3.1	Summary of boot/startup process	96
A.3.2	Short overview of protocol specified by RFC 2462	97
A.4	Discovery	97
A.4.1	Advertisement.....	98
A.4.2	Advertisement: Device unavailable	98
A.4.3	Advertisement: Device update	99
A.4.4	Search.....	99
A.4.5	Search response.....	99
A.5	Description	100
A.6	Control.....	100
A.7	Eventing.....	100
A.8	Presentation	100
A.9	References.....	101

Annex B (informative) Schemas	102
B.1 UPnP Device Schema	102
B.2 UPnP Service Schema	106
B.3 UPnP Control Schema	110
B.4 UPnP Error Schema	111
B.5 UPnP Event Schema	112
B.6 Schema references	113
Figure 1: — Protocol stack	5
Figure 1-1: — Discovery architecture	13
Figure 1-2: — Advertisement protocol stack	18
Figure 1-3: — Initial and repeat announcements, no announcement spreading	20
Figure 1-4: — Initial and repeat announcements, message spreading of repeat announcements	20
Figure 1-5: — Search protocol stack	27
Figure 2-1: — Description architecture	33
Figure 2-2: — Description retrieval protocol stack	56
Figure 3-1: — Control architecture	59
Figure 3-2: — Control protocol stack	62
Figure 4-1: — Unicast eventing architecture	75
Figure 4-2: — Unicast eventing protocol stack	76
Figure 4-3: — Multicast eventing architecture	84
Figure 4-4: — Multicast eventing protocol stack	85
Figure 5-1: — Presentation architecture	93
Figure 5-2: — Presentation protocol stack	94
Table 1 — Acronyms	7
Table 1-1: — Root device discovery messages	19
Table 1-2: — Embedded device discovery messages	19
Table 1-3: — Service discovery messages	19
Table 2-1: — Vendor extensions	53
Table 3-1: — SOAP 1.1 UPnP Profile	62
Table 3-2: — <code>mustUnderstand</code> attribute	64
Table 3-3: — UPnP Defined Action error codes	73
Table 4-4: — HTTP Status Codes indicating a Subscription Error	81
Table 4-5: — HTTP Status Codes indicating a Resubscription Error	82
Table 4-6: — HTTP Status Codes indicating a Cancel Subscription Error	83
Table 4-7: — HTTP Status Codes indicating a Notify Error	89
Table 4-8: — Multicast event levels	91