

# ISO/IEC 29341-1-1:2011-09 (E)

## Information technology - UPnP Device Architecture - Part 1-1: UPnP Device Architecture Version 1.1

---

### Contents

Page

Introduction .....	4
0 Addressing .....	10
0.1 Determining whether to use Auto-IP .....	10
0.2 Choosing an address .....	10
0.3 Testing the address .....	11
0.4 Forwarding rules.....	11
0.5 Periodic checking for dynamic address availability.....	12
0.6 Device naming and DNS interaction .....	12
0.7 Name to IP address resolution .....	12
0.8 References.....	12
1 Discovery .....	13
1.1 SSDP message format.....	16
1.1.1 SSDP Start-line.....	16
1.1.2 SSDP message header fields .....	16
1.1.3 SSDP header field extensions .....	16
1.1.4 UUID format and RECOMMENDED generation algorithms .....	17
1.1.5 SSDP processing rules .....	17
1.2 Advertisement .....	17
1.2.1 Advertisement protocols and standards .....	18
1.2.2 Device available - NOTIFY with ssdp:alive.....	18
1.2.3 Device unavailable -- NOTIFY with ssdp:byebye .....	24
1.2.4 Device Update – NOTIFY with ssdp:update .....	25
1.3 Search .....	27
1.3.1 Search protocols and standards .....	27
1.3.2 Search request with M-SEARCH .....	28
1.3.3 Search response.....	31
1.4 References.....	33
2 Description .....	33
2.1 Generic requirements on HTTP usage.....	36
2.2 Generic requirements on XML usage.....	38
2.3 Device description .....	38
2.4 UPnP Device Template .....	43
2.5 Service description .....	43
2.5.1 Defining and processing extended data types .....	50
2.5.2 String equivalents of extended data types.....	51
2.5.3 Generic requirements.....	52
2.5.4 Ordering of Elements .....	52
2.5.5 Versioning .....	53
2.6 UPnP Service Template .....	53
2.7 Non-standard vendor extensions and limitations.....	53
2.7.1 Placement of Additional Elements and Attributes .....	55
2.8 UPnP Device Schema.....	55
2.9 UPnP Service Schema.....	55
2.10 UPnP Datatype Schema .....	55
2.11 Retrieving a description using HTTP .....	55

2.12	References.....	59
3	Control .....	59
3.1	Control protocols .....	62
3.1.1	SOAP Profile .....	62
3.2	Actions.....	65
3.2.1	Action invocation.....	65
3.2.2	Action Response.....	68
3.2.3	UPnP Action Schema .....	70
3.2.4	Recommendations and additional requirements .....	71
3.2.5	Action error response.....	71
3.2.6	UPnP Error Schema.....	74
3.3	Query for variable.....	74
3.4	References.....	75
4	Eventing.....	75
4.1	Unicast eventing.....	75
4.1.1	Subscription.....	77
4.1.2	SUBSCRIBE with NT and CALLBACK.....	79
4.1.3	Renewing a subscription with SUBSCRIBE with SID .....	81
4.1.4	Canceling a subscription with UNSUBSCRIBE .....	82
4.2	Multicast Eventing .....	84
4.3	Event messages .....	85
4.3.1	Error Cases .....	86
4.3.2	Unicast eventing: Event messages: NOTIFY .....	86
4.3.3	Multicast Eventing: Event messages: NOTIFY .....	89
4.4	UPnP Event Schema .....	92
4.5	Augmenting the UPnP Device and Service Schemas .....	92
4.6	References.....	93
5	Presentation.....	93
5.1	References.....	94
Annex A	(normative) IP Version 6 Support.....	95
A.1	Introduction .....	95
A.2	General Principles .....	95
A.2.1	Device operation.....	96
A.2.2	Control point operation.....	96
A.3	Addressing .....	96
A.3.1	Summary of boot/startup process .....	96
A.3.2	Short overview of protocol specified by RFC 2462 .....	97
A.4	Discovery .....	97
A.4.1	Advertisement.....	98
A.4.2	Advertisement: Device unavailable .....	98
A.4.3	Advertisement: Device update .....	99
A.4.4	Search.....	99
A.4.5	Search response.....	99
A.5	Description .....	100
A.6	Control.....	100
A.7	Eventing.....	100
A.8	Presentation .....	100
A.9	References.....	101

Annex B (informative) Schemas .....	102
B.1 UPnP Device Schema .....	102
B.2 UPnP Service Schema .....	106
B.3 UPnP Control Schema .....	110
B.4 UPnP Error Schema .....	111
B.5 UPnP Event Schema .....	112
B.6 Schema references .....	113
Figure 1: — Protocol stack .....	5
Figure 1-1: — Discovery architecture .....	13
Figure 1-2: — Advertisement protocol stack .....	18
Figure 1-3: — Initial and repeat announcements, no announcement spreading .....	20
Figure 1-4: — Initial and repeat announcements, message spreading of repeat announcements .....	20
Figure 1-5: — Search protocol stack .....	27
Figure 2-1: — Description architecture .....	33
Figure 2-2: — Description retrieval protocol stack .....	56
Figure 3-1: — Control architecture .....	59
Figure 3-2: — Control protocol stack .....	62
Figure 4-1: — Unicast eventing architecture .....	75
Figure 4-2: — Unicast eventing protocol stack .....	76
Figure 4-3: — Multicast eventing architecture .....	84
Figure 4-4: — Multicast eventing protocol stack .....	85
Figure 5-1: — Presentation architecture .....	93
Figure 5-2: — Presentation protocol stack .....	94
Table 1 — Acronyms .....	7
Table 1-1: — Root device discovery messages .....	19
Table 1-2: — Embedded device discovery messages .....	19
Table 1-3: — Service discovery messages .....	19
Table 2-1: — Vendor extensions .....	53
Table 3-1: — SOAP 1.1 UPnP Profile .....	62
Table 3-2: — <code>mustUnderstand</code> attribute .....	64
Table 3-3: — UPnP Defined Action error codes .....	73
Table 4-4: — HTTP Status Codes indicating a Subscription Error .....	81
Table 4-5: — HTTP Status Codes indicating a Resubscription Error .....	82
Table 4-6: — HTTP Status Codes indicating a Cancel Subscription Error .....	83
Table 4-7: — HTTP Status Codes indicating a Notify Error .....	89
Table 4-8: — Multicast event levels .....	91