ISO/IEC 29341-15-10:2011-09 (E)

Information technology - UPnP Device Architecture - Part 15-10: Content Synchronization Device Control Protocol - Content Synchronization Service

Contents

Page

1 Overview and Scope 4
1.1 Introduction 4
1.1.1 ContentSync Function 6
1.1.2 Media Server Device and ContentDirectory Service 6
1.2 Notation 7
1.2.1 Data Types 8
1.3 Vendor-defined Extensions 8
1.4 Namespace for ContentSync Service 8
1.5 References 8
2 Service Modeling Definitions 10
2.1 ServiceType 10
2.2 Terms 10
2.2.1 Synchronization Object and Pair 10
2.2.2 Synchronization Data Structure 11
2.2.3 Synchronization Policy and Behavior 12
2.2.4 Minimally Complete Synchronization Relationship Data Structure 15
2.3 Synchronization Data Structure Management 16
2.3.1 Synchronization Data Structure Addition 16
2.3.2 Synchronization Data Structure Modification 16
2.3.3 Synchronization Data Structure Deletion 17
2.4 Synchronization Operation (CDS to CDS) 17
2.5 Synchronization Operation (CDS to non CDS) 19
2.6 Garbage Collection 20
2.7 State Variables 20
2.7.1 *SyncChange* 21
2.7.2 *SyncStatusUpdate* 22
2.7.3 *A_ARG_TYPE_ActionCaller* 28
2.7.4 *A_ARG_TYPE_SyncData* 28
2.7.5 *A_ARG_TYPE_SyncPair* 33
2.7.6 *A_ARG_TYPE_SyncID* 33
2.7.7 *A_ARG_TYPE_ObjectID* 33
2.7.8 *A_ARG_TYPE_SyncStatus* 33
2.7.9 *A_ARG_TYPE_ChangeLog* 34
2.7.10 *A_ARG_TYPE_Index* 35
2.7.11 *A_ARG_TYPE_Count* 35
2.7.12 *A_ARG_TYPE_ResetObjectList* 35
2.8 Eventing and Moderation 36
2.9 Actions 36
2.9.1 *AddSyncData()* 37
2.9.2 *ModifySyncData()* 38
2.9.3 *DeleteSyncData()* 40
2.9.4 *GetSyncData()* 41
2.9.5 *ExchangeSyncData()* 42
2.9.6 *AddSyncPair()* 43
2.9.7 *ModifySyncPair()* 44

2.9.8 DeleteSyncPair() 45
2.9.9 StartSync() 47
2.9.10 AbortSync() 48
2.9.11 GetChangeLog() 49
2.9.12 49
2.9.13 ResetChangeLog() 50
2.9.14 ResetStatus() 51
2.9.15 51
2.9.16 GetSyncStatus() 52
2.9.17 Non-Standard Actions Implemented by a UPnP Vendor 53
2.9.18 Common Error Codes 53
2.10 Theory of Operation 54
2.10.1 Introduction 54
2.10.2 CDS Synchronization 54
2.10.3 Synchronization of a Reference Object 72
3 XML Service Description 77
4 Test 82
Annex A (normative) AV Working Committee Properties 83
A.1 Base Properties Overview 83
A.1.1 @id 83
A.2 Resource Encoding Characteristics Properties 83
A.2.1 res@avcs:syncAllowed 83
A.2.2 res@avcs:resModified 83
A.3 Content Synchronization-related Properties 84
A.3.1 avcs:syncable 84
A.3.2 avcs:syncInfo 84
A.3.3 avcs:syncInfo@updateID 85
A.3.4 avcs:syncInfo::pair 85
A.3.5 avcs:syncInfo::pair@syncRelationshipID 85
A.3.6 avcs:syncInfo::pair@partnershipID 85
A.3.7 avcs:syncInfo::pair@pairGroupID 86
A.3.8 avcs:syncInfo::pair::remoteObjID 86
A.3.9 avcs:syncInfo::pair::remoteParentObjID 86
A.3.10 avcs:syncInfo::pair::virtualRemoteParentObjID 86
A.3.11 avcs:syncInfo::pair::policy 86
A.3.12 avcs:syncInfo::pair::status 87
Annex B (normative) Syncable Objects and Properties 88
B.1 Deciding Syncability of CDS Object 88
B.2 Synchronization of CDS object properties (Informative) 89

Figure 1 — Content Synchronization Model 4
Figure 2 — High-level Synchronization Flow Diagram 5
Figure 3 — Unidirectional Contents Synchronization 6
Figure 4 — ContentSync Function 6
Figure 5 — Types of Synchronization Pair 11
Figure 6 — Synchronization Data Structure 12
Figure 7 — Interaction Diagram (Synchronization Operation) 17

Figure 8 — Synchronization Relationship between two CDSs 55
Figure 9 — Synchronization Relationship between two CDSs 73

Table 1-1 — Namespace Definitions 8
Table 2-1 — State Variables 20
Table 2-2 — Status Codes of Synchronization Operation 27
Table 2-3 — Event Moderation 36
Table 2-4 — Actions 37
Table 2-5 — Arguments for *AddSyncData()* 38
Table 2-6 — Error Codes for *AddSyncData()* 38
Table 2-7 — Arguments for *ModifySyncData()* 39
Table 2-8 — Error Codes for *ModifySyncData()* 40
Table 2-9 — Arguments for *DeleteSyncData()* 41
Table 2-10 — Error Codes for *DeleteSyncData()* 41
Table 2-11 — Arguments for *GetSyncData()* 41
Table 2-12 — Error Codes for *GetSyncData()* 42
Table 2-13 — Arguments for *ExchangeSyncData()* 42
Table 2-14 — Error Codes for *ExchangeSyncData()* 42
Table 2-15 — Arguments for *AddSyncPair()* 44
Table 2-16 — Error Codes for *AddSyncPair()* 44
Table 2-17 — Arguments for *ModifySyncPair()* 45
Table 2-18 — Error Codes for *ModifySyncPair()* 45
Table 2-19 — Arguments for *DeleteSyncPair()* 46
Table 2-20 — Error Codes for *DeleteSyncPair()* 46
Table 2-21 — Arguments for *StartSync()* 47
Table 2-22 — Error Codes for *StartSync()* 48
Table 2-23 — Arguments for *AbortSync()* 48
Table 2-24 — Error Codes for *AbortSync()* 49
Table 2-25 — Arguments for *GetChangeLog()* 50
Table 2-26 — Error Codes for *GetChangeLog()* 50
Table 2-27 — Arguments for *ResetChangeLog()* 51
Table 2-28 — Error Codes for *ResetChangeLog()* 51
Table 2-29 — Arguments for *ResetStatus()* 51
Table 2-30 — Error Codes for *ResetStatus()* 52
Table 2-31 — Arguments for *GetSyncStatus()* 52
Table 2-32 — Error Codes for *GetSyncStatus()* 53
Table 2-33 — Common Error Codes 53
Table 2-34 — Actions for example sequence 56
Table A.1 — Content Synchronization-related Properties Overview 84
Table B.1 — Syncability of CDS object class 88
Table B.2 — Syncability of CDS Object property 90