ISO/IEC 14543-5-21:2012-02 (E)

Information technology - Home electronic system (HES) architecture - Pa rt 5-21: Intelligent grouping and resource sharing for HES Class 2 and Class 3 - Application profile - AV profile

Contents

Page

FOREWORD 5
INTRODUCTION 6
1 Scope 7
2 Normative references 7
3 Terms, definitions and abbreviations 7
3.1 Terms and definitions 7
3.2 Abbreviations 9
3.3 Conventions 9
4 Conformance 9
5 Architecture 9
5.1 Overview 9
5.2 Four types of device interaction models in the IGRS AV application 10
5.2.1 Interaction model between a single media server and a single media client 10
5.2.2 Interaction model between multiple media servers and a single media client 10
5.2.3 Interaction model between a single media server and multiple media clients 11
5.2.4 Interaction model between multiple media servers and multiple media clients 11
6 Components of the IGRS AV system 12
6.1 IGRS AV applications 12
6.2 Media server 12
6.2.1 General 12
6.2.2 Content index service 13
6.2.3 BCM TCP service 13
6.2.4 IGRS SOAP service 13
6.3 Media client 14
6.3.1 General 14
6.3.2 BCM TCP service 15
6.3.3 IGRS SOAP service 15
6.3.4 Rendering management service 16
6.4 Media device group 16
6.4.1 Overview 16
6.4.2 Content index service device group 16
6.4.3 Audio video multicast device group 17
6.5 Modular expansion of media server and media client 17
7 Interaction flow of the IGRS AV system 18
7.1 Overview of interaction flow 18
7.2 Interaction flow of device grouping 18
7.2.1 Overview of interaction flow of device grouping 18
7.2.2 Inner-group information exchange mechanism of IGRS device group 19
7.2.3 Group management mechanism of IGRS centrialised device group 22
7.2.4 Content index service device group 24
7.2.5 Audio video multicast device group 28
7.3 Interaction flow of dynamic service invocation flow determination 32

7.4 Interaction flow of AV playback ... 33
7.4.1 General ... 33
7.4.2 Media server initiated transport mode ... 36
7.4.3 Media client initiated transport mode ... 37
7.5 Interaction flow of multicast AV playback ... 39
7.6 Interaction flow of content management ... 41
7.6.1 General ... 41
7.6.2 Interaction flow of collaborative content analysis ... 41
7.6.3 Interaction flow of a personalised content recommendation ... 43
8 Session ... 44
8.1 Session setup ... 44
8.2 Session setup condition ... 45
8.3 Session setup process ... 45
8.4 Session termination ... 45
8.5 Service invocation message format ... 45
8.5.1 General ... 45
8.5.2 Service invocation request message ... 45
8.5.3 Service invocation response message ... 47
8.5.4 Content directory object update notification message ... 48
8.5.5 Service attribute update notification message ... 51
Bibliography ... 53

Figure 1 – Device grouping model of the IGRS AV profile ... 10
Figure 2 – Interaction model of a single media server and single media client ... 10
Figure 3 – Interaction model of multiple media servers and a single media client ... 11
Figure 4 – Interaction model of a single media server and multiple media clients ... 11
Figure 5 – Interaction model of multiple media servers and multiple media clients ... 12
Figure 6 – Components of a media server ... 12
Figure 7 – Components of a media client ... 14
Figure 8 – Modular expansion of a media server and media client ... 17
Figure 9 – Overall interaction flow of the IGRS AV system ... 18
Figure 10 – Flow of centralised device group management from the perspective of a master device ... 23
Figure 11 – Flow of centralised device group management from the perspective of slave device ... 24
Figure 12 – Flow of content index service device group management from the perspective of media server set as CIS group master ... 27
Figure 13 – Flow of content index service device group management from the perspective of a media server set as CIS group slave ... 28
Figure 14 – Flow of AV multicast device group management from the perspective of master device ... 31
Figure 15 – Flow of audio video multicast device group management from the perspective of a slave device ... 32
Figure 16 – Interaction flow of dynamic service invocation ... 32
Figure 17 – Interaction flow of AV playback ... 34
Figure 18 – Control of media server initiated transport based on BCM (IGRS dynamic service invocation module located on media client) ... 36

Figure 19 – Control of media server initiated transport based on BCM (IGRS dynamic service invocation module located on a media server) 37
Figure 20 – Control of media server initiated transport based on SOAP 37
Figure 21 – Control of a media client initiated transport based on BCM (IGRS dynamic service invocation module located on a media client) 38
Figure 22 – Control of media client initiated transport based on BCM (IGRS dynamic service invocation module located on media server) 38
Figure 23 – Control of media client initiated transport based on SOAP 39
Figure 24 – Flow of multicast AV playback 40
Figure 25 – Interaction flow of collaborative content analysis 42
Figure 26 – Interaction flow of a media client accessing a content index service device group 43
Figure 27 – Flow of content recommendation by offline personalisation 44
Figure 28 – Flow of content recommendation by online personalization 44

Table 1 – IGRS device group inner-group information exchange notification message 20
Table 2 – IGRS device group inner-group information exchange request message 21
Table 3 – IGRS device group inner-group information exchange response message 22
Table 4 – Content index service device group online advertisement message 25
Table 5 – Audio video multicast device group online advertisement message 29
Table 6 – Service invocation request message 46
Table 7 – Service invocation response message 47
Table 8 – Content directory object update notification message 48
Table 9 – Service attribute update notification message 51