ISO/IEC 15067-3:2012-07 (E)

Information technology - Home Electronic System (HES) application model - Part 3: Model of a demand-response energy management system for HES

Contents

Page

FOREWORD 4
INTRODUCTION 6
1 Scope 8
2 Normative references 8
3 Terms, definitions and abbreviations 8
3.1 Terms and definitions 8
3.2 Abbreviations 11
4 Conformance 11
5 Energy management using demand response 12
5.1 Model for energy management 12
5.2 Demand response overview 15
5.3 Demand response methods 16
5.3.1 Direct load control 16
5.3.2 Demand response via pricing and event notification 17
6 Distributed control architecture and strategies 18
6.1 Smart appliances 18
6.2 Prices-to-devices 18
6.3 Energy management agent (EMA) 19
6.3.1 EMA overview 19
6.3.2 EMA grid-to-home functionality 21
6.3.3 Home-to-grid functionality 21
7 HES energy management taxonomy and lexicon 21
7.1 Introduction to energy management taxonomy and lexicon 21
7.2 Examples of logical and physical models 22
7.3 Taxonomy of HES energy management use cases 23
7.3.1 Structure of use cases 23
7.3.2 Case 1: local control 23
7.3.3 Case 2: direct control without supervision 24
7.3.4 Case 3: direct control with supervision 25
7.3.5 Case 4: distributed control 27
7.3.6 Case 5: advanced distributed control 28
7.3.7 Case 6: distributed control for intelligent appliances 28
7.3.8 Case 7: utility telemetry services 30
7.4 Lexicon for HES energy management 31
7.4.1 HES message lexicon overview 31
7.4.2 HES message list 31
Annex A (informative) Premises equipment for energy management 35
Annex B (informative) Demand-side management 37
Annex C (informative) Value added services 40
Bibliography 41

Figure 1 – Elements of the HES energy management model 13
Figure 2 – HES energy management model 14
Figure 3 – Example of building energy management 15
Figure 4 – Direct load control 16
Figure 5 – Price-to-devices 19
Figure 6 – Distributed load control system 20
Figure 7 – Energy management agent 20
Figure 8 – Typical HES energy management model components 22
Figure 9 – Logical model for HES energy management 23
Figure 10 – Logical model of minimal HES energy management 23
Figure 11 – Case 1: local control, physical model 24
Figure 12 – Case 1: local control, logical model 24
Figure 13 – Case 2: direct control, physical model 25
Figure 14 – Case 2: direct control, logical model 25
Figure 15 – Case 3: direct control with supervision, physical model 26
Figure 16 – Case 3: direct control with supervision, logical model 26
Figure 17 – Case 7: utility telemetry services, physical model 30
Figure 18 – Case 7: utility telemetry services, logical model 30