

DIN ISO 12789-1:2013-01 (E)

Reference radiation fields - Simulated workplace neutron fields - Part 1: Characteristics and methods of production (ISO 12789-1:200 8)

Contents	Page
National foreword	3
National Annex NA (informative) Bibliography	3
Introduction	4
1 Scope	5
2 Normative references	5
3 Terms and definitions	5
4 Simulated workplace neutron fields	7
5 General requirements for the production of simulated workplace neutron spectra	7
6 Characterization of simulated workplace neutron fields	8
7 Fluence to dose-equivalent conversion coefficients	10
8 Sources of uncertainty	11
9 Expression and reporting of uncertainties	11
Annex A (informative) Examples of simulated workplace neutron fields	12
Bibliography	26
Figures Figure A.1 -- Schematic diagram of the PTB irradiation facility (vertical cross-section)	15
Figure A.2 -- Fluence rate spectra behind a shadow object for various calibration sources in the PTB	16
Figure A.3 -- Schematic cross-sectional view of the IPSN-CEA Cadarache Laboratory simulated workplace neutron field facility	17
Figure A.4 -- Measured and calculated neutron spectra produced at the IPSN-CEA Cadarache facility (238U-induced fission by 14,6 MeV neutrons with additional moderation)	18
Figure A.5 -- Neutron spectrum measured at the IPSN-CEA Cadarache facility	19
Figure A.6 -- GRENF facility (horizontal cross-section at the plane of the beam)	20
Figure A.7 -- Unfolded spectral neutron fluence per log energy interval in the GRENF facility	21
Figure A.8 -- Plan view of SILÉNE reactor facility (ground view)	22
Figure A.9 -- Neutron spectra produced at the reference position using different shields in the SILÉNE facility	23

Figure A.10 -- Cross-sectional diagram of the CERN reference neutron facility (vertical cross-section) 24

Figure A.11 -- Calculated and measured neutron energy spectra produced in the CERN facility 25

Tables Table 1 -- Ambient and personal dose equivalent per unit neutron fluence, $h^*(10)$ and h_p , slab(10,), in units of μSvcm^2 , for monoenergetic neutrons incident on the ICRU sphere and ICRU tissue slab phantom 9