

ISO/IEC TR 11801-9901:2014-10 (E)

Information technology - Generic cabling for customer premises - Part 9901: Guidance for balanced cabling in support of at least 40 Gbit/s data transmission

Contents	Page
FOREWORD.....	6
INTRODUCTION.....	8
1 Scope.....	9
2 Normative references.....	9
3 Terms, definitions and abbreviations.....	10
3.1 Terms and definitions.....	10
3.2 Abbreviations.....	10
4 Channel requirements using components with enhanced performance and extended frequency.....	11
4.1 General.....	11
4.2 Return loss.....	11
4.3 Insertion loss.....	13
4.4 Near-end crosstalk loss (NEXT).....	14
4.4.1 Pair-to-pair NEXT.....	14
4.4.2 Power sum NEXT (PS NEXT).....	15
4.5 Attenuation to crosstalk loss ratio near-end (ACR-N).....	16
4.5.1 Pair-to-pair ACR-N.....	16
4.5.2 Power sum ACR-N (PS ACR-N).....	16
4.6 Attenuation to crosstalk ratio far-end (ACR-F).....	16
4.6.1 Pair-to-pair ACR-F.....	16
4.6.2 Power sum ACR-F (PS ACR-F).....	17
4.7 Alien (Exogenous) crosstalk.....	18
4.7.1 PS ANEXT.....	18
4.7.2 PS AACR-F.....	19
4.8 DC loop resistance.....	20
4.9 Propagation delay.....	20
4.10 Delay skew.....	21
4.11 Unbalance attenuation near end (TCL), far end (ELTCTL) and coupling attenuation.....	21
4.11.1 General.....	21
4.11.2 Unbalance attenuation, near end.....	21
4.11.3 Unbalance attenuation far end (ELTCTL).....	22
4.11.4 Coupling attenuation.....	23
5 Channel requirements for Category 6 _A and Category 7 _A components.....	23
5.1 General.....	23
5.2 Return loss.....	23
5.3 Insertion loss.....	24
5.4 Near-end crosstalk loss (NEXT).....	25
5.4.1 Pair-to-pair NEXT.....	25
5.4.2 Power sum NEXT (PS NEXT).....	26

5.5	Attenuation to crosstalk loss ratio near end (ACR N)	27
5.5.1	Pair-to-pair ACR-N	27
5.5.2	Power sum ACR-N (PS ACR-N).....	27
5.6	Attenuation to crosstalk loss ratio far-end (ACR-F)	27
5.6.1	Pair-to-pair ACR-F	27
5.6.2	Power sum ACR-F (PS ACR-F).....	28
5.7	Alien (Exogenous) crosstalk	29
5.8	DC loop resistance.....	29
5.9	Propagation delay	29
5.10	Delay skew	30
5.11	Transverse conversion loss (TCL).....	30
5.12	Equal level transverse conversion loss (ELTCTL)	30
5.13	Coupling attenuation	30
Annex A	(informative) Assessment of cabling capacity for 40 Gbit/s.....	31
A.1	Overview.....	31
A.2	Channels Class I and Class II (Clause 4)	32
A.2.1	General	32
A.2.2	Results	32
A.2.3	Case 1	33
A.2.4	Case 2.....	36
A.2.5	Case 3: alien crosstalk included	38
A.3	Channel requirement for Category 6 _A and Category 7 _A components (Clause 5).....	42
A.3.1	Category 6 _A Case 2	42
A.3.2	Category 7 _A Case 2	43
A.4	Characterisation of channels using standardised components with extended frequency (Annex B)	44
A.4.1	General	44
A.4.2	CH ϵ using the same cancellation as in A.2.4.2.....	44
A.4.3	CH γ using the same cancellation as in A.2.4.3	44
A.5	Excerpt of definitions and formulae used in this annex	45
A.5.1	Shannon capacity	45
A.5.2	Margin	45
A.5.3	Transmit power.....	45
A.5.4	Cancellation	45
A.5.5	Background noise	45
A.5.6	Bandwidth.....	45
A.5.7	Electronic noise	45
A.5.8	Cabling noise.....	46
A.5.9	Signal	46
A.5.10	Noise.....	46
Annex B	(informative) Characterisation of a channel using standardised components with extended frequency	47
B.1	General.....	47
B.2	Return loss	47
B.3	Insertion loss	48
B.4	Near-end crosstalk loss (NEXT)	48
B.4.1	Pair-to-pair NEXT	48
B.4.2	Power sum NEXT (PS NEXT)	49
B.5	Attenuation to crosstalk loss ratio near-end (ACR-N)	50
B.5.1	Pair-to-pair ACR-N	50
B.5.2	Power sum ACR-N (PS ACR-N).....	50

B.6	Attenuation to crosstalk ratio far end (ACR F).....	51
B.6.1	Pair-to-pair ACR-F.....	51
B.6.2	Power sum ACR-F (PS ACR-F).....	51
B.7	Alien (Exogenous) crosstalk.....	52
B.7.1	PS ANEXT.....	52
B.7.2	PS AACR-F.....	53
B.8	DC loop resistance.....	54
B.9	Propagation delay.....	54
B.10	Delay skew.....	55
B.11	Transverse conversion loss (TCL).....	55
B.12	Unbalance attenuation far end (ELTCTL).....	56
B.13	Coupling attenuation.....	56
Figure A.1	– Channel Shannon capacity and margin for Class I.....	34
Figure A.2	– Channel Shannon capacity and margin for Class II.....	35
Figure A.3	– Channel Shannon capacity and margin for Class I.....	37
Figure A.4	– Channel Shannon capacity and margin for Class II.....	38
Figure A.5	– Influence of the PS AACR-F reference length on noise level on a 30 m channel.....	39
Figure A.6	– Influence of the PS AACR-F reference length on noise level on a 3 m channel.....	40
Figure A.7	– Influence of PS AACR-F on Shannon capacity and margin.....	41
Figure A.8	– Channel Shannon capacity and margin for Category 6 _A	42
Figure A.9	– Channel Shannon capacity and margin for Category 7 _A	43
Table 1	– Formulae for return loss limits for a channel.....	11
Table 2	– Return loss limits for a channel at key frequencies.....	12
Table 3	– Formulae for insertion loss limits for a channel.....	13
Table 4	– Insertion loss limits for a channel at key frequencies.....	14
Table 5	– Formulae for pair-to-pair NEXT limits for a channel.....	14
Table 6	– Pair-to-pair NEXT limits for a channel at key frequencies.....	15
Table 7	– Formulae for PS NEXT limits for a channel.....	15
Table 8	– PS NEXT limits for a channel at key frequencies.....	16
Table 9	– Formulae for ACR-F limits for a channel.....	17
Table 10	– ACR-F limits for a channel at key frequencies.....	17
Table 11	– Formulae for PS ACR-F limits for a channel.....	18
Table 12	– PS ACR-F limits for a channel at key frequencies.....	18
Table 13	– Formulae for PS ANEXT limits for a channel.....	19
Table 14	– PS ANEXT limits for a channel at key frequencies.....	19
Table 15	– Formulae for PS AACR-F limits for a channel.....	19
Table 16	– PS AACR-F limits for a channel at key frequencies.....	20
Table 17	– Formulae for propagation delay limits for a 30 m channel.....	20
Table 18	– Propagation delay limits for a channel at key frequencies.....	20
Table 19	– Delay skew limits for a 30 m channel.....	21
Table 20	– TCL for a channel.....	21
Table 21	– TCL limits for a channel at key frequencies.....	22
Table 22	– ELTCTL for a channel.....	22
Table 23	– ELTCTL limits for a channel at key frequencies.....	22
Table 24	– Coupling attenuation for a channel.....	23

Table 25 – Coupling attenuation limits for a channel at key frequencies	23
Table 26 – Formulae for return loss limits for a channel	24
Table 27 – Return loss limits for a channel at key frequencies	24
Table 28 – Formulae for insertion loss limits for a channel	24
Table 29 – Insertion loss limits for a channel at key frequencies	25
Table 30 – Formulae for NEXT limits for a channel	25
Table 31 – NEXT limits for a channel at key frequencies	25
Table 32 – Formulae for PS NEXT limits for a channel	26
Table 33 – PS NEXT limits for a channel at key frequencies	26
Table 34 – Formulae for ACR-F limits for a channel	27
Table 35 – ACR-F limits for a channel at key frequencies	28
Table 36 – Formulae for PS ACR-F limits for a channel	28
Table 37 – PS ACR-F limits for a channel at key frequencies	29
Table 38 – Formulae for propagation delay limits for a channel	29
Table 39 – Propagation delay limits for a channel at key frequencies	29
Table 40 – Delay skew limits for a channel	30
Table A.1 – Cancellation levels at 30 m channel length, Case 1: Fixed cancellation values	32
Table A.2 – Cancellation levels at 30 m channel length Case 2: cabling noise cancelled below background noise	32
Table B.1 – Formulae for return loss limits for a channel	47
Table B.2 – Return loss limits for a channel at key frequencies	47
Table B.3 – Formulae for insertion loss limits for a channel	48
Table B.4 – Insertion loss limits for a channel at key frequencies	48
Table B.5 – Formulae for pair-to-pair NEXT limits for a channel	49
Table B.6 – Pair-to-pair NEXT limits for a channel at key frequencies (informative)	49
Table B.7 – Formulae for PS NEXT limits for a channel	50
Table B.8 – PS NEXT limits for a channel at key frequencies	50
Table B.9 – Formulae for ACR-F limits for a channel	51
Table B.10 – ACR-F limits for a channel at key frequencies	51
Table B.11 – Formulae for PS ACR-F limits for a channel	52
Table B.12 – PS ACR-F limits for a channel at key frequencies	52
Table B.13 – Formulae for PS ANEXT limits for a channel	53
Table B.14 – PS ANEXT limits for a channel at key frequencies	53
Table B.15 – Formulae for PS AACR-F limits for a channel	53
Table B.16 – PS AACR-F limits for a channel at key frequencies	54
Table B.17 – Formulae for propagation delay limits for a 30 m channel	54
Table B.18 – Propagation delay limits for a channel at key frequencies	54
Table B.19 – Delay skew limits for a 30 m channel	55
Table B.20 – Formulae for TCL limits for an unscreened channel	55
Table B.21 – TCL limits for an unscreened channel at key frequencies	55
Table B.22 – ELTCTL for channel for an unscreened channel	56
Table B.23 – Formulae for coupling attenuation limits for a screened channel	56
Table B.24 – Coupling attenuation limits for a screened channel at key frequencies	56