

ISO/IEC 30100-1:2016-04 (E)

Information technology - Home network resource management - Part 1: Requirements

CONTENTS

- FOREWORD.....4
- INTRODUCTION.....5
- 1 Scope.....7
- 2 Normative references.....7
- 3 Terms, definitions and abbreviations8
 - 3.1 Terms and definitions8
 - 3.2 Abbreviations9
- 4 Conformance9
- 5 Usage model10
 - 5.1 Overview.....10
 - 5.2 Usage scenarios10
 - 5.2.1 Easy configuration of the HES entity10
 - 5.2.2 Management of the HES.....10
 - 5.2.3 Smart services with the HES entity10
 - 5.2.4 Fault processing of the HES entity10
 - 5.2.5 Privacy protection principle.....10
- 6 Functional requirement11
 - 6.1 Overview.....11
 - 6.2 Description of an HES entity.....12
 - 6.2.1 General.....12
 - 6.2.2 Location Information.....12
 - 6.2.3 Device information12
 - 6.2.4 Network information13
 - 6.2.5 Service information13
 - 6.3 Abstraction.....13
 - 6.4 Extensibility13
 - 6.5 Consistency13
 - 6.6 Privacy protection principle.....13
- 7 Information model requirements14
 - 7.1 General.....14
 - 7.2 Resource description.....14
 - 7.3 Relation description14
 - 7.4 Information description14
 - 7.5 Management procedure description15
 - 7.6 Privacy protection principle.....15
- Annex A (informative) Building information model (BIM).....16
 - A.1 General.....16
 - A.2 Relation between BIM and home network resource management.....16

Annex B (informative) Home network management protocols	18
B.1 General.....	18
B.2 TR-069 (ITU-T Recommendation G.9971)	18
B.3 UPnP DM (UPnP Device Management).....	18
B.4 OSGi RMP (Remote Management Protocol).....	19
B.5 OMA DM	20
B.6 RDM	20
B.7 SNMP	21
B.8 Comparison of candidates	21
Bibliography	22
Figure 1 – Some examples of home networking devices and services	5
Figure 2 – Home network resource management model	11
Figure 3 – Logical concept of home resource management architecture	12
Figure B.1 – TR-069 positioned as an end-to-end architecture	18
Figure B.2 – Management mechanism of UPnP	19
Figure B.3 – OSGi remote management protocol	19
Figure B.4 – OMA DM protocol stacks	20
Figure B.5 – DMX-5120-A/RDM to ACN over TCP/IP gateways with RDM	20
Table B.1 – Standard or technology comparison table.....	21