ISO/IEC 29341-20-11:2017-09 (E)

Information technology - UPnP Device Architecture - Part 20-11: Audio video device control protocol - Level 4 - Connection manager service

Contents

Page

1 Scope vi

2 Normative references 1

3 Terms, definitions, symbols and abbreviations 4
3.1 Provisioning terms 4
3.2 Symbols 5

4 Notations and Conventions 5
4.1 Notation 5
4.1.1 Data Types 5
4.1.2 Strings Embedded in Other Strings 6
4.1.3 Extended Backus-Naur Form 6
4.2 Derived Data Types 7
4.2.1 Summary 7
4.2.2 CSV Lists 7
4.3 Management of XML Namespaces in Standardized DCPs 8
4.3.1 Namespace Prefix Requirements 12
4.3.2 Namespace Names, Namespace Versioning and Schema Versioning 13
4.3.3 Namespace Usage Examples 15
4.4 Vendor-defined Extensions 15
4.4.1 Vendor-defined Action Names 15
4.4.2 Vendor-defined State Variable Names 15
4.4.3 Vendor-defined XML Elements and attributes 16
4.4.4 Vendor-defined Property Names 16

5 Service Modeling Definitions 16
5.1 ServiceType 16
5.2 State Variables 17
5.2.1 State Variable Overview 17
5.2.2 SourceProtocolInfo 17
5.2.3 SinkProtocolInfo 18
5.2.4 CurrentConnectionIDs 18
5.2.5 FeatureList 18
5.2.6 ClockUpdateID 18
5.2.7 DeviceClockInfoUpdates 19
5.2.8 A_ARG_TYPE_ConnectionStatus 20
5.2.9 A_ARG_TYPE_ConnectionManager 20
5.2.10 A_ARG_TYPE_Direction 20
5.2.11 A_ARG_TYPE_ProtocolInfo 20
5.2.12 A_ARG_TYPE_ConnectionID 20
5.2.13 A_ARG_TYPE_AVTransportID 20
5.2.14 A_ARG_TYPE_RcsID 21
5.2.15 A_ARG_TYPE_ItemInfoFilter 21
5.2.16 A_ARG_TYPE_Result 22
5.2.17 A_ARG_TYPE_RenderingInfoList 22
5.3 Eventing and Moderation 28
5.4 Actions 28
5.4.1 Action Overview 28
5.4.2 GetProtocolInfo() 29
5.4.3 PrepareForConnection() 29

5.4.4 ConnectionComplete() 31
5.4.5 GetCurrentConnectionIDs() 32
5.4.6 GetCurrentConnectionInfo() 33
5.4.7 GetRendererItemInfo() 34
5.4.8 GetFeatureList() 35
5.4.9 Common Error Codes 35

6 XML Service Description 36

7 Test 40

Annex A (normative) Protocol Specifics 41

A.1 Application to HTTP Streaming 41
A.1.1 ProtocolInfo Definition 41
A.1.2 Implementation of PrepareForConnection() 41
A.1.3 Implementation of ConnectionComplete() 41
A.1.4 Automatic Connection Cleanup 41
A.2 Application to RTSP/RTP/UDP Streaming 42
A.2.1 ProtocolInfo Definition 42
A.2.2 Implementation of PrepareForConnection() 42
A.2.3 Implementation of ConnectionComplete() 42
A.2.4 Automatic Connection Cleanup 42
A.3 Application to Device-Internal Streaming 42
A.4 Application to IEC61883 Streaming 43
A.4.1 ProtocolInfo Definition 43
A.4.2 Implementation of PrepareForConnection() 44
A.4.3 Implementation of ConnectionComplete() 45
A.4.4 Automatic Connection Cleanup 45
A.5 Application to Vendor-specific Streaming 46

Annex B (normative) CM features 47

B.1 Introduction 47
B.2 Requirements for the CLOCKSYNC feature, Version 1 47

Annex C (informative) Theory of Operation 53

C.1 Purpose 53
C.2 ProtocolInfo Concept 53
C.2.1 4th Field - <additionalInfo> 54
C.2.2 IEC61883 Exception 55
C.2.3 Formal EBNF for the 4th field 55
C.2.4 ProtocolInfo Conventions for Protected Content 56
C.3 Typical Control Point Operations 57
C.3.1 Introduction 57
C.3.2 Establishing a New Connection 57
C.3.3 Dealing with Ongoing Connections 58
C.4 Relation to Devices without ConnectionManagers 58
C.5 PrepareForConnection() and ConnectionComplete() 59
C.5.1 PrepareForConnection() 59
C.5.2 ConnectionComplete() 59
C.5.3 General Usage Model 59
C.5.4 Relationship to AVTransport and RenderingControl Services 60
C.5.5 ConnectionIDs 60
C.5.6 AVTransportIDs and RcsIDs 61
C.6 Determining if ContentDirectory items are playable 61
C.7 CLOCKSYNC feature 66
C.7.1 Examples of CLOCKSYNC feature 67

Annex D (informative) Bibliography 70

List of Tables

Table 1 — EBNF Operators 7
Table 2 — CSV Examples 8
Table 3 — Namespace Definitions 9
Table 4 — Schema-related Information 11
Table 5 — Default Namespaces for the AV Specifications 13
Table 6 — State Variables 17
Table 7 — allowedValueList for *A_ARG_TYPE_ConnectionStatus* 20
Table 8 — allowedValueList for *A_ARG_TYPE_Direction* 20
Table 9 — Event Moderation 28
Table 10 — Actions 28
Table 11 — Arguments for *GetProtocolInfo()* 29
Table 12 — Arguments for *PrepareForConnection()* 30
Table 13 — Error Codes for *PrepareForConnection()* 31
Table 14 — Arguments for *ConnectionComplete()* 32
Table 15 — Error Codes for *ConnectionComplete()* 32
Table 16 — Arguments for *GetCurrentConnectionIDs()* 32
Table 17 — Error Codes for *GetCurrentConnectionIDs()* 33
Table 18 — Arguments for *GetCurrentConnectionInfo()* 33
Table 19 — Error Codes for *GetCurrentConnectionInfo()* 34
Table 20 — Arguments for *GetRendererItemInfo()* 34
Table 21 — Error Codes for *GetRendererItemInfo()* 35
Table 22 — Arguments for *GetFeatureList()* 35
Table 23 — Error Codes for *GetFeatureList()* 35
Table 24 — Common Error Codes 36
Table A.1 — <contentFormat> for Protocol IEC61883 44
Table B.1 — *CM features* 47
Table B.2 — Required characteristics of the *CLOCKSYNC feature* element 49
Table B.3 — Allowed values for the <`syncProtocolID`> element 50
Table B.4 — Allowed formats for the <`masterClockID`> element. 51
Table B.5 — Allowed values for the <`supportedTimestamps`> element. 51
Table C.1 — Defined Protocols and their associated *ProtocolInfo* Values 54