

# ISO/IEC 29341-20-12:2017-09 (E)

## Information technology - UPnP Device Architecture - Part 20-12: Audio video device control protocol - Level 4 - Content directory service

---

Contents	Page
1 Scope .....	1
2 Normative references .....	1
3 Terms, definitions, symbols and abbreviations.....	5
3.1 Provisioning terms .....	5
3.2 Symbols .....	5
4 Notations and Conventions .....	5
4.1 Notation .....	5
4.1.1 Data Types .....	6
4.1.2 Strings Embedded in Other Strings.....	6
4.1.3 Extended Backus-Naur Form.....	6
4.2 Derived Data Types .....	7
4.2.1 Summary .....	7
4.2.2 CSV Lists.....	7
4.3 Management of XML Namespaces in Standardized DCPs.....	8
4.3.1 Namespace Prefix Requirements.....	12
4.3.2 Namespace Names, Namespace Versioning and Schema Versioning .....	13
4.3.3 Namespace Usage Examples .....	15
4.4 Vendor-defined Extensions .....	15
4.4.1 Vendor-defined Action Names .....	15
4.4.2 Vendor-defined State Variable Names .....	15
4.4.3 Vendor-defined XML Elements and attributes .....	16
4.4.4 Vendor-defined Property Names.....	16
5 Service Modeling Definitions.....	16
5.1 Service Type .....	16
5.2 Key Concepts .....	16
5.2.1 <i>On-line</i> and <i>Off-line</i> Network States.....	16
5.2.2 object .....	16
5.2.3 Object Identity .....	17
5.2.4 Object Lifetime.....	18
5.2.5 Object Modification .....	18
5.2.6 class.....	19
5.2.7 <i>item</i> .....	19
5.2.8 <i>container</i> .....	19
5.2.9 Container Modification .....	19
5.2.10 ContentDirectory Tracking Changes Option .....	20
5.2.11 <i>ContainerUpdateIDValue</i> Indicator.....	20
5.2.12 ContentDirectory Service Object Organization .....	21
5.2.13 Hierarchical location .....	21
5.2.14 Subtree.....	22
5.2.15 Subtree Updates.....	22
5.2.16 XML Document .....	23

5.2.17	XML Fragment .....	23
5.2.18	DIDL-Lite XML Document .....	24
5.2.19	CDS View .....	25
5.2.20	CDS Properties .....	26
5.2.21	reference, reference item, referenced item .....	27
5.2.22	CDS feature .....	28
5.2.23	Metadata vs. Foreign Metadata .....	28
5.2.24	Embedded XML Documents .....	28
5.2.25	Device Protection Option .....	28
5.2.26	Device Mode Option .....	30
5.2.27	Shortcut .....	30
5.3	State Variables .....	30
5.3.1	State Variable Overview .....	31
5.3.2	<a href="#"><u>SearchCapabilities</u></a> .....	32
5.3.3	<a href="#"><u>SortCapabilities</u></a> .....	32
5.3.4	<a href="#"><u>SortExtensionCapabilities</u></a> .....	33
5.3.5	<a href="#"><u>SystemUpdateID</u></a> .....	33
5.3.6	<a href="#"><u>ContainerUpdateIDs</u></a> .....	35
5.3.7	<a href="#"><u>ServiceResetToken</u></a> .....	36
5.3.8	<a href="#"><u>LastChange</u></a> .....	37
5.3.9	<a href="#"><u>TransferIDs</u></a> .....	41
5.3.10	<a href="#"><u>FeatureList</u></a> .....	41
5.3.11	<a href="#"><u>DeviceMode</u></a> .....	41
5.3.12	<a href="#"><u>DeviceModeStatus</u></a> .....	42
5.3.13	<a href="#"><u>PermissionsInfo</u></a> .....	43
5.3.14	<a href="#"><u>A_ARG_TYPE_ObjectID</u></a> .....	45
5.3.15	<a href="#"><u>A_ARG_TYPE_Result</u></a> .....	45
5.3.16	<a href="#"><u>A_ARG_TYPE_SearchCriteria</u></a> .....	45
5.3.17	<a href="#"><u>A_ARG_TYPE_BrowseFlag</u></a> .....	47
5.3.18	<a href="#"><u>A_ARG_TYPE_Filter</u></a> .....	47
5.3.19	<a href="#"><u>A_ARG_TYPE_SortCriteria</u></a> .....	49
5.3.20	<a href="#"><u>A_ARG_TYPE_Index</u></a> .....	50
5.3.21	<a href="#"><u>A_ARG_TYPE_Count</u></a> .....	50
5.3.22	<a href="#"><u>A_ARG_TYPE_UpdateID</u></a> .....	50
5.3.23	<a href="#"><u>A_ARG_TYPE_TransferID</u></a> .....	50
5.3.24	<a href="#"><u>A_ARG_TYPE_TransferStatus</u></a> .....	51
5.3.25	<a href="#"><u>A_ARG_TYPE_TransferLength</u></a> .....	51
5.3.26	<a href="#"><u>A_ARG_TYPE_TransferTotal</u></a> .....	51
5.3.27	<a href="#"><u>A_ARG_TYPE_TagValueList</u></a> .....	51
5.3.28	<a href="#"><u>A_ARG_TYPE_URI</u></a> .....	51
5.3.29	<a href="#"><u>A_ARG_TYPE_CDSView</u></a> .....	51
5.3.30	<a href="#"><u>A_ARG_TYPE_QueryRequest</u></a> .....	51
5.3.31	<a href="#"><u>A_ARG_TYPE_QueryResult</u></a> .....	52
5.3.32	<a href="#"><u>A_ARG_TYPE_FFQCapabilities</u></a> .....	53
5.3.33	<a href="#"><u>A_ARG_TYPE_CPID</u></a> .....	54
5.3.34	<a href="#"><u>A_ARG_TYPE_DeviceModeID</u></a> .....	55
5.3.35	<a href="#"><u>A_ARG_TYPE_DeviceModeRequest</u></a> .....	55
5.4	Eventing and Moderation .....	58
5.5	Actions .....	59
5.5.1	Action Overview .....	59
5.5.2	<a href="#"><u>GetSearchCapabilities()</u></a> .....	61
5.5.3	<a href="#"><u>GetSortCapabilities()</u></a> .....	61

5.5.4	<a href="#"><u>GetSortExtensionCapabilities()</u></a> .....	61
5.5.5	<a href="#"><u>GetFeatureList()</u></a> .....	62
5.5.6	<a href="#"><u>GetSystemUpdateID()</u></a> .....	62
5.5.7	<a href="#"><u>GetServiceResetToken()</u></a> .....	63
5.5.8	<a href="#"><u>Browse()</u></a> .....	63
5.5.9	<a href="#"><u>Search()</u></a> .....	65
5.5.10	<a href="#"><u>CreateObject()</u></a> .....	66
5.5.11	<a href="#"><u>DestroyObject()</u></a> .....	72
5.5.12	<a href="#"><u>UpdateObject()</u></a> .....	73
5.5.13	<a href="#"><u>MoveObject()</u></a> .....	79
5.5.14	<a href="#"><u>ImportResource()</u></a> .....	80
5.5.15	<a href="#"><u>ExportResource()</u></a> .....	81
5.5.16	<a href="#"><u>DeleteResource()</u></a> .....	82
5.5.17	<a href="#"><u>StopTransferResource()</u></a> .....	83
5.5.18	<a href="#"><u>GetTransferProgress()</u></a> .....	84
5.5.19	<a href="#"><u>CreateReference()</u></a> .....	84
5.5.20	<a href="#"><u>FreeFormQuery()</u></a> .....	85
5.5.21	<a href="#"><u>GetFreeFormQueryCapabilities()</u></a> .....	87
5.5.22	<a href="#"><u>RequestDeviceMode()</u></a> .....	88
5.5.23	<a href="#"><u>ExtendDeviceMode()</u></a> .....	89
5.5.24	<a href="#"><u>CancelDeviceMode()</u></a> .....	90
5.5.25	<a href="#"><u>GetDeviceMode()</u></a> .....	91
5.5.26	<a href="#"><u>GetDeviceModeStatus()</u></a> .....	91
5.5.27	<a href="#"><u>GetPermissionsInfo()</u></a> .....	92
5.5.28	Non-Standard Actions Implemented by a UPnP Vendor.....	92
5.5.29	Common Error Codes.....	92
6	XML Service Description.....	94
7	Test.....	106
Annex A	(normative) Schemas.....	107
A.1	DIDL-Lite.....	107
A.2	UPnP Elements.....	107
A.3	Dublin Core Subset Elements.....	107
A.4	Event Schema.....	107
A.5	<a href="#"><u>FeatureList</u></a> State Variable Schema.....	107
Annex B	(normative) AV Working Committee Properties.....	108
B.1	Base Properties.....	117
B.1.1	<a href="#"><u>@id</u></a> .....	117
B.1.2	<a href="#"><u>@parentID</u></a> .....	118
B.1.3	<a href="#"><u>@refID</u></a> .....	118
B.1.4	<a href="#"><u>@restricted</u></a> .....	118
B.1.5	<a href="#"><u>@searchable</u></a> .....	118
B.1.6	<a href="#"><u>@childCount</u></a> .....	118
B.1.7	<a href="#"><u>@childContainerCount</u></a> .....	118
B.1.8	<a href="#"><u>dc:title</u></a> .....	119
B.1.9	<a href="#"><u>dc:creator</u></a> .....	119
B.1.10	<a href="#"><u>res</u></a> .....	119
B.1.11	<a href="#"><u>res@id</u></a> .....	119
B.1.12	<a href="#"><u>upnp:class</u></a> .....	119

B.1.13	<a href="#"><u>upnp:searchClass</u></a>	121
B.1.14	<a href="#"><u>upnp:createClass</u></a>	121
B.1.15	<a href="#"><u>upnp:writeStatus</u></a>	122
B.2	Resource Encoding Characteristics Properties	123
B.2.1	<a href="#"><u>res</u></a>	123
B.3	Resource Encoding Extension Properties	128
B.3.1	<a href="#"><u>upnp:resExt</u></a>	128
B.3.2	<a href="#"><u>upnp:resExt::uniqueContentIdentification</u></a>	129
B.4	Contributor-related Properties	130
B.4.1	<a href="#"><u>upnp:artist</u></a>	130
B.4.2	<a href="#"><u>upnp:actor</u></a>	130
B.4.3	<a href="#"><u>upnp:author</u></a>	130
B.4.4	<a href="#"><u>upnp:producer</u></a>	131
B.4.5	<a href="#"><u>upnp:director</u></a>	131
B.4.6	<a href="#"><u>dc:publisher</u></a>	131
B.4.7	<a href="#"><u>dc:contributor</u></a>	131
B.5	Affiliation-related Properties	131
B.5.1	<a href="#"><u>upnp:genre</u></a>	131
B.5.2	<a href="#"><u>upnp:album</u></a>	132
B.5.3	<a href="#"><u>upnp:playlist</u></a>	132
B.6	Associated Resources Properties	132
B.6.1	<a href="#"><u>upnp:albumArtURI</u></a>	132
B.6.2	<a href="#"><u>upnp:artistDiscographyURI</u></a>	133
B.6.3	<a href="#"><u>upnp:lyricsURI</u></a>	133
B.6.4	<a href="#"><u>dc:relation</u></a>	133
B.7	Storage-Related Properties	133
B.7.1	<a href="#"><u>upnp:storageTotal</u></a>	133
B.7.2	<a href="#"><u>upnp:storageUsed</u></a>	133
B.7.3	<a href="#"><u>upnp:storageFree</u></a>	133
B.7.4	<a href="#"><u>upnp:storageMaxPartition</u></a>	134
B.7.5	<a href="#"><u>upnp:storageMedium</u></a>	134
B.8	General Description (mainly for UI purposes) Properties	135
B.8.1	<a href="#"><u>dc:description</u></a>	135
B.8.2	<a href="#"><u>upnp:longDescription</u></a>	135
B.8.3	<a href="#"><u>upnp:icon</u></a>	135
B.8.4	<a href="#"><u>upnp:region</u></a>	136
B.8.5	<a href="#"><u>upnp:rights</u></a>	136
B.8.6	<a href="#"><u>dc:date</u></a>	136
B.8.7	<a href="#"><u>dc:language</u></a>	136
B.8.8	<a href="#"><u>upnp:playbackCount</u></a>	136
B.8.9	<a href="#"><u>upnp:lastPlaybackTime</u></a>	137
B.8.10	<a href="#"><u>upnp:lastPlaybackPosition</u></a>	137
B.8.11	<a href="#"><u>upnp:recordedStartDateTime</u></a>	137
B.8.12	<a href="#"><u>upnp:recordedEndDateTime</u></a>	138
B.8.13	<a href="#"><u>upnp:recordedDuration</u></a>	138
B.8.14	<a href="#"><u>upnp:recordedDayOfWeek</u></a>	138
B.8.15	<a href="#"><u>upnp:srsRecordScheduleID</u></a>	139
B.8.16	<a href="#"><u>upnp:srsRecordTaskID</u></a>	139

B.8.17	<a href="#"><u>upnp:recordable</u></a>	139
B.9	Recorded Object-related Properties	140
B.9.1	<a href="#"><u>upnp:programTitle</u></a>	140
B.9.2	<a href="#"><u>upnp:seriesTitle</u></a>	140
B.9.3	<a href="#"><u>upnp:programID</u></a>	141
B.9.4	<a href="#"><u>upnp:seriesID</u></a>	141
B.9.5	<a href="#"><u>upnp:channelID</u></a>	141
B.9.6	<a href="#"><u>upnp:episodeType</u></a>	143
B.9.7	<a href="#"><u>upnp:episodeCount</u></a>	143
B.9.8	<a href="#"><u>upnp:episodeNumber</u></a>	143
B.9.9	<a href="#"><u>upnp:episodeSeason</u></a>	143
B.9.10	<a href="#"><u>upnp:programCode</u></a>	143
B.9.11	<a href="#"><u>upnp:rating</u></a>	144
B.9.12	<a href="#"><u>upnp:recommendationID</u></a>	145
B.10	User Channel and EPG Related Properties	145
B.10.1	<a href="#"><u>upnp:channelGroupName</u></a>	145
B.10.2	<a href="#"><u>upnp:callSign</u></a>	146
B.10.3	<a href="#"><u>upnp:networkAffiliation</u></a>	146
B.10.4	<a href="#"><u>upnp:serviceProvider</u></a>	146
B.10.5	<a href="#"><u>upnp:price</u></a>	147
B.10.6	<a href="#"><u>upnp:payPerView</u></a>	147
B.10.7	<a href="#"><u>upnp:epgProviderName</u></a>	147
B.10.8	<a href="#"><u>upnp:dateTimeRange</u></a>	147
B.11	Preserved Program Properties	148
B.11.1	<a href="#"><u>upnp:programPreserved</u></a>	148
B.11.2	<a href="#"><u>upnp:preservedTimeRange</u></a>	149
B.11.3	<a href="#"><u>upnp:programList</u></a>	151
B.12	Radio Broadcast Properties	151
B.12.1	<a href="#"><u>upnp:radioCallSign</u></a>	151
B.12.2	<a href="#"><u>upnp:radioStationID</u></a>	151
B.12.3	<a href="#"><u>upnp:radioBand</u></a>	152
B.13	Video Broadcast Properties	152
B.13.1	<a href="#"><u>upnp:channelNr</u></a>	152
B.13.2	<a href="#"><u>upnp:channelName</u></a>	153
B.13.3	<a href="#"><u>upnp:scheduledStartTime</u></a>	153
B.13.4	<a href="#"><u>upnp:scheduledEndTime</u></a>	153
B.13.5	<a href="#"><u>upnp:scheduledDuration</u></a>	154
B.14	Physical Tuner Status-related Properties	154
B.14.1	<a href="#"><u>upnp:signalStrength</u></a>	154
B.14.2	<a href="#"><u>upnp:signalLocked</u></a>	154
B.14.3	<a href="#"><u>upnp:tuned</u></a>	155
B.15	MultiStream-related Properties	156
B.15.1	<a href="#"><u>upnp:resExt::isSyncAnchor</u></a>	157
B.15.2	<a href="#"><u>upnp:resExt::componentInfo</u></a>	157
B.16	Segmentation-related Properties	163
B.16.1	<a href="#"><u>upnp:segmentID</u></a>	164
B.16.2	<a href="#"><u>upnp:resExt::segmentInfo</u></a>	164
B.17	Bookmark-related Properties	166

B.17.1	<a href="#"><u>@neverPlayable</u></a>	166
B.17.2	<a href="#"><u>upnp:bookmarkID</u></a>	167
B.17.3	<a href="#"><u>upnp:bookmarkedObjectID</u></a>	167
B.17.4	<a href="#"><u>upnp:deviceUDN</u></a>	167
B.17.5	<a href="#"><u>upnp:stateVariableCollection</u></a>	167
B.18	Miscellaneous Properties	168
B.18.1	<a href="#"><u>upnp:DVDRegionCode</u></a>	169
B.18.2	<a href="#"><u>upnp:originalTrackNumber</u></a>	169
B.18.3	<a href="#"><u>upnp:toc</u></a>	169
B.18.4	<a href="#"><u>upnp:userAnnotation</u></a>	169
B.18.5	<a href="#"><u>desc</u></a>	169
B.19	Object Tracking Properties	170
B.19.1	<a href="#"><u>upnp:containerUpdateID</u></a>	170
B.19.2	<a href="#"><u>upnp:objectUpdateID</u></a>	170
B.19.3	<a href="#"><u>upnp:totalDeletedChildCount</u></a>	171
B.19.4	<a href="#"><u>res@updateCount</u></a>	171
B.20	Permission Properties	172
B.20.1	<a href="#"><u>upnp:inclusionControl</u></a>	172
B.21	Ownership Properties	172
B.21.1	<a href="#"><u>upnp:objectOwner</u></a>	173
B.22	Object Linking Properties	174
B.22.1	<a href="#"><u>upnp:objectLink</u></a>	174
B.22.2	<a href="#"><u>upnp:objectLinkRef</u></a>	178
B.23	Foreign Metadata-related Properties	180
B.23.1	<a href="#"><u>upnp:foreignMetadata</u></a>	180
B.24	Synchronized Playback-related Properties	187
B.24.1	<a href="#"><u>upnp:resExt::clockSync</u></a>	187
B.25	DRMInfo-related Overview Properties	188
B.25.1	<a href="#"><u>upnp:resExt::DRMInfo</u></a>	188
Annex C	(normative) AV Working Committee Class Definitions	189
C.1	Class Hierarchy	189
C.1.1	Class name syntax	190
C.1.2	Class Properties Overview	191
C.2	<a href="#"><u>object</u></a> (Base Class)	203
C.2.1	<a href="#"><u>item:object</u></a>	203
C.2.2	<a href="#"><u>container:object</u></a>	211
Annex D	(Informative) Theory of Operation	219
D.1	Introduction	219
D.2	Generating Object ID Values	219
D.3	Content Setup for Browsing and Searching	220
D.4	Browsing	220
D.4.1	Retrieving Sort Capabilities	221
D.4.2	Browsing the Root Level Metadata	221
D.4.3	Browsing the Children of the Root Level	222
D.4.4	Browsing the Children of the My Music Folder	223
D.4.5	Browsing the Children of the Singles Soundtrack Music Album	223
D.4.6	Browsing the Children of the Album Art Folder	224
D.5	Searching	225

D.5.1	Retrieving Search Capabilities.....	225
D.5.2	Search for All Content Created by the performer Sting .....	225
D.5.3	Search for all Photos Taken During the Month of October .....	227
D.5.4	Search for All Objects in the My Photos Folder Containing the Word "Christmas" .....	227
D.5.5	Search for all <i>album</i> objects in the ContentDirectory service .....	228
D.6	Browsing, Searching, and References.....	229
D.6.1	Creating a reference to a photo in the Mexico Trip album inside the Christmas album .....	229
D.6.2	Search for All Photos Taken During the Month of October .....	229
D.6.3	Deletion of the Reference to the Photo in the Mexico Trip Album.....	230
D.7	Object Creation .....	230
D.7.1	Creating a New Object .....	230
D.7.2	Creating a New MusicTrack.....	230
D.8	Object Resource Binding (Importing a Resource) .....	231
D.8.1	Transfer Using the <i>ImportResource()</i> Action .....	231
D.8.2	Transfer Using Direct HTTP POST .....	232
D.9	Exporting ContentDirectory Resources.....	232
D.9.1	Transfer Using the <i>ExportResource()</i> Action .....	233
D.9.2	Transfer using HTTP GET .....	234
D.10	Playlist Manipulation.....	234
D.10.1	Playlist File Representation in the ContentDirectory Service .....	234
D.10.2	Playlist File Generation .....	234
D.11	Internet Content Representation .....	236
D.12	Multi-component media representation .....	236
D.12.1	Creating a multi-component video object .....	238
D.12.2	Adding a component to a multi-component video object .....	240
D.13	Segments Manipulation.....	243
D.13.1	Segment Item Example .....	243
D.13.2	Creating, Destroying and Updating Segments .....	244
D.13.3	Browse and Search Segment Items .....	246
D.14	Bookmark Manipulation.....	246
D.14.1	<i>bookmarkItem</i> Example .....	246
D.14.2	Creating and Destroying Bookmarks.....	248
D.14.3	Browsing Bookmarks.....	252
D.15	Processing FreeForm Queries.....	257
D.15.1	Retrieving the title of all music albums.....	258
D.15.2	Retrieving the audio items of Album 1.....	258
D.15.3	Retrieving a limited number of photo items .....	259
D.16	Foreign Metadata .....	260
D.16.1	Determining the Supported Foreign Metadata Types.....	260
D.16.2	Determining Whether an Object Contains Foreign Metadata.....	261
D.17	Monitoring Changes.....	262
D.17.1	Monitoring Changes while <i>on-line</i> .....	263
D.17.2	Monitoring Changes while <i>off-line</i> .....	268
D.18	Browsing preserved transitory content.....	270
D.18.1	Browsing broadcast items with preserved history .....	270
D.18.2	Browsing program items indicating preserved history (EPG data available but not exposed to control point).....	271

D.18.3 Browsing program items for recording (EPG exposed to control point).....	272
D.19 Object Linking .....	274
D.19.1 Displaying Object Link titles .....	274
D.19.2 Locating the head Object Link property of an Object Linked list.....	275
D.19.3 Starting an Object Linked presentation .....	275
D.19.4 Object Linking Example.....	275
D.20 <i>DEVICE_MODE</i> feature .....	282
D.20.1 Initiating and Managing <i>ActionBurst</i> mode .....	283
D.20.2 Initiating and Managing <i>ExclusiveOwnership</i> mode .....	287
D.21 Synchronized Playback.....	290
D.21.1 Precision Time Synchronized Playback for RTSP-RTP Transport .....	290
D.21.2 Precision Time Synchronized Playback for HTTP Transport .....	293
D.22 Usage of the <i>CONTAINER_SHORTCUTS</i> feature .....	294
Annex E (normative) EBNF Syntax Definitions.....	296
E.1 Summary.....	296
E.2 Date&time Syntax.....	296
Annex F (normative) <i>CDS</i> features .....	297
F.1 Requirements for the <i>EPG</i> feature, Version 1 .....	298
F.2 Requirements for the <i>TUNER</i> feature, Version 1.....	299
F.3 Requirements for the <i>BOOKMARK</i> feature, Version 1 .....	300
F.4 Requirements for the <i>FOREIGN_METADATA</i> feature, Version 1 .....	300
F.5 Requirements for the <i>FFQ</i> feature, Version 1 .....	301
F.6 Requirements for the <i>MULTI_STREAM</i> feature, Version 1 .....	302
F.7 Requirements for the <i>SEGMENTATION</i> feature, Version 1 .....	303
F.8 Requirements for the <i>DEVICE_MODE</i> feature, Version 1.....	304
F.9 Requirements for the <i>CLOCKSYNC</i> feature, Version 1 .....	306
F.10 Requirements for the <i>CONTENT_PROTECTION</i> feature, Version 1 .....	306
F.11 Requirements for the <i>CONTAINER_SHORTCUTS</i> feature, Version 1.....	307
Annex G (normative) <i>CONTENT_PROTECTION</i> feature .....	312
G.1 AV Roles for <i>CONTENT_PROTECTION</i> .....	312
G.1.1 Access at action level .....	313
G.1.2 Restrictable and Non-Restrictable Actions .....	313
G.1.3 <i>Action Level Access</i> using pre-defined AV Roles .....	314
G.1.4 Access at object level .....	315
G.1.5 <i>Role</i> assignments for unrecognized control points.....	316
G.1.6 Implicit role assignments.....	316
G.2 Behavior of actions with <i>CONTENT_PROTECTION</i> feature .....	317
G.2.1 <i>CreateObject()</i> action with <i>CONTENT_PROTECTION</i> feature .....	317
G.2.2 <i>UpdateObject()</i> action with <i>CONTENT_PROTECTION</i> feature.....	318
G.2.3 <i>Browse()</i> action with <i>CONTENT_PROTECTION</i> feature .....	319
G.2.4 <i>Search()</i> action with <i>CONTENT_PROTECTION</i> feature.....	319
G.2.5 <i>FreeFormQuery()</i> action with <i>CONTENT_PROTECTION</i> feature .....	320
G.2.6 <i>DestroyObject()</i> action with <i>CONTENT_PROTECTION</i> feature.....	320
G.2.7 <i>MoveObject()</i> action with <i>CONTENT_PROTECTION</i> feature .....	320
G.2.8 <i>DeleteResource()</i> action with <i>CONTENT_PROTECTION</i> feature .....	320
Annex H (informative) Content Authoring using Object Linking.....	321
H.1 Introduction .....	321
H.2 Object Linking Metadata Properties.....	321

H.3	Table of Contents (Index) Lists .....	322
H.4	Playback and Step Lists.....	323
H.5	References between lists of items .....	324
H.6	Sharing items in multiple lists.....	324
H.7	Return Model.....	325
H.8	Control Point processing of Object Linked items .....	325
Annex I (informative)	Example ContentDirectory Hierarchy .....	327
Annex J (informative)	Bibliography .....	334

## List of Tables

Table 1 — EBNF Operators.....	7
Table 2 — CSV Examples.....	8
Table 3 — Namespace Definitions.....	9
Table 4 — Schema-related Information .....	11
Table 5 — Default Namespaces for the AV Specifications.....	13
Table 6 — Properties in XML .....	26
Table 7 — State variables.....	31
Table 8 — <a href="#">SearchCapabilities</a> requirements for supporting <i>Tracking Changes Option</i> .....	32
Table 9 — Sort Modifiers .....	33
Table 10 — <a href="#">ContainerUpdateIDs</a> Example.....	35
Table 11 — <a href="#">ContainerUpdateIDs</a> Example.....	36
Table 12 — Event moderation.....	58
Table 13 — Actions.....	60
Table 14 — Arguments for <a href="#">GetSearchCapabilities()</a> .....	61
Table 15 — Error Codes for <a href="#">GetSearchCapabilities()</a> .....	61
Table 16 — Arguments for <a href="#">GetSortCapabilities()</a> .....	61
Table 17 — Error Codes for <a href="#">GetSortCapabilities()</a> .....	61
Table 18 — Arguments for <a href="#">GetSortExtensionCapabilities()</a> .....	62
Table 19 — Error Codes for <a href="#">GetSortExtensionCapabilities()</a> .....	62
Table 20 — Arguments for <a href="#">GetFeatureList()</a> .....	62
Table 21 — Error Codes for <a href="#">GetFeatureList()</a> .....	62
Table 22 — Arguments for <a href="#">GetSystemUpdateID()</a> .....	62
Table 23 — Error Codes for <a href="#">GetSystemUpdateID()</a> .....	63
Table 24 — Arguments for <a href="#">GetServiceResetToken()</a> .....	63
Table 25 — Error Codes for <a href="#">GetServiceResetToken()</a> .....	63
Table 26 — Arguments for <a href="#">Browse()</a> .....	64
Table 27 — Error Codes for <a href="#">Browse()</a> .....	65
Table 28 — Arguments for <a href="#">Search()</a> .....	66
Table 29 — Error Codes for <a href="#">Search()</a> .....	66
Table 30 — Arguments for <a href="#">CreateObject()</a> .....	71
Table 31 — Error codes for <a href="#">CreateObject()</a> .....	71
Table 32 — Arguments for <a href="#">DestroyObject()</a> .....	73
Table 33 — Error Codes for <a href="#">DestroyObject()</a> .....	73
Table 34 — Update examples.....	76
Table 35 — Arguments for <a href="#">UpdateObject()</a> .....	78
Table 36 — Error Codes for <a href="#">UpdateObject()</a> .....	78
Table 37 — Arguments for <a href="#">MoveObject()</a> .....	80
Table 38 — Error Codes for <a href="#">MoveObject()</a> .....	80
Table 39 — Arguments for <a href="#">ImportResource()</a> .....	81
Table 40 — Error Codes for <a href="#">ImportResource()</a> .....	81
Table 41 — Arguments for <a href="#">ExportResource()</a> .....	82

Table 42 — Error Codes for <a href="#"><u>ExportResource()</u></a> .....	82
Table 43 — Arguments for <a href="#"><u>DeleteResource()</u></a> .....	83
Table 44 — Error Codes for <a href="#"><u>DeleteResource()</u></a> .....	83
Table 45 — Arguments for <a href="#"><u>StopTransferResource()</u></a> .....	83
Table 46 — Error Codes for <a href="#"><u>StopTransferResource()</u></a> .....	84
Table 47 — Arguments for <a href="#"><u>GetTransferProgress()</u></a> .....	84
Table 48 — Error Codes for <a href="#"><u>GetTransferProgress()</u></a> .....	84
Table 49 — Arguments for <a href="#"><u>CreateReference()</u></a> .....	85
Table 50 — Error Codes for <a href="#"><u>CreateReference()</u></a> .....	85
Table 51 — Arguments for <a href="#"><u>FreeFormQuery()</u></a> .....	86
Table 52 — Error Codes for <a href="#"><u>FreeFormQuery()</u></a> .....	87
Table 53 — Arguments for <a href="#"><u>GetFreeFormQueryCapabilities()</u></a> .....	87
Table 54 — Error Codes for <a href="#"><u>GetFreeFormQueryCapabilities()</u></a> .....	88
Table 55 — Arguments for <a href="#"><u>RequestDeviceMode()</u></a> .....	88
Table 56 — Error Codes for <a href="#"><u>RequestDeviceMode()</u></a> .....	89
Table 57 — Arguments for <a href="#"><u>ExtendDeviceMode()</u></a> .....	89
Table 58 — Error Codes for <a href="#"><u>ExtendDeviceMode()</u></a> .....	90
Table 59 — Arguments for <a href="#"><u>CancelDeviceMode()</u></a> .....	90
Table 60 — Error Codes for <a href="#"><u>CancelDeviceMode()</u></a> .....	91
Table 61 — Arguments for <a href="#"><u>GetDeviceMode()</u></a> .....	91
Table 62 — Error Codes for <a href="#"><u>GetDeviceMode()</u></a> .....	91
Table 63 — Arguments for <a href="#"><u>GetDeviceModeStatus()</u></a> .....	91
Table 64 — Error Codes for <a href="#"><u>GetDeviceModeStatus()</u></a> .....	92
Table 65 — Arguments for <a href="#"><u>GetPermissionsInfo()</u></a> .....	92
Table 66 — Error Codes for <a href="#"><u>GetPermissionsInfo()</u></a> .....	92
Table 67 — Common Error Codes.....	93
Table B.1 — ContentDirectory Service Properties Overview.....	108
Table B.2 — Base Properties Overview.....	117
Table B.3 — Allowed values for <a href="#"><u>upnp:class</u></a> .....	120
Table B.4 — Allowed values for <a href="#"><u>upnp:writeStatus</u></a> .....	122
Table B.5 — Resource Encoding Characteristics Properties Overview.....	123
Table B.6 — Allowed values for <a href="#"><u>res@daylightSaving</u></a> .....	128
Table B.7 — Resource Encoding Extension Properties Overview.....	128
Table B.9 — Contributor-related Properties Overview.....	130
Table B.10 — Affiliation-related Properties Overview.....	131
Table B.11 — Associated Resources Properties Overview.....	132
Table B.12 — Storage-Related Properties Overview.....	133
Table B.13 — General Description (mainly for UI purposes) Properties Overview.....	135
Table B.14 — Allowed values for <a href="#"><u>upnp:recordedDayOfWeek</u></a> .....	139
Table B.15 — Recorded Object-related Properties Overview.....	140
Table B.16 — User Channel and EPG Related Properties Overview.....	145
Table B.17 — Preserved Program Properties Overview.....	148
Table B.18 — Allowed values for <a href="#"><u>upnp:programPreserved</u></a> .....	148

Table B.19 — Radio Broadcast Properties Overview.....	151
Table B.20 — Allowed values for <a href="#"><u>upnp:radioBand</u></a> .....	152
Table B.21 — Video Broadcast Properties Overview.....	152
Table B.22 — Allowed values for <a href="#"><u>upnp:scheduledStartTime@usage</u></a> .....	153
Table B.23 — Physical Tuner Status-related Properties Overview.....	154
Table B.24 — MultiStream Properties Overview.....	156
Table B.25 — Allowed values for <a href="#"><u>upnp:resExt::componentInfo::componentGroup ::component::componentClass</u></a> .....	159
Table B.26 — Segmentation-related Properties Overview.....	163
Table B.27 — Bookmark-related Properties Overview.....	166
Table B.28 — Allowed values for <a href="#"><u>upnp:stateVariableCollection@rcsInstanceType</u></a> .....	168
Table B.29 — Miscellaneous Properties Overview.....	168
Table B.30 — Object Tracking Properties Overview.....	170
Table B.31 — Permission Properties Overview.....	172
Table B.32 — Ownership Properties Overview.....	172
Table B.33 — Object Linking Properties Overview.....	174
Table B.34 — Allowed values for <a href="#"><u>upnp:objectLink::mode</u></a> .....	176
Table B.35 — Allowed values for <a href="#"><u>upnp:objectLink::relatedInfo@role</u></a> .....	177
Table B.36 — Allowed values for <a href="#"><u>upnp:objectLink::endAction@action</u></a> .....	178
Table B.37 — Allowed values for <a href="#"><u>upnp:objectLinkRef::relatedInfo@role</u></a> .....	180
Table B.38 — Foreign Metadata-related Properties Overview.....	180
Table B.39 — Synchronized Playback Properties Overview.....	187
Table B.40 — DRMInfo-Related Properties Overview.....	188
Table C.1 — Class Properties Overview.....	191
Table C.2 — <a href="#"><u>object</u></a> Properties.....	203
Table C.3 — <a href="#"><u>item</u></a> Properties.....	203
Table C.4 — <a href="#"><u>imageItem:item</u></a> Properties.....	204
Table C.5 — <a href="#"><u>photo:imageItem</u></a> Properties.....	204
Table C.6 — <a href="#"><u>audioItem:item</u></a> Properties.....	204
Table C.7 — <a href="#"><u>musicTrack:audioItem</u></a> Properties.....	205
Table C.8 — <a href="#"><u>audioBroadcast:audioItem</u></a> Properties.....	205
Table C.9 — <a href="#"><u>audioBook:audioItem</u></a> Properties.....	205
Table C.10 — <a href="#"><u>videoItem:item</u></a> Properties.....	206
Table C.11 — <a href="#"><u>movie:videoItem</u></a> Properties.....	206
Table C.12 — <a href="#"><u>videoBroadcast:videoItem</u></a> Properties.....	207
Table C.13 — <a href="#"><u>musicVideoClip:videoItem</u></a> Properties.....	207
Table C.14 — <a href="#"><u>playlistItem:item</u></a> Properties.....	208
Table C.15 — <a href="#"><u>textItem:item</u></a> Properties.....	208
Table C.16 — <a href="#"><u>bookmarkItem:item</u></a> Properties.....	209
Table C.17 — <a href="#"><u>epgItem:item</u></a> Properties.....	210
Table C.18 — <a href="#"><u>audioProgram:epgItem</u></a> Properties.....	211
Table C.19 — <a href="#"><u>videoProgram:epgItem</u></a> Properties.....	211
Table C.20 — <a href="#"><u>container</u></a> Properties.....	212

Table C.21 — <a href="#"><u>person:container</u></a> Properties .....	212
Table C.22 — <a href="#"><u>musicArtist:person</u></a> Properties.....	212
Table C.23 — <a href="#"><u>playlistContainer:container</u></a> Properties .....	213
Table C.24 — <a href="#"><u>album:container</u></a> Properties .....	213
Table C.25 — <a href="#"><u>musicAlbum:album</u></a> Properties .....	214
Table C.26 — <a href="#"><u>photoAlbum:album</u></a> Properties .....	214
Table C.27 — <a href="#"><u>genre:container</u></a> Properties .....	214
Table C.28 — <a href="#"><u>channelGroup:container</u></a> Properties .....	215
Table C.29 — <a href="#"><u>epgContainer:container</u></a> Properties .....	216
Table C.30 — <a href="#"><u>storageSystem:container</u></a> Properties .....	217
Table C.31 — <a href="#"><u>storageVolume:container</u></a> Properties.....	217
Table C.32 — <a href="#"><u>storageFolder:container</u></a> Properties.....	218
Table C.33 — <a href="#"><u>genre:container</u></a> Properties .....	218
Table F.1 — <i>CDS features</i> .....	298
Table F.2 — Required characteristics of the <i>EPG feature</i> element .....	299
Table F.3 — Required characteristics of the <i>TUNER feature</i> element.....	299
Table F.4 — Required characteristics of the <i>BOOKMARK feature</i> element .....	300
Table F.5 — Required characteristics of the <i>FOREIGN_METADATA feature</i> element .....	301
Table F.6 — Required characteristics of the <i>FFQ feature</i> element.....	302
Table F.7 — Required characteristics of the <i>MULTI_STREAM feature</i> element.....	303
Table F.8 — Required characteristics of the <i>SEGMENTATION feature</i> element.....	304
Table F.9 — Required characteristics of the <i>DEVICE_MODE feature</i> element .....	305
Table F.10 — Required characteristics of the <i>CLOCKSYNC feature</i> element.....	306
Table F.11 — Required characteristics of the <i>CONTENT_PROTECTION feature</i> element .....	307
Table F.12 — Required characteristics of the <i>CONTAINER_SHORTCUTS feature</i> element .....	307
Table F.13 — Allowed values for the Shortcut Name element .....	308
Table G.1 — Pre-defined <i>AV Roles</i> and <i>Public</i> .....	312
Table G.2 — Error Codes for <i>Action Level Access</i> .....	313
Table G.3 — Pre-defined settings for <i>Restrictable and Non-Restrictable AV Actions</i> .....	314
Table G.4 — Pre-defined AV Action to AV <i>Role</i> permissions mapping .....	315
Table G.5 — Error Codes for <i>Object Level Access</i> .....	317
Table G.6 — Error Codes for <a href="#"><u>CreateObject()</u></a> and <a href="#"><u>UpdateObject()</u></a> action with <a href="#"><u>upnp:objectOwner</u></a> and <a href="#"><u>upnp:objectOwner</u></a> property .....	319
Table G.7 — Error Codes for <a href="#"><u>MoveObject()</u></a> action with <i>CONTENT_PROTECTION</i> <i>feature</i> .....	320
Table G.8 — Error Codes for <a href="#"><u>DeleteResource()</u></a> action with <i>CONTENT_PROTECTION</i> <i>feature</i> .....	320

## List of Figures

Figure 1 — ContentDirectory Service Object Organization .....	21
Figure 2 — Flattened DIDL-Lite hierarchical structure .....	25
Figure C.1 — Class hierarchy for the item base class .....	189
Figure C.2 — Class hierarchy for the container base class .....	190
Figure D.1 — Example Handshaking for <i>DEVICE_MODE feature</i> .....	283
Figure H.1 — Example of Object Link “Index” list .....	323
Figure H.2 — Example of Object Link list reference .....	324