

ISO/IEC 29341-20-12:2017-09 (E)

Information technology - UPnP Device Architecture - Part 20-12: Audio video device control protocol - Level 4 - Content directory service

Contents	Page
1 Scope	1
2 Normative references	1
3 Terms, definitions, symbols and abbreviations.....	5
3.1 Provisioning terms	5
3.2 Symbols	5
4 Notations and Conventions	5
4.1 Notation	5
4.1.1 Data Types	6
4.1.2 Strings Embedded in Other Strings.....	6
4.1.3 Extended Backus-Naur Form.....	6
4.2 Derived Data Types	7
4.2.1 Summary	7
4.2.2 CSV Lists.....	7
4.3 Management of XML Namespaces in Standardized DCPs.....	8
4.3.1 Namespace Prefix Requirements.....	12
4.3.2 Namespace Names, Namespace Versioning and Schema Versioning	13
4.3.3 Namespace Usage Examples	15
4.4 Vendor-defined Extensions	15
4.4.1 Vendor-defined Action Names	15
4.4.2 Vendor-defined State Variable Names	15
4.4.3 Vendor-defined XML Elements and attributes	16
4.4.4 Vendor-defined Property Names.....	16
5 Service Modeling Definitions.....	16
5.1 Service Type	16
5.2 Key Concepts	16
5.2.1 <i>On-line</i> and <i>Off-line</i> Network States.....	16
5.2.2 object	16
5.2.3 Object Identity	17
5.2.4 Object Lifetime.....	18
5.2.5 Object Modification	18
5.2.6 class.....	19
5.2.7 <i>item</i>	19
5.2.8 <i>container</i>	19
5.2.9 Container Modification	19
5.2.10 ContentDirectory Tracking Changes Option	20
5.2.11 <i>ContainerUpdateIDValue</i> Indicator.....	20
5.2.12 ContentDirectory Service Object Organization	21
5.2.13 Hierarchical location	21
5.2.14 Subtree.....	22
5.2.15 Subtree Updates.....	22
5.2.16 XML Document	23

5.2.17	XML Fragment	23
5.2.18	DIDL-Lite XML Document	24
5.2.19	CDS View	25
5.2.20	CDS Properties	26
5.2.21	reference, reference item, referenced item	27
5.2.22	CDS feature	28
5.2.23	Metadata vs. Foreign Metadata	28
5.2.24	Embedded XML Documents	28
5.2.25	Device Protection Option	28
5.2.26	Device Mode Option	30
5.2.27	Shortcut	30
5.3	State Variables	30
5.3.1	State Variable Overview	31
5.3.2	<u>SearchCapabilities</u>	32
5.3.3	<u>SortCapabilities</u>	32
5.3.4	<u>SortExtensionCapabilities</u>	33
5.3.5	<u>SystemUpdateID</u>	33
5.3.6	<u>ContainerUpdateIDs</u>	35
5.3.7	<u>ServiceResetToken</u>	36
5.3.8	<u>LastChange</u>	37
5.3.9	<u>TransferIDs</u>	41
5.3.10	<u>FeatureList</u>	41
5.3.11	<u>DeviceMode</u>	41
5.3.12	<u>DeviceModeStatus</u>	42
5.3.13	<u>PermissionsInfo</u>	43
5.3.14	<u>A_ARG_TYPE_ObjectID</u>	45
5.3.15	<u>A_ARG_TYPE_Result</u>	45
5.3.16	<u>A_ARG_TYPE_SearchCriteria</u>	45
5.3.17	<u>A_ARG_TYPE_BrowseFlag</u>	47
5.3.18	<u>A_ARG_TYPE_Filter</u>	47
5.3.19	<u>A_ARG_TYPE_SortCriteria</u>	49
5.3.20	<u>A_ARG_TYPE_Index</u>	50
5.3.21	<u>A_ARG_TYPE_Count</u>	50
5.3.22	<u>A_ARG_TYPE_UpdateID</u>	50
5.3.23	<u>A_ARG_TYPE_TransferID</u>	50
5.3.24	<u>A_ARG_TYPE_TransferStatus</u>	51
5.3.25	<u>A_ARG_TYPE_TransferLength</u>	51
5.3.26	<u>A_ARG_TYPE_TransferTotal</u>	51
5.3.27	<u>A_ARG_TYPE_TagValueList</u>	51
5.3.28	<u>A_ARG_TYPE_URI</u>	51
5.3.29	<u>A_ARG_TYPE_CDSView</u>	51
5.3.30	<u>A_ARG_TYPE_QueryRequest</u>	51
5.3.31	<u>A_ARG_TYPE_QueryResult</u>	52
5.3.32	<u>A_ARG_TYPE_FFQCapabilities</u>	53
5.3.33	<u>A_ARG_TYPE_CPID</u>	54
5.3.34	<u>A_ARG_TYPE_DeviceModeID</u>	55
5.3.35	<u>A_ARG_TYPE_DeviceModeRequest</u>	55
5.4	Eventing and Moderation	58
5.5	Actions	59
5.5.1	Action Overview	59
5.5.2	<u>GetSearchCapabilities()</u>	61
5.5.3	<u>GetSortCapabilities()</u>	61

5.5.4	<u>GetSortExtensionCapabilities()</u>	61
5.5.5	<u>GetFeatureList()</u>	62
5.5.6	<u>GetSystemUpdateID()</u>	62
5.5.7	<u>GetServiceResetToken()</u>	63
5.5.8	<u>Browse()</u>	63
5.5.9	<u>Search()</u>	65
5.5.10	<u>CreateObject()</u>	66
5.5.11	<u>DestroyObject()</u>	72
5.5.12	<u>UpdateObject()</u>	73
5.5.13	<u>MoveObject()</u>	79
5.5.14	<u>ImportResource()</u>	80
5.5.15	<u>ExportResource()</u>	81
5.5.16	<u>DeleteResource()</u>	82
5.5.17	<u>StopTransferResource()</u>	83
5.5.18	<u>GetTransferProgress()</u>	84
5.5.19	<u>CreateReference()</u>	84
5.5.20	<u>FreeFormQuery()</u>	85
5.5.21	<u>GetFreeFormQueryCapabilities()</u>	87
5.5.22	<u>RequestDeviceMode()</u>	88
5.5.23	<u>ExtendDeviceMode()</u>	89
5.5.24	<u>CancelDeviceMode()</u>	90
5.5.25	<u>GetDeviceMode()</u>	91
5.5.26	<u>GetDeviceModeStatus()</u>	91
5.5.27	<u>GetPermissionsInfo()</u>	92
5.5.28	Non-Standard Actions Implemented by a UPnP Vendor.....	92
5.5.29	Common Error Codes.....	92
6	XML Service Description.....	94
7	Test.....	106
Annex A	(normative) Schemas.....	107
A.1	DIDL-Lite.....	107
A.2	UPnP Elements.....	107
A.3	Dublin Core Subset Elements.....	107
A.4	Event Schema.....	107
A.5	<u>FeatureList</u> State Variable Schema.....	107
Annex B	(normative) AV Working Committee Properties.....	108
B.1	Base Properties.....	117
B.1.1	<u>@id</u>	117
B.1.2	<u>@parentID</u>	118
B.1.3	<u>@refID</u>	118
B.1.4	<u>@restricted</u>	118
B.1.5	<u>@searchable</u>	118
B.1.6	<u>@childCount</u>	118
B.1.7	<u>@childContainerCount</u>	118
B.1.8	<u>dc:title</u>	119
B.1.9	<u>dc:creator</u>	119
B.1.10	<u>res</u>	119
B.1.11	<u>res@id</u>	119
B.1.12	<u>upnp:class</u>	119

B.1.13	<u>upnp:searchClass</u>	121
B.1.14	<u>upnp:createClass</u>	121
B.1.15	<u>upnp:writeStatus</u>	122
B.2	Resource Encoding Characteristics Properties	123
B.2.1	<u>res</u>	123
B.3	Resource Encoding Extension Properties	128
B.3.1	<u>upnp:resExt</u>	128
B.3.2	<u>upnp:resExt::uniqueContentIdentification</u>	129
B.4	Contributor-related Properties	130
B.4.1	<u>upnp:artist</u>	130
B.4.2	<u>upnp:actor</u>	130
B.4.3	<u>upnp:author</u>	130
B.4.4	<u>upnp:producer</u>	131
B.4.5	<u>upnp:director</u>	131
B.4.6	<u>dc:publisher</u>	131
B.4.7	<u>dc:contributor</u>	131
B.5	Affiliation-related Properties	131
B.5.1	<u>upnp:genre</u>	131
B.5.2	<u>upnp:album</u>	132
B.5.3	<u>upnp:playlist</u>	132
B.6	Associated Resources Properties	132
B.6.1	<u>upnp:albumArtURI</u>	132
B.6.2	<u>upnp:artistDiscographyURI</u>	133
B.6.3	<u>upnp:lyricsURI</u>	133
B.6.4	<u>dc:relation</u>	133
B.7	Storage-Related Properties	133
B.7.1	<u>upnp:storageTotal</u>	133
B.7.2	<u>upnp:storageUsed</u>	133
B.7.3	<u>upnp:storageFree</u>	133
B.7.4	<u>upnp:storageMaxPartition</u>	134
B.7.5	<u>upnp:storageMedium</u>	134
B.8	General Description (mainly for UI purposes) Properties	135
B.8.1	<u>dc:description</u>	135
B.8.2	<u>upnp:longDescription</u>	135
B.8.3	<u>upnp:icon</u>	135
B.8.4	<u>upnp:region</u>	136
B.8.5	<u>upnp:rights</u>	136
B.8.6	<u>dc:date</u>	136
B.8.7	<u>dc:language</u>	136
B.8.8	<u>upnp:playbackCount</u>	136
B.8.9	<u>upnp:lastPlaybackTime</u>	137
B.8.10	<u>upnp:lastPlaybackPosition</u>	137
B.8.11	<u>upnp:recordedStartDateTime</u>	137
B.8.12	<u>upnp:recordedEndDateTime</u>	138
B.8.13	<u>upnp:recordedDuration</u>	138
B.8.14	<u>upnp:recordedDayOfWeek</u>	138
B.8.15	<u>upnp:srsRecordScheduleID</u>	139
B.8.16	<u>upnp:srsRecordTaskID</u>	139

B.8.17	<u>upnp:recordable</u>	139
B.9	Recorded Object-related Properties	140
B.9.1	<u>upnp:programTitle</u>	140
B.9.2	<u>upnp:seriesTitle</u>	140
B.9.3	<u>upnp:programID</u>	141
B.9.4	<u>upnp:seriesID</u>	141
B.9.5	<u>upnp:channelID</u>	141
B.9.6	<u>upnp:episodeType</u>	143
B.9.7	<u>upnp:episodeCount</u>	143
B.9.8	<u>upnp:episodeNumber</u>	143
B.9.9	<u>upnp:episodeSeason</u>	143
B.9.10	<u>upnp:programCode</u>	143
B.9.11	<u>upnp:rating</u>	144
B.9.12	<u>upnp:recommendationID</u>	145
B.10	User Channel and EPG Related Properties	145
B.10.1	<u>upnp:channelGroupName</u>	145
B.10.2	<u>upnp:callSign</u>	146
B.10.3	<u>upnp:networkAffiliation</u>	146
B.10.4	<u>upnp:serviceProvider</u>	146
B.10.5	<u>upnp:price</u>	147
B.10.6	<u>upnp:payPerView</u>	147
B.10.7	<u>upnp:epgProviderName</u>	147
B.10.8	<u>upnp:dateTimeRange</u>	147
B.11	Preserved Program Properties	148
B.11.1	<u>upnp:programPreserved</u>	148
B.11.2	<u>upnp:preservedTimeRange</u>	149
B.11.3	<u>upnp:programList</u>	151
B.12	Radio Broadcast Properties	151
B.12.1	<u>upnp:radioCallSign</u>	151
B.12.2	<u>upnp:radioStationID</u>	151
B.12.3	<u>upnp:radioBand</u>	152
B.13	Video Broadcast Properties	152
B.13.1	<u>upnp:channelNr</u>	152
B.13.2	<u>upnp:channelName</u>	153
B.13.3	<u>upnp:scheduledStartTime</u>	153
B.13.4	<u>upnp:scheduledEndTime</u>	153
B.13.5	<u>upnp:scheduledDuration</u>	154
B.14	Physical Tuner Status-related Properties	154
B.14.1	<u>upnp:signalStrength</u>	154
B.14.2	<u>upnp:signalLocked</u>	154
B.14.3	<u>upnp:tuned</u>	155
B.15	MultiStream-related Properties	156
B.15.1	<u>upnp:resExt::isSyncAnchor</u>	157
B.15.2	<u>upnp:resExt::componentInfo</u>	157
B.16	Segmentation-related Properties	163
B.16.1	<u>upnp:segmentID</u>	164
B.16.2	<u>upnp:resExt::segmentInfo</u>	164
B.17	Bookmark-related Properties	166

B.17.1	<u>@neverPlayable</u>	166
B.17.2	<u>upnp:bookmarkID</u>	167
B.17.3	<u>upnp:bookmarkedObjectID</u>	167
B.17.4	<u>upnp:deviceUDN</u>	167
B.17.5	<u>upnp:stateVariableCollection</u>	167
B.18	Miscellaneous Properties	168
B.18.1	<u>upnp:DVDRegionCode</u>	169
B.18.2	<u>upnp:originalTrackNumber</u>	169
B.18.3	<u>upnp:toc</u>	169
B.18.4	<u>upnp:userAnnotation</u>	169
B.18.5	<u>desc</u>	169
B.19	Object Tracking Properties	170
B.19.1	<u>upnp:containerUpdateID</u>	170
B.19.2	<u>upnp:objectUpdateID</u>	170
B.19.3	<u>upnp:totalDeletedChildCount</u>	171
B.19.4	<u>res@updateCount</u>	171
B.20	Permission Properties	172
B.20.1	<u>upnp:inclusionControl</u>	172
B.21	Ownership Properties	172
B.21.1	<u>upnp:objectOwner</u>	173
B.22	Object Linking Properties	174
B.22.1	<u>upnp:objectLink</u>	174
B.22.2	<u>upnp:objectLinkRef</u>	178
B.23	Foreign Metadata-related Properties	180
B.23.1	<u>upnp:foreignMetadata</u>	180
B.24	Synchronized Playback-related Properties	187
B.24.1	<u>upnp:resExt::clockSync</u>	187
B.25	DRMInfo-related Overview Properties	188
B.25.1	<u>upnp:resExt::DRMInfo</u>	188
Annex C	(normative) AV Working Committee Class Definitions	189
C.1	Class Hierarchy	189
C.1.1	Class name syntax	190
C.1.2	Class Properties Overview	191
C.2	<u>object</u> (Base Class)	203
C.2.1	<u>item:object</u>	203
C.2.2	<u>container:object</u>	211
Annex D	(Informative) Theory of Operation	219
D.1	Introduction	219
D.2	Generating Object ID Values	219
D.3	Content Setup for Browsing and Searching	220
D.4	Browsing	220
D.4.1	Retrieving Sort Capabilities	221
D.4.2	Browsing the Root Level Metadata	221
D.4.3	Browsing the Children of the Root Level	222
D.4.4	Browsing the Children of the My Music Folder	223
D.4.5	Browsing the Children of the Singles Soundtrack Music Album	223
D.4.6	Browsing the Children of the Album Art Folder	224
D.5	Searching	225

D.5.1	Retrieving Search Capabilities.....	225
D.5.2	Search for All Content Created by the performer Sting	225
D.5.3	Search for all Photos Taken During the Month of October	227
D.5.4	Search for All Objects in the My Photos Folder Containing the Word "Christmas"	227
D.5.5	Search for all <i>album</i> objects in the ContentDirectory service	228
D.6	Browsing, Searching, and References.....	229
D.6.1	Creating a reference to a photo in the Mexico Trip album inside the Christmas album	229
D.6.2	Search for All Photos Taken During the Month of October	229
D.6.3	Deletion of the Reference to the Photo in the Mexico Trip Album.....	230
D.7	Object Creation	230
D.7.1	Creating a New Object	230
D.7.2	Creating a New MusicTrack.....	230
D.8	Object Resource Binding (Importing a Resource)	231
D.8.1	Transfer Using the <i>ImportResource()</i> Action	231
D.8.2	Transfer Using Direct HTTP POST	232
D.9	Exporting ContentDirectory Resources.....	232
D.9.1	Transfer Using the <i>ExportResource()</i> Action	233
D.9.2	Transfer using HTTP GET	234
D.10	Playlist Manipulation.....	234
D.10.1	Playlist File Representation in the ContentDirectory Service	234
D.10.2	Playlist File Generation	234
D.11	Internet Content Representation	236
D.12	Multi-component media representation	236
D.12.1	Creating a multi-component video object	238
D.12.2	Adding a component to a multi-component video object	240
D.13	Segments Manipulation.....	243
D.13.1	Segment Item Example	243
D.13.2	Creating, Destroying and Updating Segments	244
D.13.3	Browse and Search Segment Items	246
D.14	Bookmark Manipulation.....	246
D.14.1	<i>bookmarkItem</i> Example	246
D.14.2	Creating and Destroying Bookmarks.....	248
D.14.3	Browsing Bookmarks.....	252
D.15	Processing FreeForm Queries.....	257
D.15.1	Retrieving the title of all music albums.....	258
D.15.2	Retrieving the audio items of Album 1.....	258
D.15.3	Retrieving a limited number of photo items	259
D.16	Foreign Metadata	260
D.16.1	Determining the Supported Foreign Metadata Types.....	260
D.16.2	Determining Whether an Object Contains Foreign Metadata.....	261
D.17	Monitoring Changes.....	262
D.17.1	Monitoring Changes while <i>on-line</i>	263
D.17.2	Monitoring Changes while <i>off-line</i>	268
D.18	Browsing preserved transitory content.....	270
D.18.1	Browsing broadcast items with preserved history	270
D.18.2	Browsing program items indicating preserved history (EPG data available but not exposed to control point).....	271

D.18.3 Browsing program items for recording (EPG exposed to control point).....	272
D.19 Object Linking	274
D.19.1 Displaying Object Link titles	274
D.19.2 Locating the head Object Link property of an Object Linked list.....	275
D.19.3 Starting an Object Linked presentation	275
D.19.4 Object Linking Example.....	275
D.20 <i>DEVICE_MODE</i> feature	282
D.20.1 Initiating and Managing <i>ActionBurst</i> mode	283
D.20.2 Initiating and Managing <i>ExclusiveOwnership</i> mode	287
D.21 Synchronized Playback.....	290
D.21.1 Precision Time Synchronized Playback for RTSP-RTP Transport	290
D.21.2 Precision Time Synchronized Playback for HTTP Transport	293
D.22 Usage of the <i>CONTAINER_SHORTCUTS</i> feature	294
Annex E (normative) EBNF Syntax Definitions.....	296
E.1 Summary.....	296
E.2 Date&time Syntax.....	296
Annex F (normative) <i>CDS</i> features	297
F.1 Requirements for the <i>EPG</i> feature, Version 1	298
F.2 Requirements for the <i>TUNER</i> feature, Version 1.....	299
F.3 Requirements for the <i>BOOKMARK</i> feature, Version 1	300
F.4 Requirements for the <i>FOREIGN_METADATA</i> feature, Version 1	300
F.5 Requirements for the <i>FFQ</i> feature, Version 1	301
F.6 Requirements for the <i>MULTI_STREAM</i> feature, Version 1	302
F.7 Requirements for the <i>SEGMENTATION</i> feature, Version 1	303
F.8 Requirements for the <i>DEVICE_MODE</i> feature, Version 1.....	304
F.9 Requirements for the <i>CLOCKSYNC</i> feature, Version 1	306
F.10 Requirements for the <i>CONTENT_PROTECTION</i> feature, Version 1	306
F.11 Requirements for the <i>CONTAINER_SHORTCUTS</i> feature, Version 1.....	307
Annex G (normative) <i>CONTENT_PROTECTION</i> feature	312
G.1 AV Roles for <i>CONTENT_PROTECTION</i>	312
G.1.1 Access at action level	313
G.1.2 Restrictable and Non-Restrictable Actions	313
G.1.3 <i>Action Level Access</i> using pre-defined AV Roles	314
G.1.4 Access at object level	315
G.1.5 <i>Role</i> assignments for unrecognized control points.....	316
G.1.6 Implicit role assignments.....	316
G.2 Behavior of actions with <i>CONTENT_PROTECTION</i> feature	317
G.2.1 <i>CreateObject()</i> action with <i>CONTENT_PROTECTION</i> feature	317
G.2.2 <i>UpdateObject()</i> action with <i>CONTENT_PROTECTION</i> feature.....	318
G.2.3 <i>Browse()</i> action with <i>CONTENT_PROTECTION</i> feature	319
G.2.4 <i>Search()</i> action with <i>CONTENT_PROTECTION</i> feature.....	319
G.2.5 <i>FreeFormQuery()</i> action with <i>CONTENT_PROTECTION</i> feature	320
G.2.6 <i>DestroyObject()</i> action with <i>CONTENT_PROTECTION</i> feature.....	320
G.2.7 <i>MoveObject()</i> action with <i>CONTENT_PROTECTION</i> feature	320
G.2.8 <i>DeleteResource()</i> action with <i>CONTENT_PROTECTION</i> feature	320
Annex H (informative) Content Authoring using Object Linking.....	321
H.1 Introduction	321
H.2 Object Linking Metadata Properties.....	321

H.3	Table of Contents (Index) Lists	322
H.4	Playback and Step Lists.....	323
H.5	References between lists of items	324
H.6	Sharing items in multiple lists.....	324
H.7	Return Model.....	325
H.8	Control Point processing of Object Linked items	325
Annex I (informative)	Example ContentDirectory Hierarchy	327
Annex J (informative)	Bibliography	334

List of Tables

Table 1 — EBNF Operators.....	7
Table 2 — CSV Examples.....	8
Table 3 — Namespace Definitions.....	9
Table 4 — Schema-related Information	11
Table 5 — Default Namespaces for the AV Specifications.....	13
Table 6 — Properties in XML	26
Table 7 — State variables.....	31
Table 8 — <u>SearchCapabilities</u> requirements for supporting <i>Tracking Changes Option</i>	32
Table 9 — Sort Modifiers	33
Table 10 — <u>ContainerUpdateIDs</u> Example.....	35
Table 11 — <u>ContainerUpdateIDs</u> Example.....	36
Table 12 — Event moderation.....	58
Table 13 — Actions.....	60
Table 14 — Arguments for <u>GetSearchCapabilities()</u>	61
Table 15 — Error Codes for <u>GetSearchCapabilities()</u>	61
Table 16 — Arguments for <u>GetSortCapabilities()</u>	61
Table 17 — Error Codes for <u>GetSortCapabilities()</u>	61
Table 18 — Arguments for <u>GetSortExtensionCapabilities()</u>	62
Table 19 — Error Codes for <u>GetSortExtensionCapabilities()</u>	62
Table 20 — Arguments for <u>GetFeatureList()</u>	62
Table 21 — Error Codes for <u>GetFeatureList()</u>	62
Table 22 — Arguments for <u>GetSystemUpdateID()</u>	62
Table 23 — Error Codes for <u>GetSystemUpdateID()</u>	63
Table 24 — Arguments for <u>GetServiceResetToken()</u>	63
Table 25 — Error Codes for <u>GetServiceResetToken()</u>	63
Table 26 — Arguments for <u>Browse()</u>	64
Table 27 — Error Codes for <u>Browse()</u>	65
Table 28 — Arguments for <u>Search()</u>	66
Table 29 — Error Codes for <u>Search()</u>	66
Table 30 — Arguments for <u>CreateObject()</u>	71
Table 31 — Error codes for <u>CreateObject()</u>	71
Table 32 — Arguments for <u>DestroyObject()</u>	73
Table 33 — Error Codes for <u>DestroyObject()</u>	73
Table 34 — Update examples	76
Table 35 — Arguments for <u>UpdateObject()</u>	78
Table 36 — Error Codes for <u>UpdateObject()</u>	78
Table 37 — Arguments for <u>MoveObject()</u>	80
Table 38 — Error Codes for <u>MoveObject()</u>	80
Table 39 — Arguments for <u>ImportResource()</u>	81
Table 40 — Error Codes for <u>ImportResource()</u>	81
Table 41 — Arguments for <u>ExportResource()</u>	82

Table 42 — Error Codes for <u>ExportResource()</u>	82
Table 43 — Arguments for <u>DeleteResource()</u>	83
Table 44 — Error Codes for <u>DeleteResource()</u>	83
Table 45 — Arguments for <u>StopTransferResource()</u>	83
Table 46 — Error Codes for <u>StopTransferResource()</u>	84
Table 47 — Arguments for <u>GetTransferProgress()</u>	84
Table 48 — Error Codes for <u>GetTransferProgress()</u>	84
Table 49 — Arguments for <u>CreateReference()</u>	85
Table 50 — Error Codes for <u>CreateReference()</u>	85
Table 51 — Arguments for <u>FreeFormQuery()</u>	86
Table 52 — Error Codes for <u>FreeFormQuery()</u>	87
Table 53 — Arguments for <u>GetFreeFormQueryCapabilities()</u>	87
Table 54 — Error Codes for <u>GetFreeFormQueryCapabilities()</u>	88
Table 55 — Arguments for <u>RequestDeviceMode()</u>	88
Table 56 — Error Codes for <u>RequestDeviceMode()</u>	89
Table 57 — Arguments for <u>ExtendDeviceMode()</u>	89
Table 58 — Error Codes for <u>ExtendDeviceMode()</u>	90
Table 59 — Arguments for <u>CancelDeviceMode()</u>	90
Table 60 — Error Codes for <u>CancelDeviceMode()</u>	91
Table 61 — Arguments for <u>GetDeviceMode()</u>	91
Table 62 — Error Codes for <u>GetDeviceMode()</u>	91
Table 63 — Arguments for <u>GetDeviceModeStatus()</u>	91
Table 64 — Error Codes for <u>GetDeviceModeStatus()</u>	92
Table 65 — Arguments for <u>GetPermissionsInfo()</u>	92
Table 66 — Error Codes for <u>GetPermissionsInfo()</u>	92
Table 67 — Common Error Codes.....	93
Table B.1 — ContentDirectory Service Properties Overview.....	108
Table B.2 — Base Properties Overview.....	117
Table B.3 — Allowed values for <u>upnp:class</u>	120
Table B.4 — Allowed values for <u>upnp:writeStatus</u>	122
Table B.5 — Resource Encoding Characteristics Properties Overview.....	123
Table B.6 — Allowed values for <u>res@daylightSaving</u>	128
Table B.7 — Resource Encoding Extension Properties Overview.....	128
Table B.9 — Contributor-related Properties Overview.....	130
Table B.10 — Affiliation-related Properties Overview.....	131
Table B.11 — Associated Resources Properties Overview.....	132
Table B.12 — Storage-Related Properties Overview.....	133
Table B.13 — General Description (mainly for UI purposes) Properties Overview.....	135
Table B.14 — Allowed values for <u>upnp:recordedDayOfWeek</u>	139
Table B.15 — Recorded Object-related Properties Overview.....	140
Table B.16 — User Channel and EPG Related Properties Overview.....	145
Table B.17 — Preserved Program Properties Overview.....	148
Table B.18 — Allowed values for <u>upnp:programPreserved</u>	148

Table B.19 — Radio Broadcast Properties Overview.....	151
Table B.20 — Allowed values for <u>upnp:radioBand</u>	152
Table B.21 — Video Broadcast Properties Overview.....	152
Table B.22 — Allowed values for <u>upnp:scheduledStartTime@usage</u>	153
Table B.23 — Physical Tuner Status-related Properties Overview.....	154
Table B.24 — MultiStream Properties Overview.....	156
Table B.25 — Allowed values for <u>upnp:resExt::componentInfo::componentGroup ::component::componentClass</u>	159
Table B.26 — Segmentation-related Properties Overview.....	163
Table B.27 — Bookmark-related Properties Overview.....	166
Table B.28 — Allowed values for <u>upnp:stateVariableCollection@rcsInstanceType</u>	168
Table B.29 — Miscellaneous Properties Overview.....	168
Table B.30 — Object Tracking Properties Overview.....	170
Table B.31 — Permission Properties Overview.....	172
Table B.32 — Ownership Properties Overview.....	172
Table B.33 — Object Linking Properties Overview.....	174
Table B.34 — Allowed values for <u>upnp:objectLink::mode</u>	176
Table B.35 — Allowed values for <u>upnp:objectLink::relatedInfo@role</u>	177
Table B.36 — Allowed values for <u>upnp:objectLink::endAction@action</u>	178
Table B.37 — Allowed values for <u>upnp:objectLinkRef::relatedInfo@role</u>	180
Table B.38 — Foreign Metadata-related Properties Overview.....	180
Table B.39 — Synchronized Playback Properties Overview.....	187
Table B.40 — DRMInfo-Related Properties Overview.....	188
Table C.1 — Class Properties Overview.....	191
Table C.2 — <u>object</u> Properties.....	203
Table C.3 — <u>item</u> Properties.....	203
Table C.4 — <u>imageItem:item</u> Properties.....	204
Table C.5 — <u>photo:imageItem</u> Properties.....	204
Table C.6 — <u>audioItem:item</u> Properties.....	204
Table C.7 — <u>musicTrack:audioItem</u> Properties.....	205
Table C.8 — <u>audioBroadcast:audioItem</u> Properties.....	205
Table C.9 — <u>audioBook:audioItem</u> Properties.....	205
Table C.10 — <u>videoItem:item</u> Properties.....	206
Table C.11 — <u>movie:videoItem</u> Properties.....	206
Table C.12 — <u>videoBroadcast:videoItem</u> Properties.....	207
Table C.13 — <u>musicVideoClip:videoItem</u> Properties.....	207
Table C.14 — <u>playlistItem:item</u> Properties.....	208
Table C.15 — <u>textItem:item</u> Properties.....	208
Table C.16 — <u>bookmarkItem:item</u> Properties.....	209
Table C.17 — <u>epgItem:item</u> Properties.....	210
Table C.18 — <u>audioProgram:epgItem</u> Properties.....	211
Table C.19 — <u>videoProgram:epgItem</u> Properties.....	211
Table C.20 — <u>container</u> Properties.....	212

Table C.21 — person:container Properties	212
Table C.22 — musicArtist:person Properties.....	212
Table C.23 — playlistContainer:container Properties	213
Table C.24 — album:container Properties	213
Table C.25 — musicAlbum:album Properties	214
Table C.26 — photoAlbum:album Properties	214
Table C.27 — genre:container Properties	214
Table C.28 — channelGroup:container Properties	215
Table C.29 — epgContainer:container Properties	216
Table C.30 — storageSystem:container Properties	217
Table C.31 — storageVolume:container Properties.....	217
Table C.32 — storageFolder:container Properties.....	218
Table C.33 — genre:container Properties	218
Table F.1 — <i>CDS features</i>	298
Table F.2 — Required characteristics of the <i>EPG feature</i> element	299
Table F.3 — Required characteristics of the <i>TUNER feature</i> element.....	299
Table F.4 — Required characteristics of the <i>BOOKMARK feature</i> element	300
Table F.5 — Required characteristics of the <i>FOREIGN_METADATA feature</i> element	301
Table F.6 — Required characteristics of the <i>FFQ feature</i> element.....	302
Table F.7 — Required characteristics of the <i>MULTI_STREAM feature</i> element.....	303
Table F.8 — Required characteristics of the <i>SEGMENTATION feature</i> element.....	304
Table F.9 — Required characteristics of the <i>DEVICE_MODE feature</i> element	305
Table F.10 — Required characteristics of the <i>CLOCKSYNC feature</i> element.....	306
Table F.11 — Required characteristics of the <i>CONTENT_PROTECTION feature</i> element	307
Table F.12 — Required characteristics of the <i>CONTAINER_SHORTCUTS feature</i> element	307
Table F.13 — Allowed values for the Shortcut Name element	308
Table G.1 — Pre-defined <i>AV Roles</i> and <i>Public</i>	312
Table G.2 — Error Codes for <i>Action Level Access</i>	313
Table G.3 — Pre-defined settings for <i>Restrictable and Non-Restrictable AV Actions</i>	314
Table G.4 — Pre-defined AV Action to AV Role permissions mapping	315
Table G.5 — Error Codes for <i>Object Level Access</i>	317
Table G.6 — Error Codes for CreateObject() and UpdateObject() action with upnp:objectOwner and upnp:objectOwner property	319
Table G.7 — Error Codes for MoveObject() action with <i>CONTENT_PROTECTION</i> <i>feature</i>	320
Table G.8 — Error Codes for DeleteResource() action with <i>CONTENT_PROTECTION</i> <i>feature</i>	320

List of Figures

Figure 1 — ContentDirectory Service Object Organization	21
Figure 2 — Flattened DIDL-Lite hierarchical structure	25
Figure C.1 — Class hierarchy for the item base class	189
Figure C.2 — Class hierarchy for the container base class	190
Figure D.1 — Example Handshaking for <i>DEVICE_MODE feature</i>	283
Figure H.1 — Example of Object Link “Index” list	323
Figure H.2 — Example of Object Link list reference	324