

# ISO/IEC 29341-20-14:2017-09 (E)

## Information technology - UPnP Device Architecture - Part 20-14: Audio video device control protocol - Level 4 - Scheduled recording service

---

Contents		Page
1	Scope .....	1
2	Normative references .....	2
3	Terms, definitions, symbols and abbreviations .....	5
3.1	Provisioning terms .....	5
3.2	Terms specific to ScheduledRecording service .....	5
3.2.1	CDS .....	5
3.2.2	EPG .....	6
3.2.3	SRS .....	6
3.2.4	CDS object .....	6
3.2.5	User Channel .....	6
3.2.6	Channel Group .....	6
3.2.7	Channel Line-up .....	6
3.2.8	object .....	6
3.2.9	class .....	6
3.2.10	object Modification .....	6
3.2.11	recordSchedule .....	6
3.2.12	Conflicting recordSchedule .....	6
3.2.13	recordTask .....	7
3.2.14	Conflicting recordTask .....	7
3.2.15	recordScheduleParts .....	7
3.2.16	Property-set Data Types .....	7
3.2.17	Property .....	7
3.2.18	Member Property .....	8
3.2.19	Supported Member Property .....	8
3.2.20	Multi-valued property .....	8
3.2.21	Single-valued property .....	8
3.2.22	XML Document .....	8
3.2.23	XML Fragment .....	9
3.2.24	actualScheduledStartDateTime .....	9
3.2.25	actualStartDateTime .....	9
3.2.26	actualScheduledEndDateTime .....	9
3.2.27	actualEndDateTime .....	9
3.2.28	actualScheduledDuration .....	9
3.2.29	Lexical Sort Order .....	10
3.2.30	Lexical Matching .....	10
3.2.31	Simple Non-case-sensitive Sort Order .....	10
3.2.32	Simple Non-case-sensitive Matching .....	11
3.2.33	Numeric Sort Order .....	11
3.2.34	Boolean Sort Order .....	11
3.2.35	Sequenced Sort .....	11
3.2.36	Sequenced Lexical Sort .....	11
3.2.37	Sequenced Numeric Sort .....	11
3.2.38	Lexical Numeric Sort .....	11
3.2.39	type Relationship Sort .....	12
3.3	Symbols .....	12
4	Notations and Conventions .....	12
4.1	Notation .....	12
4.1.1	Data Types .....	12

4.1.2	Strings Embedded in Other Strings .....	12
4.1.3	Extended Backus-Naur Form .....	13
4.2	Derived Data Types .....	13
4.2.1	Summary .....	13
4.2.2	CSV Lists .....	14
4.3	Management of XML Namespaces in Standardized DCPs .....	15
4.3.1	Namespace Prefix Requirements .....	19
4.3.2	Namespace Names, Namespace Versioning and Schema Versioning .....	20
4.3.3	Namespace Usage Examples .....	22
4.4	Vendor-defined Extensions .....	22
4.4.1	Vendor-defined Action Names .....	22
4.4.2	Vendor-defined State Variable Names .....	23
4.4.3	Vendor-defined XML Elements and attributes .....	23
4.4.4	Vendor-defined Property Names .....	23
5	Service Modeling Definitions .....	23
5.1	ServiceType .....	23
5.2	ScheduledRecording Service Architecture .....	23
5.2.1	recordSchedule .....	23
5.2.2	recordTask .....	25
5.3	State Variables .....	26
5.3.1	State Variable Overview .....	26
5.3.2	SortCapabilities .....	28
5.3.3	SortLevelCapability .....	28
5.3.4	StateUpdateID .....	28
5.3.5	LastChange .....	29
5.3.6	A_ARG_TYPE_PropertyList .....	32
5.3.7	A_ARG_TYPE_DataTypeID .....	32
5.3.8	A_ARG_TYPE_ObjectID .....	32
5.3.9	A_ARG_TYPE_ObjectIDList .....	32
5.3.10	A_ARG_TYPE_PropertyInfo .....	33
5.3.11	A_ARG_TYPE_Index .....	33
5.3.12	A_ARG_TYPE_Count .....	33
5.3.13	A_ARG_TYPE_SortCriteria .....	33
5.3.14	A_ARG_TYPE_RecordSchedule .....	33
5.3.15	A_ARG_TYPE_RecordTask .....	34
5.3.16	A_ARG_TYPE_RecordScheduleParts .....	34
5.4	Eventing and Moderation .....	35
5.5	Actions .....	35
5.5.1	Action Overview .....	35
5.5.2	GetSortCapabilities() .....	36
5.5.3	GetPropertyList() .....	37
5.5.4	GetAllowedValues() .....	38
5.5.5	GetStateUpdateID() .....	40
5.5.6	BrowseRecordSchedules() .....	40
5.5.7	BrowseRecordTasks() .....	45
5.5.8	CreateRecordSchedule() .....	47
5.5.9	DeleteRecordSchedule() .....	49
5.5.10	GetRecordSchedule() .....	50
5.5.11	EnableRecordSchedule() .....	51
5.5.12	DisableRecordSchedule() .....	52
5.5.13	DeleteRecordTask() .....	54
5.5.14	GetRecordTask() .....	54
5.5.15	EnableRecordTask() .....	55
5.5.16	DisableRecordTask() .....	57
5.5.17	ResetRecordTask() .....	58
5.5.18	GetRecordScheduleConflicts() .....	59
5.5.19	GetRecordTaskConflicts() .....	60
5.5.20	Common Error Codes .....	61
5.6	State Diagram of recordTask .....	62
5.6.1	A Full-Featured State Diagram .....	62
5.6.2	A Minimal-Implementation State Diagram .....	68

5.6.3	recordTask State Example .....	70
5.7	ScheduledRecording Service Priority Model .....	71
5.7.1	Introduction of the ScheduledRecording Service Priority Model .....	71
5.7.2	Ordered Priority within Each Priority Level .....	72
5.7.3	Setting the Initial Priority Level of a recordSchedule .....	73
5.7.4	Sorting recordSchedule Instances Based on their Current Priority Settings .....	75
5.8	Theory of Operation .....	76
5.8.1	Introduction .....	76
5.8.2	Checking the Capabilities of a ScheduledRecording Service .....	76
5.8.3	Adding a Scheduled Recording Entry to the List .....	88
5.8.4	Deleting a recordSchedule .....	106
5.8.5	Browsing recordSchedule and recordTask instances .....	106
5.8.6	Rating System .....	113
5.8.7	Conflict Detection and Resolution .....	113
6	XML Service Description .....	115
7	Test .....	125
Annex A (normative) srs XML Document .....		126
A.1	A_ARG_TYPE_RecordSchedule AVDT XML Document .....	126
A.2	A_ARG_TYPE_RecordTask AVDT XML Document .....	127
A.3	A_ARG_TYPE_RecordScheduleParts AVDT XML Document .....	127
Annex B (normative) AV Working Committee Extended Properties .....		129
B.1	Base Properties .....	129
B.1.1	@id .....	129
B.1.2	title .....	130
B.1.3	class .....	130
B.1.4	additionalStatusInfo .....	130
B.1.5	cdsReference .....	131
B.2	Priority Properties .....	132
B.2.1	priority .....	132
B.2.2	desiredPriority .....	133
B.3	Output Control Properties .....	135
B.3.1	recordDestination .....	135
B.3.2	desiredRecordQuality .....	137
B.4	Content Identification Related Properties .....	140
B.4.1	scheduledCDSObjectID .....	140
B.4.2	scheduledChannelID .....	141
B.4.3	scheduledStartDateTime .....	143
B.4.4	scheduledDuration .....	144
B.4.5	scheduledProgramCode .....	144
B.5	Matching Content Criteria Properties .....	145
B.5.1	matchingName .....	145
B.5.2	matchingID .....	146
B.6	Matching Qualifying Criteria Properties .....	147
B.6.1	matchingChannelID .....	148
B.6.2	matchingStartDateTimeRange .....	149
B.6.3	matchingDurationRange .....	149
B.6.4	matchingRatingLimit .....	150
B.6.5	matchingEpisodeType .....	152
B.7	Content Control Properties .....	153
B.7.1	totalDesiredRecordTasks .....	153
B.7.2	scheduledStartDateTimeAdjust .....	154
B.7.3	scheduledDurationAdjust .....	154
B.7.4	activePeriod .....	155
B.7.5	durationLimit .....	155
B.7.6	channelMigration .....	156
B.7.7	timeMigration .....	157

B.7.8	allowDuplicates .....	157
B.8	Storage Related Properties .....	157
B.8.1	persistedRecordings .....	158
B.9	Schedule State Properties .....	159
B.9.1	scheduleState .....	159
B.9.2	abnormalTasksExist .....	161
B.10	Statistics Properties .....	161
B.10.1	currentRecordTaskCount .....	161
B.10.2	totalCreatedRecordTasks .....	161
B.10.3	totalCompletedRecordTasks .....	162
B.11	Task General Properties .....	162
B.11.1	recordScheduleID .....	162
B.11.2	recordedCDSObjectID .....	162
B.12	Task Content Identification Properties .....	163
B.12.1	taskCDSObjectID .....	164
B.12.2	taskChannelID .....	164
B.12.3	taskStartDateTime .....	165
B.12.4	taskDuration .....	166
B.12.5	taskProgramCode .....	166
B.12.6	recordQuality .....	166
B.13	Task Matched Content Criteria Properties .....	169
B.13.1	matchedName .....	169
B.13.2	matchedID .....	169
B.14	Task Matched Qualifying Criteria Properties .....	170
B.14.1	matchedRating .....	170
B.14.1.1	matchedRating@type .....	170
B.14.1.2	matchedRating@equivalentAge .....	171
B.14.2	matchedEpisodeType .....	171
B.15	Task Matched Content Control Properties .....	171
B.15.1	taskStartDateTimeAdjust .....	171
B.15.2	taskDurationAdjust .....	172
B.15.3	taskDurationLimit .....	172
B.15.3.1	taskDurationLimit@effect .....	172
B.15.4	taskChannelMigration .....	173
B.15.5	taskTimeMigration .....	173
B.16	Task State Properties .....	173
B.16.1	taskState .....	174
B.17	ContentDirectory Service Imported Properties .....	182
<b>Annex C (normative) AV Working Committee Class Definitions .....</b>		<b>186</b>
C.1	Class Hierarchy .....	186
C.1.1	Relationships between Classes and Properties .....	188
C.1.2	recordScheduleParts Properties .....	189
C.1.3	recordSchedule Properties .....	193
C.1.4	recordTask Properties .....	197
C.2	Class Definitions .....	199
C.3	object Base Class .....	200
C.3.1	object.recordSchedule Class .....	201
C.3.2	object.recordTask Class .....	211
<b>Annex D (normative) EBNF Syntax Definitions .....</b>		<b>213</b>
D.1	Priority Syntax .....	213
D.2	Date&time Syntax .....	213
D.3	Class Name Syntax .....	214
<b>Annex E (informative) ScheduledRecording Service Relationship to ContentDirectory Service .....</b>		<b>215</b>
<b>Annex F (informative) ScheduledRecording Service Relationship to EPG .....</b>		<b>216</b>
<b>Annex G (informative) AVDT Examples .....</b>		<b>217</b>

G.1	A_ARG_TYPE_RecordSchedule AVDT Example .....	217
G.2	A_ARG_TYPE_RecordTask AVDT Example .....	234
G.3	A_ARG_TYPE_RecordScheduleParts AVDT Example .....	253
Annex H (informative) Bibliography .....		269

## List of Tables

Table 1 — Properties in XML.....	8
Table 2 — EBNF Operators.....	13
Table 3 — CSV Examples .....	15
Table 4 — Namespace Definitions.....	16
Table 5 — Schema-related Information.....	18
Table 6 — Default Namespaces for the AV Specifications .....	20
Table 7 — State Variables .....	26
Table 8 — Allowed values for the <i>DataTypeID</i> argument.....	28
Table 9 — Allowed Elements in <StateEvent> Element .....	29
Table 10 — Eventing and Moderation .....	35
Table 11 — Actions.....	35
Table 12 — Arguments for <i>GetSortCapabilities()</i> .....	36
Table 13 — Error Codes for <i>GetSortCapabilities()</i> .....	37
Table 14 — Arguments for <i>GetPropertyList()</i> .....	37
Table 15 — Error Codes for <i>GetPropertyList()</i> .....	38
Table 16 — Arguments for <i>GetAllowedValues()</i> .....	38
Table 17 — Error Codes for <i>GetAllowedValues()</i> .....	39
Table 18 — Arguments for <i>GetStateUpdateID()</i> .....	40
Table 19 — Error Codes for <i>GetStateUpdateID()</i> .....	40
Table 20 — Arguments for <i>BrowseRecordSchedules()</i> .....	40
Table 21 — Error Codes for <i>BrowseRecordSchedules()</i> .....	45
Table 22 — Arguments for <i>BrowseRecordTasks()</i> .....	45
Table 23 — Error Codes for <i>BrowseRecordTasks()</i> .....	47
Table 24 — Arguments for <i>CreateRecordSchedule()</i> .....	47
Table 25 — Error Codes for <i>CreateRecordSchedule()</i> .....	49
Table 26 — Arguments for <i>DeleteRecordSchedule()</i> .....	50
Table 27 — Error Codes for <i>DeleteRecordSchedule()</i> .....	50
Table 28 — Arguments for <i>GetRecordSchedule()</i> .....	50
Table 29 — Error Codes for <i>GetRecordSchedule()</i> .....	51
Table 30 — Arguments for <i>EnableRecordSchedule()</i> .....	52
Table 31 — Error Codes for <i>EnableRecordSchedule()</i> .....	52
Table 32 — Arguments for <i>DisableRecordSchedule()</i> .....	53
Table 33 — Error Codes for <i>DisableRecordSchedule()</i> .....	53
Table 34 — Arguments for <i>DeleteRecordTask()</i> .....	54
Table 35 — Error Codes for <i>DeleteRecordTask()</i> .....	54
Table 36 — Arguments for <i>GetRecordTask()</i> .....	55
Table 37 — Error Codes for <i>GetRecordTask()</i> .....	55
Table 38 — Arguments for <i>EnableRecordTask()</i> .....	56
Table 39 — Error Codes for <i>EnableRecordTask()</i> .....	56

Table 40 — Arguments for <a href="#"><u>DisableRecordTask()</u></a> .....	57
Table 41 — Error Codes for <a href="#"><u>DisableRecordTask()</u></a> .....	58
Table 42 — Arguments for <a href="#"><u>ResetRecordTask()</u></a> .....	58
Table 43 — Error Codes for <a href="#"><u>ResetRecordTask()</u></a> .....	59
Table 44 — Arguments for <a href="#"><u>GetRecordScheduleConflicts()</u></a> .....	59
Table 45 — Error Codes for <a href="#"><u>GetRecordScheduleConflicts()</u></a> .....	60
Table 46 — Arguments for <a href="#"><u>GetRecordTaskConflicts()</u></a> .....	60
Table 47 — Error Codes for <a href="#"><u>GetRecordTaskConflicts()</u></a> .....	61
Table 48 — Common Error Codes.....	61
Table 49 — <a href="#"><u>recordTask</u></a> State Timeline.....	71
Table 50 — Example 1: Fewer <a href="#"><u>recordSchedule</u></a> instances than the Number of Supported Priority Levels.....	72
Table 51 — Example 2: More <a href="#"><u>recordSchedule</u></a> instances than the Number of Supported Priority Levels.....	73
Table 52 — Existing <a href="#"><u>recordSchedule</u></a> Priorities.....	74
Table 53 — <a href="#"><u>desiredPriority</u></a> Property Set to “RS-C”.....	74
Table 54 — <a href="#"><u>desiredPriority</u></a> Property Set to “HIGHEST”, “L1 HI”, or “RS-A”.....	75
Table 55 — <a href="#"><u>desiredPriority</u></a> Property Set to “LOWEST”, “L3 LOW”, or “RS-B”.....	75
Table 56 — <a href="#"><u>desiredPriority</u></a> Property Set to “RS-C”.....	75
Table B.1 — Base Properties Overview.....	129
Table B.2 — Allowed values for the <a href="#"><u>class</u></a> Property.....	130
Table B.3 — Priority Properties.....	132
Table B.4 — Allowed values for the <a href="#"><u>priority</u></a> Property.....	132
Table B.5 — Primary allowed values for the <a href="#"><u>desiredPriority</u></a> Property.....	133
Table B.6 — Additional allowed values for the <a href="#"><u>desiredPriority</u></a> Property.....	134
Table B.7 — Allowed values for the <a href="#"><u>desiredPriority@type</u></a> Property.....	135
Table B.8 — Output Control Properties.....	135
Table B.9 — <a href="#"><u>desiredRecordQuality</u></a> Example.....	138
Table B.10 — Allowed values for the <a href="#"><u>desiredRecordQuality</u></a> Property.....	139
Table B.11 — Allowed values for the <a href="#"><u>desiredRecordQuality@type</u></a> Property.....	140
Table B.12 — Content Identification Related Properties.....	140
Table B.13 — Allowed values for the <a href="#"><u>scheduledChannelID@type</u></a> Property.....	142
Table B.14 — Matching Content Criteria Properties.....	145
Table B.15 — Allowed values for the <a href="#"><u>matchingName@type</u></a> Property.....	146
Table B.16 — Allowed values for the <a href="#"><u>matchingID@type</u></a> Property.....	147
Table B.17 — Matching Qualifying Criteria Properties.....	147
Table B.18 — Allowed values for the <a href="#"><u>matchingRatingLimit</u></a> Property Using the MPAA Rating System ( <a href="#"><u>matchingRatingLimit@type</u></a> = “MPAA.ORG”).....	150
Table B.19 — Allowed values for the <a href="#"><u>matchingRatingLimit</u></a> Property Using the RIAA Rating System ( <a href="#"><u>matchingRatingLimit@type</u></a> = “RIAA.ORG”).....	150
Table B.20 — Allowed values for the <a href="#"><u>matchingRatingLimit</u></a> Property Using the ESRB Rating System ( <a href="#"><u>matchingRatingLimit@type</u></a> = “ESRB.ORG”).....	151
Table B.21 — Allowed values for the <a href="#"><u>matchingRatingLimit</u></a> Property Using the TVGUIDELINES Rating System ( <a href="#"><u>matchingRatingLimit@type</u></a> = “TVGUIDELINES.ORG”).....	151
Table B.22 — Allowed values for the <a href="#"><u>matchingRatingLimit@type</u></a> Property.....	152
Table B.23 — Allowed values for the <a href="#"><u>matchingEpisodeType</u></a> Property.....	153
Table B.24 — Content Control Properties.....	153

Table B.25 — Allowed values for the <a href="#">durationLimit@effect</a> Property.....	156
Table B.26 — Storage Related Properties .....	157
Table B.27 — Schedule State Properties.....	159
Table B.28 — Allowed values for the <a href="#">scheduleState</a> Property.....	160
Table B.29 — Allowed values for the <a href="#">scheduleState@currentErrors</a> Property .....	160
Table B.30 — Statistics Properties .....	161
Table B.31 — Task General Properties.....	162
Table B.32 — Task Content Identification Properties .....	163
Table B.33 — <a href="#">recordQuality</a> Example .....	167
Table B.34 — Allowed values for the <a href="#">recordQuality</a> Property.....	168
Table B.35 — Task Matched Content Criteria Properties.....	169
Table B.36 — Task Matched Qualifying Criteria Properties .....	170
Table B.37 — Task Matched Content Control Properties.....	171
Table B.38 — State Related Properties .....	173
Table B.39 — Allowed values for the attributes of the <a href="#">taskState</a> Property .....	174
Table B.40 — Allowed values for the <a href="#">taskState</a> Property.....	175
Table B.41 — Allowed values for the <a href="#">taskState@phase</a> Property .....	176
Table B.42 — Allowed values for the <a href="#">taskState@xxx</a> Properties.....	179
Table C.1 — Class Properties Overview for <a href="#">recordScheduleParts</a> usage .....	189
Table C.2 — Class Properties Overview for <a href="#">recordSchedule</a> usage .....	193
Table C.3 — Class Properties Overview for <a href="#">recordTask</a> usage.....	197
Table C.4 — <a href="#">object</a> Base Class Properties .....	200
Table C.5 — <a href="#">object.recordSchedule</a> Base Class Properties.....	201
Table C.6 — <a href="#">object.recordSchedule.direct</a> Class Properties.....	202
Table C.7 — <a href="#">object.recordSchedule.direct.manual</a> Class Properties.....	203
Table C.8 — <a href="#">object.recordSchedule.direct.cdsEPG</a> Class Properties.....	204
Table C.9 — <a href="#">object.recordSchedule.direct.cdsNonEPG</a> Class Properties .....	206
Table C.10 — <a href="#">object.recordSchedule.direct.programCode</a> Class Properties .....	207
Table C.11 — <a href="#">object.recordSchedule.query</a> Class Properties .....	208
Table C.12 — <a href="#">object.recordSchedule.query.contentName</a> Class Properties.....	209
Table C.13 — <a href="#">object.recordSchedule.query.contentID</a> Class Properties .....	210
Table C.14 — <a href="#">object.recordTask</a> Base Class Properties.....	212

## List of Figures

Figure 1 — Creating a new <a href="#">recordSchedule</a> .....	24
Figure 2 — Capability check.....	25
Figure 3 — Browse <a href="#">recordSchedule</a> . .....	25
Figure 4 — Delete a <a href="#">recordSchedule</a> .....	25
Figure 5 — A Full-Featured State Diagram .....	63
Figure 6 — A Minimal-Implementation State Diagram .....	69
Figure C.1 — Class hierarchy for the ScheduledRecording service. ....	187