

# ISO/IEC 29341-26-10:2017-09 (E)

## Information technology - UPnP Device Architecture - Part 26-10: Telephony device control protocol - Level 2 - Call management service

---

| Contents |   | Page |
|----------|---|------|
| 1        | Scope .....   | 1    |
| 2        | Normative References .....                              | 1    |
| 3        | Terms, definitions, symbols and abbreviated terms ..... | 2    |
| 4        | Notations and conventions .....                         | 5    |
| 4.1      | Text conventions .....                                  | 5    |
| 4.2      | Data Types .....  | 5    |
| 4.3      | Vendor-defined Extensions .....                         | 6    |
| 5        | Service Modeling Definitions .....                      | 6    |
| 5.1      | Service Type .....                                      | 6    |
| 5.2      | CallManagement Service Architecture .....               | 6    |
| 5.2.1    | Managing Call With Multiple Telephony Clients .....     | 6    |
| 5.2.2    | User Concept and Multi-User Control .....               | 10   |
| 5.2.3    | Call Monopolization .....                               | 11   |
| 5.2.4    | Selective Information Delivery .....                    | 16   |
| 5.2.5    | Handling of Media Streams .....                         | 16   |
| 5.2.6    | Content Sharing .....                                   | 17   |
| 5.3      | State Variables .....                                   | 18   |
| 5.3.1    | State Variable Overview .....                           | 18   |
| 5.3.2    | CallInfo .....  | 19   |
| 5.3.3    | TelCPNameList .....                                     | 23   |
| 5.3.4    | CallBackAvailability .....                              | 23   |
| 5.3.5    | PushInfo .....  | 23   |
| 5.3.6    | VoiceMailInfo .....                                     | 24   |
| 5.3.7    | ParallelCallInfo .....                                  | 25   |
| 5.3.8    | A_ARG_TYPE_TelephonyServerIdentity .....                | 26   |
| 5.3.9    | A_ARG_TYPE_TelCPName .....                              | 26   |
| 5.3.10   | A_ARG_TYPE_TelCPNameList .....                          | 26   |
| 5.3.11   | A_ARG_TYPE_Expires .....                                | 26   |
| 5.3.12   | A_ARG_TYPE_MediaCapabilityInfo .....                    | 26   |
| 5.3.13   | A_ARG_TYPE_CalleeID .....                               | 28   |
| 5.3.14   | A_ARG_TYPE_CallPriority .....                           | 28   |
| 5.3.15   | A_ARG_TYPE_CallMode .....                               | 29   |
| 5.3.16   | A_ARG_TYPE_CallID .....                                 | 29   |
| 5.3.17   | A_ARG_TYPE_SecretKey .....                              | 29   |
| 5.3.18   | A_ARG_TYPE_RejectReason .....                           | 29   |
| 5.3.19   | A_ARG_TYPE_TCList .....                                 | 29   |
| 5.3.20   | A_ARG_TYPE_CallInfoList .....                           | 30   |
| 5.3.21   | A_ARG_TYPE_CallLogs .....                               | 31   |
| 5.3.22   | A_ARG_TYPE_CallBackID .....                             | 32   |
| 5.3.23   | A_ARG_TYPE_CallBackInfoList .....                       | 32   |
| 5.3.24   | A_ARG_TYPE_PushInfoList .....                           | 33   |
| 5.3.25   | A_ARG_TYPE_VoiceMailInfoList .....                      | 34   |
| 5.3.26   | A_ARG_TYPE_VoiceMailID .....                            | 34   |
| 5.3.27   | A_ARG_TYPE_CallType .....                               | 34   |
| 5.3.28   | A_ARG_TYPE_CallerID .....                               | 35   |
| 5.3.29   | A_ARG_TYPE_MaxWaitingTime .....                         | 36   |
| 5.4      | Eventing and Moderation .....                           | 36   |

|        |   |     |
|--------|---|-----|
| 5.4.1  | Eventing of CallInfo .....  | 36  |
| 5.4.2  | Eventing of TelCPNameList .....   | 37  |
| 5.4.3  | Eventing of CallBackAvailability .....  | 37  |
| 5.4.4  | Eventing of PushInfo .....  | 37  |
| 5.4.5  | Eventing of VoiceMailInfo .....   | 37  |
| 5.4.6  | Eventing of ParallelCallInfo .....  | 37  |
| 5.5    | Actions .....   | 37  |
| 5.5.1  | GetTelephonyIdentity() .....  | 38  |
| 5.5.2  | RegisterTelCPName() .....   | 39  |
| 5.5.3  | UnregisterTelCPName() .....   | 41  |
| 5.5.4  | ChangeTelCPName() .....   | 41  |
| 5.5.5  | GetTelCPNameList() .....  | 42  |
| 5.5.6  | GetMediaCapabilities() .....  | 43  |
| 5.5.7  | StartCall() .....   | 44  |
| 5.5.8  | StopCall() .....  | 46  |
| 5.5.9  | AcceptCall() .....  | 48  |
| 5.5.10 | RejectCall() .....  | 50  |
| 5.5.11 | ModifyCall() .....  | 52  |
| 5.5.12 | AcceptModifyCall() .....  | 54  |
| 5.5.13 | StartMediaTransfer() .....  | 56  |
| 5.5.14 | ChangeMonopolizer() .....   | 57  |
| 5.5.15 | InitiateCall() .....  | 59  |
| 5.5.16 | GetCallInfo() .....   | 59  |
| 5.5.17 | GetCallLogs() .....   | 61  |
| 5.5.18 | ClearCallLogs() .....   | 61  |
| 5.5.19 | RegisterCallBack() .....  | 62  |
| 5.5.20 | ClearCallBack() .....   | 63  |
| 5.5.21 | GetCallBackInfo() .....   | 63  |
| 5.5.22 | ChangeCallMode() .....  | 64  |
| 5.5.23 | GetPushInfo() .....   | 65  |
| 5.5.24 | IgnoreCall() .....  | 66  |
| 5.5.25 | GetVoiceMail() .....  | 67  |
| 5.5.26 | DeleteVoiceMail() .....   | 68  |
| 5.5.27 | EnhancedInitiateCall() .....  | 69  |
| 5.5.28 | WaitingForCall() .....  | 70  |
| 5.5.29 | InitiateParallelCall() .....  | 71  |
| 5.5.30 | AcceptParallelCall() .....  | 72  |
| 5.5.31 | Relationships Between Actions .....   | 73  |
| 5.5.32 | Error Code Summary .....  | 73  |
| 5.6    | Service Behavioral Model .....  | 73  |
| 5.6.1  | State Diagram .....   | 73  |
| 6      | XML Service Description .....   | 77  |
|        | Annex A (normative) XML complex type peerType .....                                   | 93  |
|        | Annex B (normative) XML Schema .....  | 97  |
|        | Annex C (informative) Theory of Operation .....                                       | 102 |
|        | Annex D (informative) Sequence Examples .....   | 125 |
|        | Annex E (informative) How to send DTMF .....  | 295 |
|        | Annex F (informative) Bibliography .....  | 296 |
|        | Figure 1 -- Relationship among Media Stream, Media Session and Media Session ID ..... | 3   |
|        | Figure 2 -- Architecture of the CallManagement Service .....                          | 6   |
|        | Figure 3 -- Managing a Telephony Call with Multiple Telephony Clients .....           | 7   |

|   |     |
|---|-----|
| Figure 4 -- Starting a Call with Multiple Telephony Clients Using Media Mixing Capability .....   | 8   |
| Figure 5 -- Modifying a Call with Multiple Telephony Clients Using Media Mixing Capability .....  | 8   |
| Figure 6 -- Starting a Call With Multiple Telephony Clients Using Media Sharing Capability .....  | 9   |
| Figure 7 -- Modifying a Call With Multiple Telephony Clients Using Media Sharing Capability ..... | 10  |
| Figure 8 -- Example for Multi-User Control Concept .....  | 11  |
| Figure 9 -- PHONE-based Call Monopolization .....   | 13  |
| Figure 10 -- Incoming Call Handling .....   | 15  |
| Figure 11 -- Call State Diagram for a Caller .....  | 74  |
| Figure 12 -- Call State Diagram for a Callee .....  | 75  |
| Figure 13 -- Call State Diagram to request the modification of a Call .....                       | 76  |
| Figure 14 -- Call State Diagram to accept the modification of a Call .....                        | 77  |
| Figure C.1 -- Flow basics for creating an outgoing Call (TC-Based Media Handling) .....           | 103 |
| Figure C.2 -- Flow basics for accepting an incoming Call (TC-Based Media Handling) .....          | 105 |
| Figure C.3 -- Flow basics for modifying an ongoing Call (TC-Based Media Handling) .....           | 107 |
| Figure C.4 -- Flow basics for creating an outgoing Call (TS-Based Media Handling) .....           | 109 |
| Figure C.5 -- Flow basics for accepting an incoming Call (TS-Based Media Handling) .....          | 111 |
| Figure C.6 -- Flow basics for modifying an ongoing Call (TS-Based Media Handling) .....           | 113 |
| Figure C.7 -- Flow basics for changing CallMode from Non-Monopolize to Monopolize .....           | 114 |
| Figure C.8 -- Flow basics for changing CallMode from Monopolize to Non-Monopolize .....           | 115 |
| Figure C.9 -- Flow basics for Early Media .....   | 116 |
| Figure C.10 -- Example flow of TS-Based Content Sharing by initiating a Call .....                | 118 |
| Figure C.11 -- Example flow of TS-Based Content Sharing in an existing Call .....                 | 119 |
| Figure C.12 -- Example flow of TC-Based Content Sharing by Updating a Call .....                  | 120 |
| Figure C.13 -- Example flow of TC-Based Content Sharing without Updating a Call .....             | 121 |
| Figure C.14 -- Example flow of TC-Based Content Sharing by initiating a Call .....                | 122 |
| Figure C.15 -- Architecture for Parallel Call .....   | 123 |
| Figure C.16 -- Flow basics for Establishing a Parallel Call .....                                 | 124 |
| Figure D.1 -- Register TelCPName .....  | 125 |
| Figure D.2 -- Register TelCPName (But the specified TelCPName is already in use.) .....           | 126 |
| Figure D.3 -- Keep using the same TelCPName .....   | 127 |
| Figure D.4 -- Keep using the same TelCPName (But the specified Secret Key is invalid.) .....      | 128 |

|  |     |
|--|-----|
| Figure D.5 -- Change TelCPName .....   | 129 |
| Figure D.6 -- Change TelCPName (But the specified Secret Key is invalid.) .....                        | 130 |
| Figure D.7 -- Change TelCPName (But the specified TelCPName is already in use.) .....                  | 131 |
| Figure D.8 -- Unregister TelCPName .....   | 132 |
| Figure D.9 -- Unregister TelCPName (But the specified TelCPName does not exist.) .....                 | 133 |
| Figure D.10 -- Get existing TelCPNames .....   | 134 |
| Figure D.11 -- Get existing TelCPNames (But no TelCP exists) .....                                     | 135 |
| Figure D.12 -- Create a Call .....   | 137 |
| Figure D.13 -- Terminate a Call .....  | 153 |
| Figure D.14 -- Reject an incoming Call .....   | 158 |
| Figure D.15 -- Cancel an outgoing Call .....   | 161 |
| Figure D.16 -- Cancel an outgoing Call (But the specified CallID does not exist.) .....                | 164 |
| Figure D.17 -- Cancel an outgoing Call (But the StopCall() action is invoked at invalid timing.) ..... | 165 |
| Figure D.18 -- Get MediaSessionInfo and CallInfo during the Call .....                                 | 166 |
| Figure D.19 -- Create an outgoing Call using multiple TCs (Case 1) .....                               | 169 |
| Figure D.20 -- Create an outgoing Call using multiple TCs (Case 2) .....                               | 183 |
| Figure D.21 -- Accept an incoming Call using multiple TCs (Case 1) .....                               | 188 |
| Figure D.22 -- Accept an incoming Call using multiple TCs (Case 2) .....                               | 201 |
| Figure D.23 -- Add TC during a Call (Create a modification request) .....                              | 205 |
| Figure D.24 -- Add TC during a Call (Accept a modification request) .....                              | 215 |
| Figure D.25 -- Remove TC during a Call (Create a modification request) .....                           | 224 |
| Figure D.26 -- Remove TC during a Call (Accept a modification request) .....                           | 230 |
| Figure D.27 -- Change TC during a Call .....   | 237 |
| Figure D.28 -- Modify Media Session during a Call .....  | 246 |
| Figure D.29 -- Initiate a Call .....   | 254 |
| Figure D.30 -- Create an outgoing Call (Monopolization Mode Call(PHONE-TelCP)) .....                   | 257 |
| Figure D.31 -- Terminate a Call (But the specified TelCP is not authorized.) .....                     | 272 |
| Figure D.32 -- Cancel an outgoing Call (But the specified TelCP is not authorized.) .....              | 273 |
| Figure D.33 -- Change TelCP which Monopolize the Call .....  | 274 |
| Figure D.34 -- Create a Call with TC-Based and TS-Based Media Handlings .....                          | 277 |
| Table 1 -- State Variables .....   | 18  |

|  |    |
|--|----|
| Table 2 -- Allowed values for type .....   | 20 |
| Table 3 -- Allowed values for callStatus .....   | 20 |
| Table 4 -- Allowed values for reason and the corresponding values of the Call Status ..... | 21 |
| Table 5 -- Allowed values for priority .....   | 22 |
| Table 6 -- Allowed values for format .....   | 22 |
| Table 7 -- Allowed values for priority .....   | 24 |
| Table 8 -- Allowed values for informationType .....  | 26 |
| Table 9 -- allowedValueList for the A_ARG_TYPE_CallPriority state variable .....           | 28 |
| Table 10 -- allowedValueList for the A_ARG_TYPE_CallMode state variable .....              | 29 |
| Table 11 -- Allowed values for videoQuality .....  | 35 |
| Table 12 -- Allowed values for audioQuality .....  | 35 |
| Table 13 -- Event Moderation .....   | 36 |
| Table 14 -- Actions .....  | 37 |
| Table 15 -- Arguments for GetTelephonyIdentity() .....                                     | 38 |
| Table 16 -- Error Codes for GetTelephonyIdentity() .....                                   | 39 |
| Table 17 -- Arguments for RegisterTelCPName() .....  | 39 |
| Table 18 -- Error Codes for RegisterTelCPName() .....                                      | 40 |
| Table 19 -- Arguments for UnregisterTelCPName() .....                                      | 41 |
| Table 20 -- Error Codes for UnregisterTelCPName() .....                                    | 41 |
| Table 21 -- Arguments for ChangeTelCPName() .....  | 41 |
| Table 22 -- Error Codes for ChangeTelCPName() .....  | 42 |
| Table 23 -- Arguments for GetTelCPNameList() .....   | 43 |
| Table 24 -- Error Codes for GetTelCPNameList() .....                                       | 43 |
| Table 25 -- Arguments for GetMediaCapabilities() .....                                     | 43 |
| Table 26 -- Error Codes for GetMediaCapabilities() .....                                   | 44 |
| Table 27 -- Arguments for StartCall() .....  | 44 |
| Table 28 -- Error Codes for StartCall() .....  | 46 |
| Table 29 -- Arguments for StopCall() .....   | 46 |
| Table 30 -- Error Codes for StopCall() .....   | 48 |
| Table 31 -- Arguments for AcceptCall() .....   | 48 |
| Table 32 -- Error Codes for AcceptCall() .....   | 50 |

|  |    |
|--|----|
| Table 33 -- Arguments for RejectCall() .....           | 50 |
| Table 34 -- Error Codes for RejectCall() .....         | 52 |
| Table 35 -- Arguments for ModifyCall() .....           | 52 |
| Table 36 -- Error Codes for ModifyCall() .....         | 53 |
| Table 37 -- Arguments for AcceptModifyCall() .....     | 54 |
| Table 38 -- Error Codes for AcceptModifyCall() .....   | 55 |
| Table 39 -- Arguments for StartMediaTransfer() .....   | 56 |
| Table 40 -- Error Codes for StartMediaTransfer() ..... | 57 |
| Table 41 -- Arguments for ChangeMonopolizer() .....    | 57 |
| Table 42 -- Error Codes for ChangeMonopolizer() .....  | 58 |
| Table 43 -- Arguments for InitiateCall() .....         | 59 |
| Table 44 -- Error Codes for InitiateCall() .....       | 59 |
| Table 45 -- Arguments for GetCallInfo() .....          | 59 |
| Table 46 -- Error Codes for GetCallInfo() .....        | 60 |
| Table 47 -- Arguments for GetCallLogs() .....          | 61 |
| Table 48 -- Error Codes for GetCallLogs() .....        | 61 |
| Table 49 -- Error Codes for ClearCallLogs() .....      | 62 |
| Table 50 -- Arguments for RegisterCallBack() .....     | 62 |
| Table 51 -- Error Codes for RegisterCallBack() .....   | 63 |
| Table 52 -- Arguments for ClearCallBack() .....        | 63 |
| Table 53 -- Error Codes for ClearCallBack() .....      | 63 |
| Table 54 -- Arguments for GetCallBackInfo() .....      | 63 |
| Table 55 -- Error Codes for GetCallBackInfo() .....    | 64 |
| Table 56 -- Arguments for ChangeCallMode() .....       | 64 |
| Table 57 -- Error Codes for ChangeCallMode() .....     | 65 |
| Table 58 -- Arguments for GetPushInfo() .....          | 65 |
| Table 59 -- Error Codes for GetPushInfo() .....        | 66 |
| Table 60 -- Arguments for IgnoreCall() .....           | 66 |
| Table 61 -- Error Codes for IgnoreCall() .....         | 67 |
| Table 62 -- Arguments for GetVoiceMail() .....         | 67 |
| Table 63 -- Error Codes for GetVoiceMail() .....       | 68 |

|   |           |
|---|-----------|
| <b>Table 64 -- Arguments for DeleteVoiceMail()</b> .....        | <b>68</b> |
| <b>Table 65 -- Error Codes for DeleteVoiceMail()</b> .....      | <b>69</b> |
| <b>Table 66 -- Arguments for EnhancedInitiateCall()</b> .....   | <b>69</b> |
| <b>Table 67 -- Error Codes for EnhancedInitiateCall()</b> ..... | <b>70</b> |
| <b>Table 68 -- Arguments for WaitingForCall()</b> .....         | <b>70</b> |
| <b>Table 69 -- Error Codes for WaitingForCall()</b> .....       | <b>71</b> |
| <b>Table 70 -- Arguments for InitiateParallelCall()</b> .....   | <b>71</b> |
| <b>Table 71 -- Error Codes for IntiateParallelcall()</b> .....  | <b>72</b> |
| <b>Table 72 -- Arguments for AcceptParallelCall()</b> .....     | <b>72</b> |
| <b>Table 73 -- Error Codes for AcceptParallelCall()</b> .....   | <b>72</b> |
| <b>Table 74 -- Error Code Summary</b> .....                     | <b>73</b> |