ISO/IEC 11801-3:2017-11 (E)

Information technology - Generic cabling for customer premises - Part 3: Industrial premises

CONTENTS

FOREWORD 5
INTRODUCTION 7
1 Scope 10
2 Normative references 10
3 Terms, definitions, abbreviated terms and symbols 11
3.1 Terms and definitions 11
3.2 Abbreviated terms 12
3.3 Symbols 12
4 Conformance 12
5 Structure of the generic cabling system 13
5.1 General 13
5.2 Functional elements 13
5.3 Cabling subsystem 14
5.3.1 General structure 14
5.3.2 Campus and building backbone cabling subsystem 15
5.3.3 Floor cabling subsystem 15
5.3.4 Intermediate cabling subsystem 15
5.3.5 Centralized cabling architecture 16
5.3.6 Design objectives 16
5.4 Interconnection of subsystems 16
5.5 Accommodation of functional elements 18
5.6 Interfaces 19
5.6.1 Equipment interfaces and test interfaces 19
5.6.2 Channels and permanent links 19
5.7 Dimensioning and configuring 19
5.7.1 General 19
5.7.2 Distributors 19
5.7.3 Connecting hardware 20
5.7.4 Apparatus attachment and equipment cords 20
5.7.5 Patch cords and jumpers 20
5.7.6 Telecommunications outlet 20
5.7.7 Telecommunications rooms and equipment rooms 21
5.7.8 Industrial enclosures 21
6 Channel performance requirements 21
6.1 General 21
6.2 Environmental performance 22
6.3 Transmission performance 22
6.3.1 General 22
6.3.2 Balanced cabling 22
6.3.3 Optical fibre cabling 23

7 Link performance requirements 23
7.1 General 23
7.2 Balanced cabling 23
7.3 Optical fibre cabling 23
8 Reference implementations 23
8.1 General 23
8.2 Balanced cabling 23
8.2.1 General 23
8.2.2 Intermediate cabling subsystem 24
8.2.3 Floor cabling subsystem 26
8.2.4 Campus and building backbone cabling subsystem 28
8.3 Optical fibre cabling 28
9 Cable requirements 28
9.1 General 28
9.2 Balanced cables 28
9.3 Optical fibre cables 29
10 Connecting hardware requirements 29
10.1 General requirements 29
10.2 Connecting hardware for balanced cabling 29
10.2.1 General requirements 29
10.2.2 Electrical, mechanical and environmental performance 29
10.3 Connecting hardware for optical fibre cabling 30
10.3.1 General requirements 30
10.3.2 Optical, mechanical and environmental performance 30
11 Cords 30
11.1 Jumpers 30
11.2 Balanced cords 30
11.2.1 General 30
11.2.2 Additional requirements for apparatus attachment cords 30
11.3 Optical fibre cords 30
Annex A (normative) Industrial cabling system 31
A.1 General 31
A.2 Industrial intermediate cabling subsystem 31
Annex B (normative) Additional reference implementations 33
B.1 General 33
B.2 Channel configurations 33
B.2.1 General 33
B.2.2 Channels with no connections 33
B.2.3 Channels with inter-connections 34
B.2.4 End-to-end link (E2E link) 35
B.3 Channels using balanced cabling bulkhead connections 36
Annex C (informative) Other implementations 38
C.1 General 38
C.2 Channels using balanced cabling bulkhead connections with additional connections 38
Bibliography 41

Figure 1 – Relationships between the generic cabling documents produced by ISO/IEC JTC 1/SC 25 7
Figure 2 – Relationships between the ISO/IEC and IEC cabling documents that apply to industrial premises 8
Figure 3 – Configuration of apparatus-based functional elements within industrial premises 14
Figure 4 – Structure of generic cabling for industrial environment 14
Figure 5 – Centralized structure of generic cabling for industrial premises 16
Figure 6 – Hierarchical structure of generic cabling for industrial premises 17
Figure 7 – Inter-relationship of functional elements in an installation with diversity for protection against failure (CPs optional between IDs and TOs) 17
Figure 8 – Accommodation of functional elements (CPs optional between IDs and TOs) 18
Figure 9 – Equipment and test interfaces 19
Figure 10 – Transmission performance of a channel 21
Figure 11 – Example of a system showing the location of cabling interfaces and extent of associated channels 22
Figure 12 – Intermediate cabling models 25
Figure 13 – Floor cabling model 27
Figure A.1 – Industrial cabling system supporting several AIs via an IID 31
Figure A.2 – Combined structure of generic and industrial cabling system using an IID 32
Figure B.1 – Channel configurations without intermediate connections 34
Figure B.2 – Channel configurations with inter-connections 35
Figure B.3 – Channel configurations with bulkhead connections 36
Figure C.1 – Channel configurations with bulkhead and additional connections 39

Table 1 – Maximum channel lengths 20
Table 2 – Length assumptions used in the mathematical modelling of balanced intermediate cabling 25
Table 3 – Intermediate link length equations 26
Table 4 – Floor link length equations 28
Table B.1 – Channel length equations for balanced cabling with inter-connections 35
Table B.2 – Channel length equations with bulkhead connections 37
Table C.1 – Channel equations with bulkhead and additional connections 40