

ISO/IEC 14165-151:2017-12 (E)

Information technology - Fibre channel - Part 151: Fibre Channel BaseT (FC-BaseT)

Contents	Page
FOREWORD	7
INTRODUCTION	9
1 Scope	10
2 Normative references	10
3 Terms, definitions, abbreviations, symbols, and conventions	11
3.1 Terms and definitions	11
3.2 Editorial conventions	14
3.3 Abbreviations, acronyms, and symbols	14
3.4 Keywords	15
3.5 State Diagram notation	16
3.5.1 State Diagram conventions	16
3.5.2 State Diagram variables	17
3.5.3 State Diagram timers	17
3.5.4 State transitions	17
3.5.5 Operators	18
4 Structure and concepts	19
4.1 Overview	19
4.2 Relationship with other standards	20
4.3 FC-BaseT PHY logical model	21
4.4 FC-BaseT usage of XGMII	22
4.5 Operation of FC-BaseT	23
4.5.1 Overview	23
4.5.2 PCS overview	24
4.5.3 PMA overview	25
4.6 FC-BaseT service primitives and interfaces	25
4.6.1 Overview	25
4.6.2 PMA service interface	25
4.6.3 Management function interface	30
4.7 FC-BaseT Nomenclature	31
5 Physical Coding Sublayer (PCS)	32
5.1 Overview	32
5.2 PCS reset function	32
5.3 PCS transmit function	33
5.3.1 Overview	33
5.3.2 36/33 transcoding	34
5.3.3 Error detecting code	36
5.3.4 PCS scrambling	37
5.3.5 Schläfli Lattice coding	39
5.3.6 Trellis coding	40
5.3.7 Generation of PMA training sequences	41
5.4 PCS receive function	42
5.4.1 Overview	42
5.4.2 Decoding	43
5.4.3 PCS descrambling	44
5.4.4 33/36 transcoding	45
5.4.5 PCS synchronization	46
5.5 State Diagrams	46

6 PMA Sublayer and Medium Dependent Interface	48
6.1 PMA Overview	48
6.2 PMA Functions	49
6.2.1 PMA Reset function	49
6.2.2 PMA Transmit function	49
6.2.3 PMA Receive Function	49
6.2.4 PHY Control Function	50
6.2.5 Link Monitor Function	53
6.2.6 Clock Recovery Function	53
6.2.7 State Diagrams	53
6.3 PMA Electrical Specification	56
6.3.1 Isolation and EMC Requirements	56
6.3.2 Test Modes	56
6.3.3 Transmitter Electrical Specifications	59
6.3.4 Receiver Electrical Specifications	64
6.4 MDI Specification	66
6.4.1 Overview	66
6.4.2 MDI Mechanical Specification	66
6.4.3 Automatic MDI/MDI-X Configuration	67
6.4.4 MDI Electrical Specification	67
6.4.5 MDI Fault tolerance	67
6.5 Link Segment Characteristics	67
6.5.1 Overview	67
6.5.2 FC-BaseT Link Topology	68
6.5.3 FC-BaseT Cable Plant Requirements	68
7 Elasticity FIFO	69
7.1 Overview	69
7.2 Ordered sets processing	70
7.3 Clock skew compensation	71
8 PHY startup procedure	73
8.1 Overview	73
8.2 Host speeds determination	73
8.3 Host synchronization	73
8.4 FC-BaseT auto-negotiation	74
8.4.1 Overview	74
8.4.2 FC-BaseT support	75
8.4.3 Master-Slave relationship	76
8.4.4 Cable length estimation	77
8.4.5 Tentative Operating Speed Determination	78
8.4.6 Configuration resolution	79
8.5 Speed downshift function	80
8.6 State diagrams	80
9 Port management	86
9.1 Overview	86
9.2 FC-BaseT management registers	86
9.3 Control Register	88
9.4 Status Register	91
9.5 Speed Downshift Register	93
9.6 Test Register	94
9.7 SNR Margin Registers	94
9.8 Auto-Negotiation Pages Registers	95

Annex A (informative) Additional 36/33 Mappings	98
A.1 Overview	98
A.2 Notation	98
A.3 Additional mappings	98
Annex B (informative) Schläfli Lattice coding	100
Annex C (informative) Recommended 4GFC-BaseT power schedule	102
Bibliography	103