ISO/IEC 14543-5-11:2018-03 (E)

Information technology - Home electronic systems (HES) architecture - Part 5-11: Intelligent Grouping and Resource Sharing for HES Class 2 and Class 3 - Remote user interface

CONTENTS

FOREWORD 5
INTRODUCTION 7
1 Scope 9
2 Normative references 9
3 Terms, definitions and abbreviated terms 9
3.1 Terms and definitions 9
3.2 Abbreviated terms 10
4 Conformance 10
5 IGRS RUI overview 11
5.1 IGRS RUI features 11
5.2 RUI configuration models 11
5.2.1 Overview 11
5.2.2 Internet RUI configuration model 11
5.2.3 2-tier RUI configuration model 11
5.2.4 3-tier RUI configuration model 12
5.3 RUIS and RUIC types 12
5.4 RUI architecture 12
5.4.1 Detailed RUI architecture 12
5.4.2 RUIC architecture 13
5.4.3 RUI Server architecture 14
6 IGRS type definitions for RUIS and RUIC 15
6.1 Overview 15
6.2 IGRS device types for RUIS and RUIC 15
6.3 IGRS service types for RUIS and RUIC 16
6.4 IGRS invocation interfaces for RUIC service 16
6.5 IGRS invocation interface for RUIS service 16
6.6 IGRS RUI operation scenarios 16
6.6.1 Overview 16
6.6.2 Discovery and retrieval of server information 16
6.6.3 Connecting 16
6.6.4 Controlling IGRS devices using IGRS RUI 17
7 Abstract entity in IGRS RUI 18
8 RUI Description Language (RDL) 21
8.1 Overview 21
8.2 RDL element 21
8.3 RDLPackage element 22
8.4 RDLInfo element 23
8.5 Declaration element 23

8.6 Package element 24
8.7 LayoutContainer element 24
8.8 SceneContainer element 25
8.9 Item element 25
8.10 Layout element 26
8.11 Scene element 27
8.12 Group element 28
8.13 Asset element 28
8.14 ItemRef element 29
8.15 LayoutRef element 29
8.16 SceneNavigation element 30
8.17 Annotation element 30
8.18 Descriptor element 30
8.19 Condition element 31
8.20 Choice element 32
8.21 Selection element 32
8.22 Statement element 33
8.23 DCCondition element 34
Annex A (normative) RDL schema 35
Bibliography 43

Figure 1 – Internet RUI configuration model 11
Figure 2 – 2-tier RUI configuration model 12
Figure 3 – 3-tier RUI configuration model 12
Figure 4 – Detailed RUI architecture 13
Figure 5 – RUIC architecture 14
Figure 6 – RUIS architecture 15
Figure 7 – RUI retrieval from Internet RUIS 17
Figure 8 – Example configuration of controlling IGRS device with RUI 17
Figure 9 – Structures of major entities in an IGRS RUI application 20
Figure 10 – RDL namespace declaration 21
Figure 11 – RDL element definition 22
Figure 12 – RDLPackage element definition 22
Figure 13 – Example of an RDLPackage element 23
Figure 14 – RDLInfo element definition 23
Figure 15 – Declaration element definition 23
Figure 16 – Package element definition 24
Figure 17 – LayoutContainer element definition 24
Figure 18 – SceneContainer element definition 25
Figure 19 – Item element definition 26
Figure 20 – Layout element definition 27
Figure 21 Scene element definition 27

Figure 22 – Group element definition 28
Figure 23 – Asset element definition 29
Figure 24 – ItemRef element definition 29
Figure 25 – LayoutRef element definition 30
Figure 26 – SceneNavigation element definition 30
Figure 27 – Annotation element definition 30
Figure 28 – Descriptor element definition 31
Figure 29 – Condition element definition 31
Figure 30 – Choice element definition 32
Figure 31 – Selection element definition 33
Figure 32 – Statement element definition 34
Figure 33 – DCCondition element definition 34

Table 1 – RUI device type definitions 15
Table 2 – RUI service type definitions 16
Table 3 – Definitions of abstract entities in an IGRS RUI 18