

ISO/IEC 14763-2:2019-12 (E)

Information technology - Implementation and operation of customer premises cabling - Part 2: Planning and installation

Contents	Page
FOREWORD.....	9
INTRODUCTION.....	11
1 Scope.....	13
2 Normative references	14
3 Terms, definitions and abbreviated terms	15
3.1 Terms and definitions.....	15
3.2 Abbreviated terms.....	20
3.3 Conventions.....	21
4 Conformance.....	21
5 Specification of installations	21
5.1 General.....	21
5.2 Installation specification.....	22
5.2.1 Requirements	22
5.2.2 Recommendations.....	23
5.3 Technical specification.....	24
5.3.1 General	24
5.3.2 Notification of hazards	24
5.3.3 Security requirements.....	25
5.3.4 Performance and configuration – Requirements.....	25
5.3.5 Environmental conditions.....	27
5.4 Scope of work	28
5.4.1 Pre-installation	28
5.4.2 Installation.....	29
5.4.3 Post-installation.....	30
5.5 Quality assurance	30
6 Quality planning.....	30
6.1 Quality plan	30
6.2 Specification of cabling components	31
6.3 Sampling.....	32
6.3.1 Balanced cabling	32
6.3.2 Optical fibre cabling.....	34
6.4 Treatment of marginal results.....	36
6.4.1 Balanced cabling	36
6.4.2 Optical fibre cabling.....	36
6.5 Treatment of non-compliant results	36
6.6 Change control	36

7	Installation planning.....	36
7.1	General.....	36
7.2	Safety	37
7.2.1	General	37
7.2.2	Low voltage power supply cabling.....	37
7.2.3	Telecommunications cables fire performance	37
7.2.4	Optical fibre cabling.....	37
7.2.5	Transmission and terminal equipment.....	37
7.3	Environment.....	37
7.4	Points of electrical contact	38
7.5	External service provision	38
7.5.1	Requirements	38
7.5.2	Recommendations	38
7.6	Pathways and pathway systems.....	38
7.6.1	General	38
7.6.2	Inside buildings	42
7.6.3	Outside buildings.....	49
7.7	Spaces	61
7.7.1	Requirements	61
7.7.2	Recommendations	66
7.8	Functional elements.....	68
7.8.1	Requirements	68
7.8.2	Recommendations	70
7.9	Segregation of telecommunications cabling and power supply cabling inside buildings	70
7.9.1	General	70
7.9.2	Requirements	72
7.9.3	Recommendations	78
7.10	Segregation of underground telecommunications cabling and power supply cabling outside buildings.....	78
7.10.1	General	78
7.10.2	Power supply cabling \leq AC 1 000 V RMS or DC 1 500 V.....	78
7.10.3	Power supply cabling $>$ AC 1 000 V RMS or DC 1 500 V.....	79
7.10.4	Earthing systems	80
7.10.5	Other infrastructures.....	81
7.11	Segregation of aerial telecommunications cabling.....	82
7.11.1	General	82
7.11.2	Overhead power supply infrastructures	82
7.11.3	Sharing of infrastructures carrying \leq 1 000 V AC (1 500 V DC)	84
7.11.4	Sharing of infrastructures carrying $>$ 1 000 V AC (1 500 V DC)	86
7.12	Planning for repair	86
7.13	Cabling – Requirements.....	87
7.13.1	General	87
7.13.2	Unscreened cabling	87
7.13.3	Screened cabling.....	87
7.13.4	Optical fibre cabling.....	87
7.14	Planning and assessment of cabling in support of remote powering objectives	88
7.14.1	General	88
7.14.2	Remote powering installations of Category RP3.....	88
7.14.3	Connecting hardware.....	92

8	Installation practices.....	93
8.1	General.....	93
8.2	Safety.....	93
8.2.1	General.....	93
8.2.2	Power supply cabling.....	93
8.2.3	Telecommunications cables fire performance.....	93
8.2.4	Optical fibre cabling.....	93
8.2.5	Guards and signs.....	94
8.2.6	Enclosed spaces.....	94
8.2.7	Maintenance holes.....	94
8.2.8	Closures.....	94
8.3	Environment.....	94
8.3.1	Storage.....	94
8.3.2	Installation – Requirements.....	94
8.4	Component inspection and testing – Requirements.....	94
8.5	Pathways.....	95
8.5.1	Requirements.....	95
8.5.2	Recommendations.....	96
8.6	Spaces.....	96
8.6.1	Requirements.....	96
8.6.2	Recommendations.....	97
8.7	Pathway system installation.....	97
8.7.1	General.....	97
8.7.2	Inside buildings.....	98
8.7.3	Outside buildings.....	98
8.8	Closure installation.....	98
8.9	Cable installation.....	99
8.9.1	Cable installation within pathway systems.....	99
8.9.2	Inside buildings.....	100
8.9.3	Cable installation in maintenance holes.....	101
8.9.4	Cable installation within closures – Requirements.....	102
8.10	Jointing and terminating of cables.....	102
8.10.1	Requirements.....	102
8.10.2	Balanced cabling.....	103
8.10.3	Screened balanced cabling.....	103
8.10.4	Optical fibre cabling.....	103
8.11	Cords and jumpers.....	103
8.12	Surge protective devices.....	103
8.13	Acceptance.....	104
8.13.1	Inspection.....	104
8.13.2	Testing.....	104
9	Documentation and administration.....	104
9.1	Symbols and preparation of documents.....	104
9.1.1	Requirements.....	104
9.1.2	Recommendations.....	104
9.2	Administration.....	104
9.2.1	General.....	104
9.2.2	Administration system.....	105
9.2.3	Identifiers – Requirements.....	109

9.2.4	Component labelling	109
9.2.5	Records	112
9.2.6	Cable administration system	116
9.2.7	Reports	119
10	Testing	119
10.1	General	119
10.1.1	Links and permanent links	119
10.1.2	Channels	120
10.1.3	Cabling interface adapters	121
10.1.4	Calibration	121
10.1.5	Equipment protection	121
10.1.6	Measurement conditions	122
10.2	Test procedures for balanced cabling	122
10.2.1	General	122
10.2.2	Measurement of length-related parameters	122
10.2.3	Treatment of marginal test results	122
10.2.4	Treatment of unacceptable test results	122
10.2.5	Test result format	122
10.2.6	Test result documentation	123
10.3	Test procedures for optical fibre cabling	123
10.3.1	General	123
10.3.2	Treatment of unacceptable test results	123
10.3.3	Test result documentation	124
11	Inspection	124
11.1	General	124
11.2	Inspection Level 1	124
11.3	Inspection Level 2	125
11.4	Inspection Level 3	125
11.5	Inspection documentation – Requirements	125
12	Operation	126
12.1	Connection of equipment	126
12.2	Standard operating procedure	126
12.2.1	Requirements	126
12.2.2	Recommendations	126
12.3	Cords and jumpers	126
12.4	Optical fibre adapters	126
13	Maintenance	127
13.1	Approaches to maintenance	127
13.1.1	General	127
13.1.2	Requirements	127
13.2	Maintenance procedures	127
13.2.1	Requirements	127
13.2.2	Recommendations	127
14	Repair	128
	Annex A (normative) Optical fibre polarity maintenance: connecting hardware for multiple optical fibres	129
	Annex B (normative) Common infrastructures within multi-tenant premises	143
	Annex C (normative) Cabling in accordance with ISO/IEC 11801-2	151

Annex D (normative) Cabling in accordance with ISO/IEC 11801-3	153
Annex E (normative) Cabling in accordance with ISO/IEC 11801-4	156
Annex F (normative) Cabling in accordance with ISO/IEC 11801-5	162
Annex G (normative) Cabling in accordance with ISO/IEC 11801-6	166
Annex H (informative) Equipment accommodation environments.....	168
Annex I (normative) Information for remote powering	169
Bibliography.....	173
Figure 1 – Schematic relationship between ISO/IEC 14763-2 and other relevant International Standards and Technical Reports	12
Figure 2 – Quality assurance schematic.....	22
Figure 3 – Conductor current for IEEE 802.3 remote powering applications	26
Figure 4 – Examples of conformant and non-conformant bend radius management	44
Figure 5 – Example of use of curved corners in pathway systems	46
Figure 6 – Example of layered cable trays with smaller width upper trays	48
Figure 7 – Example of uncovered (accessible) row of floor tiles to provide access to lower tray.....	48
Figure 8 – Example of cabling installations outside buildings	49
Figure 9 – Example of wind vibration damper.....	61
Figure 10 – Dimensions of rooms intended to contain distributors	63
Figure 11 – Process of determining cable separation	72
Figure 12 – Flowchart for cable separation calculation.....	75
Figure 13 – Separation of power supply and telecommunications cables without dividers.....	76
Figure 14 – Assumed minimum separation of power supply and telecommunications cables with dividers	77
Figure 15 – Example of cable separation distance	77
Figure 16 – Example showing the protection of underground information technology cables when located next to power supply cables	79
Figure 17 – Separation of adjacent infrastructures	83
Figure 18 – Separation distances on supporting structures	85
Figure 19 – Separation distance on supporting structures with lighting devices.....	85
Figure 20 – Separation of cable bundles to minimize heating.....	101
Figure 21 – Examples of labels indicating RP Category of remote powering installation	108
Figure 22 – Examples of cord and jumper labelling	111
Figure 23 – Cable administration database and possible linkages.....	117
Figure 24 – Basic cabling administration	117
Figure 25 – Examples of cabling permanent links.....	120
Figure 26 – Reference planes for link and channels (point-to-point).....	120
Figure 27 – Example of a cabling channel.....	121
Figure A.1 – Duplex connecting hardware plug	130
Figure A.2 – Duplex connecting hardware adapter	130
Figure A.3 – Duplex patch cord.....	130
Figure A.4 – Views of crossover patch cords.....	131
Figure A.5 – Optical fibre sequences and adapter orientation in patch panel for the symmetrical position method.....	132

Figure A.6 – Optical fibre sequences and adapter orientation in patch panel for the reverse-pair position method.....	133
Figure A.7 – Array connector cable or patch cord (key-up to key-up)	134
Figure A.8 – Array adapter with aligned keyways	135
Figure A.9 – Transition assembly	136
Figure A.10 – Connectivity method for duplex signals	137
Figure A.11 – Connectivity method for parallel optics channels	138
Figure A.12 – Array connector cable or patch cord (key-up to key-up).....	139
Figure A.13 – Array adapter with aligned keyways	139
Figure A.14 – Transition assembly	140
Figure A.15 – Connectivity method for duplex cabling	141
Figure A.16 – Connectivity method for array cabling	142
Figure B.1 – Example of common pathways and spaces in a multi-tenant building	144
Figure B.2 – Example of a campus entrance facility	146
Figure B.3 – Example 1: Common equipment room.....	148
Figure B.4 – Example 1: Common telecommunications room	149
Figure B.5 – Example 2: Common telecommunications room	149
Figure C.1 – Connection of functional elements providing redundancy	152
Figure F.1 – Connection of functional elements providing redundancy	163
Figure I.1 – Illustration of installation environments	172
Table 1 – Remote powering cabling installation Categories and controls.....	26
Table 2 – Installed balanced cabling test parameters	33
Table 3 – Minimum sample sizes for alien (exogenous) crosstalk testing	34
Table 4 – Installed optical fibre cabling test parameters	35
Table 5 – Examples of pathway systems.....	39
Table 6 – Stacking height for non-continuous and interval support pathway systems	45
Table 7 – Design and planning of pathways outside buildings	50
Table 8 – Requirements and recommendations for pathway depths below finished surface	52
Table 9 – Minimum installed clearances above ground for aerial cables.....	54
Table 10 – Separation recommendations between metallic telecommunications cabling and specific EMI sources	71
Table 11 – Classification of telecommunications cables	73
Table 12 – Minimum separation, <i>S</i>	74
Table 13 – Power cabling factor, <i>P</i>	74
Table 14 – Minimum distance between telecommunications cables and earthed electrodes of power systems in rural and urban environments	81
Table 15 – Minimum distance between telecommunications cables and earthed electrodes of power systems in accordance with ITU-T K.8.....	81
Table 16 – Minimum clearances and protective measures at crossings between telecommunications cables and various underground services.....	82
Table 17 – Minimum clearances between aerial telecommunications and overhead power supply cabling	83

Table 18 – Technology-independent channel length vs. temperature	89
Table 19 – Temperature changes for various cable bundle sizes.....	90
Table 20 – Reduction factors for rectangular cable groups	91
Table 21 – Level of installation complexity	105
Table 22 – Level of operational complexity	106
Table 23 – Minimum requirements of administration systems.....	106
Table 24 – Minimum requirements of operational administration systems.....	108
Table 25 – Labelling requirements	110
Table 26 – Labelling recommendations (additional).....	111
Table 27 – Infrastructure records for spaces, cabinets, racks, frames and closures	113
Table 28 – Infrastructure records for cables and termination points.....	114
Table 29 – Infrastructure records	115
Table 30 – Infrastructure records for pathways and premises.....	116
Table 31 – Recommendations of installation administration systems.....	118
Table 32 – Recommendations of operational administration systems	118
Table A.1 – Optical fibre colour code scheme used in Annex A.....	129
Table B.1 – Summary of common spaces used to service a multi-tenant building.....	144
Table D.1 – Risk elements in determining a maintenance approach	154
Table E.1 – Minimum requirements for dimensions of primary distribution spaces.....	159
Table E.2 – Requirements for dimensions of secondary distribution spaces	159
Table E.3 – Minimum dimensions of spaces allocated to junction boxes	160
Table E.4 – Recommendations for dimensions of primary distribution spaces	161
Table E.5 – Recommendations for dimensions of secondary distribution spaces	161
Table H.1 – Equipment environmental specifications	168
Table I.1 – Temperature changes for remote power installations of Category RP2	170