

ISO/IEC 14763-2:2019-12 (E)

Information technology - Implementation and operation of customer premises cabling - Part 2: Planning and installation

| Contents | Page |
|---|------|
| FOREWORD..... | 9 |
| INTRODUCTION..... | 11 |
| 1 Scope..... | 13 |
| 2 Normative references | 14 |
| 3 Terms, definitions and abbreviated terms | 15 |
| 3.1 Terms and definitions..... | 15 |
| 3.2 Abbreviated terms..... | 20 |
| 3.3 Conventions..... | 21 |
| 4 Conformance..... | 21 |
| 5 Specification of installations | 21 |
| 5.1 General..... | 21 |
| 5.2 Installation specification..... | 22 |
| 5.2.1 Requirements | 22 |
| 5.2.2 Recommendations | 23 |
| 5.3 Technical specification..... | 24 |
| 5.3.1 General | 24 |
| 5.3.2 Notification of hazards | 24 |
| 5.3.3 Security requirements..... | 25 |
| 5.3.4 Performance and configuration – Requirements..... | 25 |
| 5.3.5 Environmental conditions..... | 27 |
| 5.4 Scope of work | 28 |
| 5.4.1 Pre-installation | 28 |
| 5.4.2 Installation..... | 29 |
| 5.4.3 Post-installation..... | 30 |
| 5.5 Quality assurance | 30 |
| 6 Quality planning..... | 30 |
| 6.1 Quality plan | 30 |
| 6.2 Specification of cabling components | 31 |
| 6.3 Sampling..... | 32 |
| 6.3.1 Balanced cabling | 32 |
| 6.3.2 Optical fibre cabling..... | 34 |
| 6.4 Treatment of marginal results..... | 36 |
| 6.4.1 Balanced cabling | 36 |
| 6.4.2 Optical fibre cabling..... | 36 |
| 6.5 Treatment of non-compliant results | 36 |
| 6.6 Change control | 36 |

| | | |
|--------|---|----|
| 7 | Installation planning..... | 36 |
| 7.1 | General..... | 36 |
| 7.2 | Safety | 37 |
| 7.2.1 | General | 37 |
| 7.2.2 | Low voltage power supply cabling..... | 37 |
| 7.2.3 | Telecommunications cables fire performance | 37 |
| 7.2.4 | Optical fibre cabling..... | 37 |
| 7.2.5 | Transmission and terminal equipment..... | 37 |
| 7.3 | Environment..... | 37 |
| 7.4 | Points of electrical contact | 38 |
| 7.5 | External service provision | 38 |
| 7.5.1 | Requirements | 38 |
| 7.5.2 | Recommendations | 38 |
| 7.6 | Pathways and pathway systems..... | 38 |
| 7.6.1 | General | 38 |
| 7.6.2 | Inside buildings | 42 |
| 7.6.3 | Outside buildings..... | 49 |
| 7.7 | Spaces | 61 |
| 7.7.1 | Requirements | 61 |
| 7.7.2 | Recommendations | 66 |
| 7.8 | Functional elements..... | 68 |
| 7.8.1 | Requirements | 68 |
| 7.8.2 | Recommendations | 70 |
| 7.9 | Segregation of telecommunications cabling and power supply cabling inside buildings | 70 |
| 7.9.1 | General | 70 |
| 7.9.2 | Requirements | 72 |
| 7.9.3 | Recommendations | 78 |
| 7.10 | Segregation of underground telecommunications cabling and power supply cabling outside buildings..... | 78 |
| 7.10.1 | General | 78 |
| 7.10.2 | Power supply cabling \leq AC 1 000 V RMS or DC 1 500 V..... | 78 |
| 7.10.3 | Power supply cabling $>$ AC 1 000 V RMS or DC 1 500 V..... | 79 |
| 7.10.4 | Earthing systems | 80 |
| 7.10.5 | Other infrastructures..... | 81 |
| 7.11 | Segregation of aerial telecommunications cabling..... | 82 |
| 7.11.1 | General | 82 |
| 7.11.2 | Overhead power supply infrastructures | 82 |
| 7.11.3 | Sharing of infrastructures carrying \leq 1 000 V AC (1 500 V DC) | 84 |
| 7.11.4 | Sharing of infrastructures carrying $>$ 1 000 V AC (1 500 V DC) | 86 |
| 7.12 | Planning for repair | 86 |
| 7.13 | Cabling – Requirements..... | 87 |
| 7.13.1 | General | 87 |
| 7.13.2 | Unscreened cabling | 87 |
| 7.13.3 | Screened cabling..... | 87 |
| 7.13.4 | Optical fibre cabling..... | 87 |
| 7.14 | Planning and assessment of cabling in support of remote powering objectives | 88 |
| 7.14.1 | General | 88 |
| 7.14.2 | Remote powering installations of Category RP3..... | 88 |
| 7.14.3 | Connecting hardware..... | 92 |

| | | |
|--------|--|-----|
| 8 | Installation practices..... | 93 |
| 8.1 | General..... | 93 |
| 8.2 | Safety..... | 93 |
| 8.2.1 | General..... | 93 |
| 8.2.2 | Power supply cabling..... | 93 |
| 8.2.3 | Telecommunications cables fire performance..... | 93 |
| 8.2.4 | Optical fibre cabling..... | 93 |
| 8.2.5 | Guards and signs..... | 94 |
| 8.2.6 | Enclosed spaces..... | 94 |
| 8.2.7 | Maintenance holes..... | 94 |
| 8.2.8 | Closures..... | 94 |
| 8.3 | Environment..... | 94 |
| 8.3.1 | Storage..... | 94 |
| 8.3.2 | Installation – Requirements..... | 94 |
| 8.4 | Component inspection and testing – Requirements..... | 94 |
| 8.5 | Pathways..... | 95 |
| 8.5.1 | Requirements..... | 95 |
| 8.5.2 | Recommendations..... | 96 |
| 8.6 | Spaces..... | 96 |
| 8.6.1 | Requirements..... | 96 |
| 8.6.2 | Recommendations..... | 97 |
| 8.7 | Pathway system installation..... | 97 |
| 8.7.1 | General..... | 97 |
| 8.7.2 | Inside buildings..... | 98 |
| 8.7.3 | Outside buildings..... | 98 |
| 8.8 | Closure installation..... | 98 |
| 8.9 | Cable installation..... | 99 |
| 8.9.1 | Cable installation within pathway systems..... | 99 |
| 8.9.2 | Inside buildings..... | 100 |
| 8.9.3 | Cable installation in maintenance holes..... | 101 |
| 8.9.4 | Cable installation within closures – Requirements..... | 102 |
| 8.10 | Jointing and terminating of cables..... | 102 |
| 8.10.1 | Requirements..... | 102 |
| 8.10.2 | Balanced cabling..... | 103 |
| 8.10.3 | Screened balanced cabling..... | 103 |
| 8.10.4 | Optical fibre cabling..... | 103 |
| 8.11 | Cords and jumpers..... | 103 |
| 8.12 | Surge protective devices..... | 103 |
| 8.13 | Acceptance..... | 104 |
| 8.13.1 | Inspection..... | 104 |
| 8.13.2 | Testing..... | 104 |
| 9 | Documentation and administration..... | 104 |
| 9.1 | Symbols and preparation of documents..... | 104 |
| 9.1.1 | Requirements..... | 104 |
| 9.1.2 | Recommendations..... | 104 |
| 9.2 | Administration..... | 104 |
| 9.2.1 | General..... | 104 |
| 9.2.2 | Administration system..... | 105 |
| 9.2.3 | Identifiers – Requirements..... | 109 |

| | | |
|--------|---|-----|
| 9.2.4 | Component labelling | 109 |
| 9.2.5 | Records | 112 |
| 9.2.6 | Cable administration system | 116 |
| 9.2.7 | Reports | 119 |
| 10 | Testing | 119 |
| 10.1 | General | 119 |
| 10.1.1 | Links and permanent links | 119 |
| 10.1.2 | Channels | 120 |
| 10.1.3 | Cabling interface adapters | 121 |
| 10.1.4 | Calibration | 121 |
| 10.1.5 | Equipment protection | 121 |
| 10.1.6 | Measurement conditions | 122 |
| 10.2 | Test procedures for balanced cabling | 122 |
| 10.2.1 | General | 122 |
| 10.2.2 | Measurement of length-related parameters | 122 |
| 10.2.3 | Treatment of marginal test results | 122 |
| 10.2.4 | Treatment of unacceptable test results | 122 |
| 10.2.5 | Test result format | 122 |
| 10.2.6 | Test result documentation | 123 |
| 10.3 | Test procedures for optical fibre cabling | 123 |
| 10.3.1 | General | 123 |
| 10.3.2 | Treatment of unacceptable test results | 123 |
| 10.3.3 | Test result documentation | 124 |
| 11 | Inspection | 124 |
| 11.1 | General | 124 |
| 11.2 | Inspection Level 1 | 124 |
| 11.3 | Inspection Level 2 | 125 |
| 11.4 | Inspection Level 3 | 125 |
| 11.5 | Inspection documentation – Requirements | 125 |
| 12 | Operation | 126 |
| 12.1 | Connection of equipment | 126 |
| 12.2 | Standard operating procedure | 126 |
| 12.2.1 | Requirements | 126 |
| 12.2.2 | Recommendations | 126 |
| 12.3 | Cords and jumpers | 126 |
| 12.4 | Optical fibre adapters | 126 |
| 13 | Maintenance | 127 |
| 13.1 | Approaches to maintenance | 127 |
| 13.1.1 | General | 127 |
| 13.1.2 | Requirements | 127 |
| 13.2 | Maintenance procedures | 127 |
| 13.2.1 | Requirements | 127 |
| 13.2.2 | Recommendations | 127 |
| 14 | Repair | 128 |
| | Annex A (normative) Optical fibre polarity maintenance: connecting hardware for multiple optical fibres | 129 |
| | Annex B (normative) Common infrastructures within multi-tenant premises | 143 |
| | Annex C (normative) Cabling in accordance with ISO/IEC 11801-2 | 151 |

| | |
|--|-----|
| Annex D (normative) Cabling in accordance with ISO/IEC 11801-3 | 153 |
| Annex E (normative) Cabling in accordance with ISO/IEC 11801-4 | 156 |
| Annex F (normative) Cabling in accordance with ISO/IEC 11801-5 | 162 |
| Annex G (normative) Cabling in accordance with ISO/IEC 11801-6 | 166 |
| Annex H (informative) Equipment accommodation environments..... | 168 |
| Annex I (normative) Information for remote powering | 169 |
| Bibliography..... | 173 |
| | |
| Figure 1 – Schematic relationship between ISO/IEC 14763-2 and other relevant International Standards and Technical Reports | 12 |
| Figure 2 – Quality assurance schematic..... | 22 |
| Figure 3 – Conductor current for IEEE 802.3 remote powering applications | 26 |
| Figure 4 – Examples of conformant and non-conformant bend radius management | 44 |
| Figure 5 – Example of use of curved corners in pathway systems | 46 |
| Figure 6 – Example of layered cable trays with smaller width upper trays | 48 |
| Figure 7 – Example of uncovered (accessible) row of floor tiles to provide access to lower tray..... | 48 |
| Figure 8 – Example of cabling installations outside buildings | 49 |
| Figure 9 – Example of wind vibration damper..... | 61 |
| Figure 10 – Dimensions of rooms intended to contain distributors | 63 |
| Figure 11 – Process of determining cable separation | 72 |
| Figure 12 – Flowchart for cable separation calculation..... | 75 |
| Figure 13 – Separation of power supply and telecommunications cables without dividers..... | 76 |
| Figure 14 – Assumed minimum separation of power supply and telecommunications cables with dividers | 77 |
| Figure 15 – Example of cable separation distance | 77 |
| Figure 16 – Example showing the protection of underground information technology cables when located next to power supply cables | 79 |
| Figure 17 – Separation of adjacent infrastructures | 83 |
| Figure 18 – Separation distances on supporting structures | 85 |
| Figure 19 – Separation distance on supporting structures with lighting devices..... | 85 |
| Figure 20 – Separation of cable bundles to minimize heating..... | 101 |
| Figure 21 – Examples of labels indicating RP Category of remote powering installation | 108 |
| Figure 22 – Examples of cord and jumper labelling | 111 |
| Figure 23 – Cable administration database and possible linkages..... | 117 |
| Figure 24 – Basic cabling administration | 117 |
| Figure 25 – Examples of cabling permanent links..... | 120 |
| Figure 26 – Reference planes for link and channels (point-to-point)..... | 120 |
| Figure 27 – Example of a cabling channel..... | 121 |
| Figure A.1 – Duplex connecting hardware plug | 130 |
| Figure A.2 – Duplex connecting hardware adapter | 130 |
| Figure A.3 – Duplex patch cord..... | 130 |
| Figure A.4 – Views of crossover patch cords..... | 131 |
| Figure A.5 – Optical fibre sequences and adapter orientation in patch panel for the symmetrical position method..... | 132 |

| | |
|---|-----|
| Figure A.6 – Optical fibre sequences and adapter orientation in patch panel for the reverse-pair position method..... | 133 |
| Figure A.7 – Array connector cable or patch cord (key-up to key-up) | 134 |
| Figure A.8 – Array adapter with aligned keyways | 135 |
| Figure A.9 – Transition assembly | 136 |
| Figure A.10 – Connectivity method for duplex signals | 137 |
| Figure A.11 – Connectivity method for parallel optics channels | 138 |
| Figure A.12 – Array connector cable or patch cord (key-up to key-up)..... | 139 |
| Figure A.13 – Array adapter with aligned keyways | 139 |
| Figure A.14 – Transition assembly | 140 |
| Figure A.15 – Connectivity method for duplex cabling | 141 |
| Figure A.16 – Connectivity method for array cabling | 142 |
| Figure B.1 – Example of common pathways and spaces in a multi-tenant building | 144 |
| Figure B.2 – Example of a campus entrance facility | 146 |
| Figure B.3 – Example 1: Common equipment room..... | 148 |
| Figure B.4 – Example 1: Common telecommunications room | 149 |
| Figure B.5 – Example 2: Common telecommunications room | 149 |
| Figure C.1 – Connection of functional elements providing redundancy | 152 |
| Figure F.1 – Connection of functional elements providing redundancy | 163 |
| Figure I.1 – Illustration of installation environments | 172 |
| | |
| Table 1 – Remote powering cabling installation Categories and controls..... | 26 |
| Table 2 – Installed balanced cabling test parameters | 33 |
| Table 3 – Minimum sample sizes for alien (exogenous) crosstalk testing | 34 |
| Table 4 – Installed optical fibre cabling test parameters | 35 |
| Table 5 – Examples of pathway systems..... | 39 |
| Table 6 – Stacking height for non-continuous and interval support pathway systems | 45 |
| Table 7 – Design and planning of pathways outside buildings | 50 |
| Table 8 – Requirements and recommendations for pathway depths below finished surface | 52 |
| Table 9 – Minimum installed clearances above ground for aerial cables..... | 54 |
| Table 10 – Separation recommendations between metallic telecommunications cabling and specific EMI sources | 71 |
| Table 11 – Classification of telecommunications cables | 73 |
| Table 12 – Minimum separation, S | 74 |
| Table 13 – Power cabling factor, P | 74 |
| Table 14 – Minimum distance between telecommunications cables and earthed electrodes of power systems in rural and urban environments | 81 |
| Table 15 – Minimum distance between telecommunications cables and earthed electrodes of power systems in accordance with ITU-T K.8..... | 81 |
| Table 16 – Minimum clearances and protective measures at crossings between telecommunications cables and various underground services..... | 82 |
| Table 17 – Minimum clearances between aerial telecommunications and overhead power supply cabling | 83 |

| | |
|--|-----|
| Table 18 – Technology-independent channel length vs. temperature | 89 |
| Table 19 – Temperature changes for various cable bundle sizes..... | 90 |
| Table 20 – Reduction factors for rectangular cable groups | 91 |
| Table 21 – Level of installation complexity | 105 |
| Table 22 – Level of operational complexity | 106 |
| Table 23 – Minimum requirements of administration systems..... | 106 |
| Table 24 – Minimum requirements of operational administration systems..... | 108 |
| Table 25 – Labelling requirements | 110 |
| Table 26 – Labelling recommendations (additional)..... | 111 |
| Table 27 – Infrastructure records for spaces, cabinets, racks, frames and closures | 113 |
| Table 28 – Infrastructure records for cables and termination points..... | 114 |
| Table 29 – Infrastructure records | 115 |
| Table 30 – Infrastructure records for pathways and premises..... | 116 |
| Table 31 – Recommendations of installation administration systems..... | 118 |
| Table 32 – Recommendations of operational administration systems | 118 |
| Table A.1 – Optical fibre colour code scheme used in Annex A..... | 129 |
| Table B.1 – Summary of common spaces used to service a multi-tenant building..... | 144 |
| Table D.1 – Risk elements in determining a maintenance approach | 154 |
| Table E.1 – Minimum requirements for dimensions of primary distribution spaces..... | 159 |
| Table E.2 – Requirements for dimensions of secondary distribution spaces | 159 |
| Table E.3 – Minimum dimensions of spaces allocated to junction boxes | 160 |
| Table E.4 – Recommendations for dimensions of primary distribution spaces | 161 |
| Table E.5 – Recommendations for dimensions of secondary distribution spaces | 161 |
| Table H.1 – Equipment environmental specifications | 168 |
| Table I.1 – Temperature changes for remote power installations of Category RP2 | 170 |