

# ISO 16640:2021 (E)

## Monitoring radioactive gases in effluents from facilities producing positron emitting radionuclides and radiopharmaceuticals

---

### Contents

	Foreword
	Introduction
1	Scope
2	Normative references
3	Terms and definitions
4	Symbols
5	Factors impacting the design of the monitoring system
6	Types of monitoring systems
7	General monitoring system requirements
7.1	General
7.2	Detection range
7.3	Detector location
7.3.1	Background
7.3.2	Ease of accessibility for maintenance
7.3.3	Environmental conditions
7.4	Emission stream flow measurement
8	Requirements specific to bypass systems
8.1	General
8.2	Sample extraction locations
8.3	Condensation
8.4	Maintenance
8.5	Leak checks
9	Requirements specific to in-line systems
9.1	General
9.2	Location of the probe or detector
9.3	Environmental conditions
10	Evaluation and upgrading of existing systems
11	Quality assurance and quality control
Annex A	(informative) Factors impacting the monitoring system design
A.1	Introduction
A.2	Monitoring purpose
A.3	Considerations for different monitoring conditions
A.3.1	General
A.3.2	Monitoring under a normal condition
A.3.3	Monitoring under an off-normal condition
A.3.4	Action levels
A.4	Considerations for different monitoring systems
A.4.1	In-line monitoring system
A.4.2	Bypass monitoring system
A.4.3	Environment of the monitoring system

- A.4.3.1 General
- A.4.3.2 Radiation background noise
- A.4.3.3 Temperature
- A.4.3.4 Effluent composition
- A.4.3.5 Accessibility and positioning
- A.4.3.6 Effluent airflow rate
- A.4.4 Characteristics of the monitoring system
- A.4.4.1 Detection system capability
- A.4.4.2 Saturation of the probe
- A.4.4.3 Detector calibration factor
- A.4.4.3.1 The probe-specific calibration factor
- A.4.4.3.2 In situ correction factor

**Annex B (informative) Evaluating uncertainty of effluent measurement**

- B.1 Introduction
- B.2 Description of real-time measurement systems
- B.2.1 General Description
- B.2.2 Real-time activity concentration
- B.2.2.1 Definition of the model of evaluation
- B.2.2.2 Standard uncertainty
- B.2.2.3 Decision threshold and detection limit
- B.3 Determination of released activity
- B.3.1 Definition of the model of evaluation
- B.3.2 Standard uncertainty
- B.3.3 Decision threshold and detection limit
- B.3.4 Limits of the coverage interval
- B.4 Application examples
- B.4.1 Description of the measurement equipment and its display and archiving principles
- B.4.2 Released activity characteristic limits and results

**Annex C (informative) Quality assurance**

- C.1 Introduction
- C.2 Documentation
- C.2.1 General
- C.2.2 Source term
- C.2.3 Effluent flow characterization
- C.2.4 Design and construction
- C.3 Maintenance and inspection
- C.3.1 General
- C.3.2 Inspections
- C.3.3 Sampling system flow meter inspections
- C.3.4 Continuous effluent flow measurement apparatus
- C.4 Calibration verification
- C.4.1 General
- C.4.2 Calibration of sampling system flow meters
- C.4.3 Calibration of effluent flow measurement devices
- C.4.4 Calibration of timing devices
- C.4.5 Calibration verification of the radioactivity measurement devices

**Annex D (informative) Mixing demonstration and sampling system performance verification**

- D.1 Mixing demonstration methods
- D.1.1 General
- D.1.2 Gas concentration mixing profile method
- D.1.2.1 General
- D.1.2.2 Tracers
- D.1.2.3 Measurement conditions
- D.1.2.4 Transference of qualification test results
- D.1.3 Alternate approaches to demonstrating mixing
- D.2 When to conduct sampling system performance verification
- D.3 Approaches to bypass sample line verification
- D.3.1 General
- D.3.2 In-Place sampling examples
- D.3.3 Laboratory simulations
- D.3.4 Modelling sample line deposition

**Annex E (informative) Techniques for measurement of flow rate through a stack or duct**

- E.1 Introduction**
- E.2 Special considerations for use of ISO 10780 in sampling stacks and ducts of the positron gas emitting facilities**
  - E.2.1 General**
  - E.2.2 Pitot tubes**
  - E.2.3 Mean molar mass of the stack gas**
  - E.2.4 Thermal anemometers and acoustic flowmeters**
- E.3 Conversion of data from single point or single line measurements to total flow rate**
  - E.3.1 General**
  - E.3.2 Pitot tube**

**Page count: 54**