

# ISO/IEC 24775-2:2021-03 (E)

## Information technology - Storage management - Part 2: Common Architecture

---

<b>Contents</b>	<b>Page</b>
List of Figures .....	15
List of Tables .....	17
Foreword .....	23
1 Scope .....	25
2 Normative references .....	27
2.1 General .....	27
2.2 Approved references .....	27
2.3 DMTF references (Final) .....	27
2.4 IETF references .....	28
2.5 References under development .....	29
2.6 Other references .....	29
3 Terms, definitions, symbols, abbreviations, and conventions .....	31
3.1 Terms and definitions .....	31
3.2 Acronyms and abbreviations .....	37
3.3 Keywords .....	37
3.4 Conventions .....	38
4 Transport and Reference Model .....	41
4.1 Introduction .....	41
4.1.1 Overview .....	41
4.1.2 Language Requirements .....	41
4.1.3 Communications Requirements .....	41
4.1.4 XML Message Syntax and Semantics .....	41
4.2 Transport Stack .....	42
4.3 Reference Model .....	42
4.3.1 Overview .....	42
4.3.2 Roles for Interface Constituents .....	43
4.3.3 Cascaded Agents .....	43
5 Health and Fault Management .....	45
5.1 Objectives .....	45
5.2 Overview .....	45
5.3 Terms .....	45
5.4 Description of Health and Fault Management .....	46
5.4.1 Operational Status and Health State (Polling) .....	46
5.4.2 Standard Errors and Events .....	47
5.4.3 Indications .....	47
5.4.4 Event Correlation and Fault Containment .....	47
5.4.5 Fault Regions .....	50
5.4.6 Examples .....	52
6 Object Model General Information .....	55
6.1 Model Overview (Key Resources) .....	55
6.1.1 Overview .....	55
6.1.2 Introduction to CIM UML Notation .....	55
6.2 Techniques .....	56
6.2.1 CIM Fundamentals .....	56
6.2.2 Modeling Profiles .....	58
6.2.3 CIM Naming .....	58
7 Correlatable and Durable Names .....	59

7.1	Overview .....	59
7.2	Guidelines for SCSI Logical Unit Names .....	60
7.3	Guidelines for FC-SB-2 Device Names.....	60
7.4	Guidelines for Port Names .....	61
7.5	Guidelines for Storage System Names.....	61
7.6	Standard Formats for Correlatable Names .....	62
7.6.1	General.....	62
7.6.2	Standard Formats for Logical Unit Names .....	63
7.6.3	Standard Formats for Port Names.....	64
7.6.4	Standard Formats for Fabric Names .....	65
7.6.5	Standard Formats for Storage System Names.....	65
7.6.6	Operating System Device Names .....	67
7.6.7	Case Sensitivity.....	68
7.7	Testing Equality of correlatable Names .....	68
7.8	iSCSI Names.....	69
8	Standard Messages.....	71
8.1	Overview .....	71
8.2	Registries for Standard Messages .....	71
8.3	SNIA Standard Messages.....	71
8.3.1	Common Profile-related Messages .....	71
8.3.2	Block Storage Messages.....	85
8.3.3	Fabric Messages .....	118
8.3.4	Filesystem Messages.....	123
8.3.5	Host Messages.....	135
8.3.6	Media Library Messages .....	138
9	Service Discovery.....	171
9.1	Objectives .....	171
9.2	Overview .....	171
9.3	SLP Messages .....	173
9.4	Scopes .....	174
9.5	Services Definition .....	175
9.5.1	SLP Terms.....	175
9.5.2	Service Type.....	175
9.5.3	Service Attributes .....	175
9.6	User Agents (UA) .....	175
9.7	Service Agents (SAs).....	176
9.8	Directory Agents (DAs) .....	177
9.9	Service Agent Server (SA Server) .....	177
9.9.1	General Information.....	177
9.9.2	SA Server (SAS) Implementation .....	177
9.9.3	SA Server (SAS) Clients.....	178
9.9.4	SA Server Configuration.....	178
9.9.5	SA Server Discovery .....	180
9.9.6	SAS Client Registration .....	180
9.10	Configurations .....	180
9.10.1	Overview.....	180
9.10.2	Multicast Configurations .....	180
9.10.3	No Multicast configuration .....	181
9.10.4	Multicast Islands.....	182
10	Indications .....	185

10.1	Indications profile .....	185
10.1.1	Profile Support.....	185
10.1.2	Creating a client defined indication and subscription .....	185
10.1.3	ListenerDestination.....	185
10.2	Indication Filter Strings.....	185
10.2.1	Definition Syntax.....	185
10.2.2	Instance Creation .....	186
10.2.3	Instance Deletion.....	186
10.2.4	Modification of any value in an array property.....	186
10.2.5	Modification to either of Two Specific values in an Array Property.....	186
10.2.6	Alert .....	187
11	SMI-S Roles .....	189
11.1	Introduction .....	189
11.2	SMI-S Client.....	190
11.2.1	Overview.....	190
11.2.2	SLP Functions .....	190
11.2.3	Generic Operations .....	190
11.2.4	Security Considerations.....	190
11.2.5	Lock Management Functions .....	190
11.3	Dedicated SMI-S Server .....	190
11.3.1	Overview.....	190
11.3.2	SLP Functions .....	191
11.3.3	Generic Operations .....	191
11.3.4	Security Considerations.....	192
11.3.5	Lock Management Functions .....	192
11.4	General Purpose SMI-S Server .....	192
11.4.1	Overview.....	192
11.4.2	SLP Functions .....	192
11.4.3	Generic Operations .....	193
11.4.4	Lock Management Functions .....	193
11.4.5	Provider Sub-role.....	193
11.5	Directory Server .....	193
11.5.1	SLP Functions .....	193
11.5.2	Generic Operations .....	193
11.5.3	Security Considerations.....	193
11.5.4	Lock Management Functions .....	194
11.6	Combined Roles on a Single System.....	194
11.6.1	Overview.....	194
11.6.2	General Purpose SMI-S Server as a Profile Aggregator .....	194
12	Installation and Upgrade.....	195
12.1	Introduction .....	195
12.2	Role of the Administrator.....	195
12.3	Goals.....	195
12.3.1	Non-Disruptive Installation and De-installation.....	195
12.3.2	Plug-and-Play .....	195
12.4	Server Deployment .....	196
12.4.1	General.....	196
12.4.2	Controlled Environment.....	196
12.4.3	Multiple WBEM Server systems .....	196
12.4.4	Shared WBEM Server .....	197
12.4.5	Uninstallation.....	198

12.4.6	Update .....	198
12.4.7	Reconfiguration .....	198
12.5	WBEM Service Support & Related Functions .....	198
12.5.1	Installation .....	198
12.5.2	Multiple WBEM Servers on a Single Server System .....	199
12.5.3	Uninstallation/Upgrade .....	199
12.5.4	Reconfiguration .....	199
12.5.5	Failure.....	199
12.6	Client .....	199
12.6.1	Uninstallation .....	199
12.6.2	Reconfiguration .....	199
12.7	Directory Service .....	199
12.7.1	Installation .....	199
12.7.2	Uninstallation/Failure .....	200
12.8	Issues with Discovery Mechanisms .....	200
13	Security.....	201
13.1	Requirements .....	201
13.1.1	Overview.....	201
13.1.2	General Requirements for HTTP Implementations .....	202
13.2	Description of SMI-S Security .....	202
13.2.1	Security Scope .....	202
13.2.2	Transport Security .....	203
13.2.3	Authentication.....	203
13.2.4	Service Discovery.....	204
Annex A	(informative) SMI-S Information Model.....	207
Annex B	(normative) Compliance with the SNIA SMI Specification.....	209

## LIST OF FIGURES

Figure 1 - Experimental Maturity Level Tag .....	8
Figure 2 - Implemented Maturity Level Tag .....	8
Figure 3 - Stable Maturity Level Tag .....	9
Figure 4 - Deprecated Tag .....	9
Figure 5 - Reference Model. ....	42
Figure 6 - Basic Fault Detection.....	46
Figure 7 - Health Lifecycle .....	49
Figure 8 - Continuum .....	50
Figure 9 - Application Fault Region.....	51
Figure 10 - Switch Example .....	53
Figure 11 - Lines that Connect Classes.....	55
Figure 12 - iSCSI Qualified Names (iqn) Examples .....	69
Figure 13 - iSCSI EUI Name Example.....	69
Figure 14 - iSCSI 64-bit NAA Name Example.....	70
Figure 15 - iSCSI 128-bit NAA Name Example.....	70
Figure 16 - SA Server Configuration .....	180
Figure 17 - Multicast Configuration .....	181
Figure 18 - No Multicast configuration .....	182
Figure 19 - Multicast Islands .....	183
Figure 20 - SMI-S Roles .....	189
Figure B.1 Provider Migration	211

## LIST OF TABLES

Table 1 - OperationalStatus for Disk Drive .....	46
Table 2 - Standard Formats for StorageVolume Names .....	63
Table 3 - Standard Formats for Port Names.....	64
Table 4 - Standard Formats for Storage System Names.....	66
Table 5 - Standard Operating System Names for Tape Devices.....	67
Table 6 - LogicalDisk.Name for disk partitions .....	68
Table 7 - GenericDiskParittion.Name for disk partitions .....	68
Table 8 - Standard Operating System Names for Unpartitioned Disks .....	68
Table 9 - Redundancy Message Arguments .....	71
Table 10 - Redundancy Alert Information .....	72
Table 11 - Environmental Message Arguments.....	72
Table 12 - Environmental Alert Information .....	73
Table 13 - FRU Operation Message Arguments .....	73
Table 14 - FRU Operation Alert Information .....	74
Table 15 - Password change Message Arguments .....	74
Table 16 - Password change Alert Information.....	74
Table 17 - User or Account Operation Message Arguments .....	75
Table 18 - User or Account Operation Alert Information.....	75
Table 19 - User Login Message Arguments .....	76
Table 20 - User Login Alert Information.....	76
Table 21 - Proxy Agent Device Communication Message Arguments .....	76
Table 22 - Proxy Agent Device Communication Alert Information.....	77
Table 23 - Port Status Changed Message Arguments .....	77
Table 24 - Port Status Changed Alert Information.....	78
Table 25 - Datacheck Error Message Arguments.....	78
Table 26 - Datacheck Error Alert Information .....	78
Table 27 - User Login Failure Message Arguments .....	79
Table 28 - User Login Failure Alert Information.....	79
Table 29 - Drive not responding Message Arguments .....	80
Table 30 - Drive not responding Alert Information .....	80
Table 31 - Fan Failure Alert Information .....	80
Table 32 - Power Supply Failure Alert Information .....	81
Table 33 - Drive Power Consumption Alert Information .....	81
Table 34 - Drive Voltage Alert Information.....	81
Table 35 - Predictive Failure Alert Information .....	82
Table 36 - Diagnostics Required Alert Information .....	82
Table 37 - Drive is responding Message Arguments.....	82
Table 38 - Drive is responding Alert Information .....	83
Table 39 - Cooling Fan Issues Cleared Alert Information.....	83
Table 40 - Power Supply Issues Cleared Message Arguments .....	83
Table 41 - Power Supply Issues Cleared Alert Information .....	84
Table 42 - Controller Failure Message Arguments .....	84
Table 43 - Controller Failure Alert Information.....	84
Table 44 - Controller Issues Cleared Message Arguments .....	84
Table 45 - Controller Issues Cleared Alert Information.....	85
Table 46 - Device Not ready Message Arguments .....	85
Table 47 - Error Properties for Device Not ready .....	86
Table 48 - Error Properties for Internal Bus Error.....	86

Table 49 - Error Properties for DMA Overflow .....	87
Table 50 - Error Properties for Firmware Logic Error .....	87
Table 51 - Front End Port Error Message Arguments .....	88
Table 52 - Front End Port Error Alert Information .....	88
Table 53 - Back End Port Error Message Arguments.....	88
Table 54 - Back End Port Error Alert Information .....	88
Table 55 - Remote Mirror Error Message Arguments.....	89
Table 56 - Error Properties for Remote Mirror Error .....	89
Table 57 - Remote Mirror Error Alert Information .....	89
Table 58 - Error Properties for Cache Memory Error.....	90
Table 59 - Error Properties for Unable to Access Remote Device .....	90
Table 60 - Error Reading Data Alert Information .....	91
Table 61 - Error Writing Data Alert Information .....	91
Table 62 - Error Validating Write (CRC) Alert Information.....	92
Table 63 - Error Properties for Copy Operation Failed .....	92
Table 64 - Error Properties for RAID Operation Failed.....	93
Table 65 - Error Properties for Invalid RAID Type .....	93
Table 66 - Error Properties for Invalid Storage Element Type.....	94
Table 67 - Error Properties for Configuration Change Failed .....	94
Table 68 - Error Properties for Buffer Overrun .....	95
Table 69 - Stolen Capacity Message Arguments .....	95
Table 70 - Error Properties for Stolen Capacity.....	95
Table 71 - Invalid Extent passed Message Arguments .....	96
Table 72 - Error Properties for Invalid Extent passed.....	96
Table 73 - Error Properties for Invalid Deletion Attempted.....	97
Table 74 - Error Properties for Job Failed to Start.....	97
Table 75 - Job was Halted Message Arguments .....	98
Table 76 - Invalid State Transition Message Arguments .....	98
Table 77 - Error Properties for Invalid State Transition .....	98
Table 78 - Invalid SAP for Method Message Arguments.....	99
Table 79 - Error Properties for Invalid SAP for Method .....	99
Table 80 - Resource Not Available Message Arguments .....	99
Table 81 - Error Properties for Resource Not Available .....	100
Table 82 - Resource Limit Exceeded Message Arguments.....	100
Table 83 - Error Properties for Resource Limit Exceeded .....	100
Table 84 - Thin Provision Capacity Warning Message Arguments .....	101
Table 85 - Thin Provision Capacity Warning Alert Information .....	101
Table 86 - Provision Capacity Critical Message Arguments.....	101
Table 87 - Provision Capacity Critical Alert Information .....	102
Table 88 - Thin Provision Capacity Okay Message Arguments .....	102
Table 89 - Thin Provision Capacity Okay Alert Information .....	102
Table 90 - Masking Group Membership Changed Message Arguments.....	103
Table 91 - Masking Group Membership Changed Alert Information .....	103
Table 92 - StorageVolume Relocation Starts Message Arguments .....	103
Table 93 - StorageVolume Relocation Starts Alert Information .....	103
Table 94 - StorageVolume Relocation Ends Message Arguments.....	104
Table 95 - StorageVolume Relocation Ends Alert Information .....	104
Table 96 - StoragePool Relocation Starts Message Arguments .....	104
Table 97 - StoragePool Relocation Starts Alert Information .....	104

Table 98 - StoragePool Relocation Ends Message Arguments.....	105
Table 99 - StoragePool Relocation Ends Alert Information .....	105
Table 100 - LogicalDisk Relocation Starts Message Arguments .....	105
Table 101 - LogicalDisk Relocation Starts Alert Information.....	105
Table 102 - LogicalDisk Relocation Ends Message Arguments .....	106
Table 103 - LogicalDisk Relocation Ends Alert Information.....	106
Table 104 - Volume or pool degraded Message Arguments .....	106
Table 105 - Volume or pool degraded Alert Information .....	106
Table 106 - Volume or pool failed Message Arguments .....	107
Table 107 - Volume or pool failed Alert Information.....	107
Table 108 - Volume or pool issues cleared Message Arguments.....	107
Table 109 - Volume or pool issues cleared Alert Information .....	108
Table 110 - The StoragePool is healthy Message Arguments.....	108
Table 111 - The StoragePool is healthy Alert Information .....	108
Table 112 - StoragePool is dependent on an element with problems Message Arguments .....	109
Table 113 - StoragePool is dependent on an element with problems Alert Information.....	109
Table 114 - The StoragePool is being serviced Message Arguments .....	110
Table 115 - The StoragePool is being serviced Alert Information.....	110
Table 116 - The OperationalStatus of the Pool is impacting an element allocated from it Message Arguments111	
Table 117 - The OperationalStatus of the Pool is impacting an element allocated from it Alert Information.....	111
Table 118 - The StoragePool OperationalStatus may be corrected by applying a spare Message Arguments112	
Table 119 - The StoragePool OperationalStatus may be corrected by applying a spare Alert Information.....	112
Table 120 - The StoragePool OperationalStatus may be corrected by relocating the pool Message Arguments113	
Table 121 - The StoragePool OperationalStatus may be corrected by relocating the pool Alert Information.....	113
Table 122 - Pool experiencing interference from system workload Message Arguments .....	114
Table 123 - Pool experiencing interference from system workload Alert Information.....	114
Table 124 - Pool performance degraded by component element Message Arguments.....	115
Table 125 - Pool performance degraded by component element Alert Information .....	115
Table 126 - Pool degraded due to loss of RAID protection Message Arguments.....	116
Table 127 - Pool degraded due to loss of RAID protection Alert Information .....	116
Table 128 - Pool degraded due to loss of port redundancy Message Arguments .....	117
Table 129 - Pool degraded due to loss of port redundancy Alert Information.....	117
Table 130 - Pool predicting failure due lack of available capacity Message Arguments .....	117
Table 131 - Pool predicting failure due lack of available capacity Alert Information .....	118
Table 132 - Zone Database Changed Message Arguments.....	118
Table 133 - Zone Database Changed Alert Information .....	118
Table 134 - ZoneSet Activated Message Arguments .....	119
Table 135 - ZoneSet Activated Alert Information .....	119
Table 136 - Error Properties for Session Locked.....	120
Table 137 - Error Properties for Session Aborted.....	120
Table 138 - Switch Status Changed Message Arguments .....	121
Table 139 - Switch Status Changed Alert Information .....	121
Table 140 - Fabric Merge/Segmentation Message Arguments .....	121
Table 141 - Fabric Merge/Segmentation Alert Information .....	121
Table 142 - Switch Added/Removed Message Arguments .....	122
Table 143 - Switch Added/Removed Alert Information.....	122
Table 144 - Fabric Added/Removed Message Arguments .....	122

Table 145 - Fabric Added/Removed Alert Information.....	122
Table 146 - Security Policy change Message Arguments .....	123
Table 147 - Security Policy change Alert Information .....	123
Table 148 - System OperationalStatus Bellwether Message Arguments .....	124
Table 149 - System OperationalStatus Bellwether Alert Information.....	124
Table 150 - NetworkPort OperationalStatus Bellwether Message Arguments .....	124
Table 151 - NetworkPort OperationalStatus Bellwether Alert Information .....	125
Table 152 - LogicalDisk OperationalStatus Bellwether Message Arguments.....	125
Table 153 - LogicalDisk OperationalStatus Bellwether Alert Information .....	125
Table 154 - CopyState is set to Broken Message Arguments .....	126
Table 155 - CopyState is set to Broken Alert Information.....	126
Table 156 - Not Enough Space Message Arguments.....	127
Table 157 - Not Enough Space Alert Information .....	127
Table 158 - The changes in RemoteReplicationCollection Message Arguments .....	127
Table 159 - The changes in RemoteReplicationCollection Alert Information.....	128
Table 160 - The changes in ProtocolEndpoint Message Arguments.....	128
Table 161 - The changes in ProtocolEndpoint Alert Information .....	128
Table 162 - CopyState is set to Broken Message Arguments .....	129
Table 163 - CopyState is set to Broken Alert Information.....	129
Table 164 - CopyState is set to Invalid Message Arguments .....	129
Table 165 - CopyState is set to Invalid Alert Information.....	130
Table 166 - CopyState is set to Inactive Message Arguments .....	130
Table 167 - CopyState is set to Inactive Alert Information.....	130
Table 168 - CopyState is set to Split Message Arguments.....	131
Table 169 - CopyState is set to Split Alert Information .....	131
Table 170 - CopyState alert has been cleared Message Arguments .....	131
Table 171 - CopyState alert has been cleared Alert Information.....	132
Table 172 - Available Space Changed Message Arguments .....	132
Table 173 - Available Space Changed Alert Information .....	132
Table 174 - Filesystem Inaccessible Message Arguments.....	133
Table 175 - Filesystem Inaccessible Alert Information .....	133
Table 176 - Filesystem is Online Message Arguments.....	133
Table 177 - Filesystem is Online Alert Information .....	133
Table 178 - Fileshare is degraded Message Arguments .....	134
Table 179 - Fileshare is degraded Alert Information.....	134
Table 180 - Fileshare in normal state Message Arguments .....	134
Table 181 - Fileshare in normal state Alert Information .....	135
Table 182 - Required Firmware Version Message Arguments .....	135
Table 183 - Required Firmware Version Alert Information.....	135
Table 184 - Recommended Firmware Version Message Arguments .....	136
Table 185 - Recommended Firmware Version Alert Information.....	136
Table 186 - Controller OK Message Arguments.....	136
Table 187 - Controller OK Alert Information.....	136
Table 188 - Controller not OK Message Arguments .....	137
Table 189 - Controller not OK Alert Information.....	137
Table 190 - Bus rescan complete Alert Information.....	137
Table 191 - Disk initialize Failed Message Arguments .....	137
Table 192 - Disk initialize Failed Alert Information.....	138
Table 193 - Read Warning Alert Information .....	138

Table 194 - Write Warning Alert Information.....	138
Table 195 - Hard Error Alert Information.....	139
Table 196 - Media Alert Information.....	139
Table 197 - Read Failure Alert Information.....	139
Table 198 - Write Failure Alert Information.....	140
Table 199 - Media Life Alert Information.....	140
Table 200 - Not Data Grade Alert Information.....	140
Table 201 - Write Protect Alert Information.....	141
Table 202 - No Removal Alert Information.....	141
Table 203 - Cleaning Media Alert Information.....	141
Table 204 - Unsupported Format Alert Information.....	142
Table 205 - Recoverable Snapped Tape Alert Information.....	142
Table 206 - Unrecoverable Snapped Tape Alert Information.....	142
Table 207 - Memory Chip In Cartridge Failure Alert Information.....	143
Table 208 - Forced Eject Alert Information.....	143
Table 209 - Read Only Format Alert Information.....	143
Table 210 - Directory Corrupted On Load Alert Information.....	144
Table 211 - Nearing Media Life Alert Information.....	144
Table 212 - Clean Now Alert Information.....	144
Table 213 - Clean Periodic Alert Information.....	145
Table 214 - Expired Cleaning Media Alert Information.....	145
Table 215 - Invalid Cleaning Media Alert Information.....	145
Table 216 - Retention Requested Alert Information.....	146
Table 217 - Dual-Port Interface Error Alert Information.....	146
Table 218 - Drive Maintenance Alert Information.....	146
Table 219 - Hardware A Alert Information.....	147
Table 220 - Hardware B Alert Information.....	147
Table 221 - Interface Alert Information.....	147
Table 222 - Eject Media Alert Information.....	148
Table 223 - Download Failure Alert Information.....	148
Table 224 - Loader Hardware A Alert Information.....	148
Table 225 - Loader Stray Media Alert Information.....	149
Table 226 - Loader Hardware B Alert Information.....	149
Table 227 - Loader Door Alert Information.....	149
Table 228 - Loader Hardware C Alert Information.....	150
Table 229 - Loader Magazine Alert Information.....	150
Table 230 - Loader Predictive Failure Alert Information.....	150
Table 231 - Load Statistics Alert Information.....	151
Table 232 - Media Directory Invalid at Unload Alert Information.....	151
Table 233 - Media System area Write Failure Alert Information.....	151
Table 234 - Media System Area Read Failure Alert Information.....	152
Table 235 - No Start of Data Alert Information.....	152
Table 236 - Loading Failure Alert Information.....	152
Table 237 - Library Hardware A Alert Information.....	153
Table 238 - Library Hardware B Alert Information.....	153
Table 239 - Library Hardware C Alert Information.....	153
Table 240 - Library Hardware D Alert Information.....	154
Table 241 - Library Diagnostic Required Alert Information.....	154
Table 242 - Library Interface Alert Information.....	154

Table 243 - Failure Prediction Alert Information .....	155
Table 244 - Library Maintenance Alert Information.....	155
Table 245 - Library Humidity Limits Alert Information .....	155
Table 246 - Library Voltage Limits Alert Information.....	156
Table 247 - Library Stray Media Alert Information .....	156
Table 248 - Library Pick Retry Alert Information.....	156
Table 249 - Library Place Retry Alert Information.....	157
Table 250 - Library Load Retry Alert Information.....	157
Table 251 - Library Door Alert Information.....	157
Table 252 - Library Mailslot Alert Information .....	158
Table 253 - Library Magazine Alert Information.....	158
Table 254 - Library Security Alert Information .....	158
Table 255 - Library Security Mode Alert Information .....	159
Table 256 - Library Offline Alert Information .....	159
Table 257 - Library Drive Offline Alert Information.....	159
Table 258 - Library Scan Retry Alert Information.....	160
Table 259 - Library Inventory Alert Information.....	160
Table 260 - Library Illegal Operation Alert Information .....	160
Table 261 - Pass Through Mechanism Failure Alert Information.....	161
Table 262 - Cartridge in Pass-through Mechanism Alert Information .....	161
Table 263 - Unreadable barcode Labels Alert Information .....	161
Table 264 - Throughput Threshold Warning Alert Message Arguments.....	162
Table 265 - Throughput Threshold Warning Alert Alert Information .....	162
Table 266 - Throughput Threshold Critical Alert Message Arguments .....	162
Table 267 - Throughput Threshold Critical Alert Alert Information.....	163
Table 268 - Physical Capacity Threshold Warning Alert Message Arguments.....	163
Table 269 - Physical Capacity Threshold Warning Alert Alert Information .....	163
Table 270 - Physical Capacity Threshold Critical Alert Message Arguments .....	164
Table 271 - Physical Capacity Threshold Critical Alert Alert Information.....	164
Table 272 - Logical Capacity Threshold Warning Alert Message Arguments.....	165
Table 273 - Logical Capacity Threshold Warning Alert Alert Information .....	165
Table 274 - Logical Capacity Threshold Critical Alert Message Arguments .....	165
Table 275 - Logical Capacity Threshold Critical Alert Alert Information.....	166
Table 276 - System Ratio Threshold Warning Alert Message Arguments.....	166
Table 277 - System Ratio Threshold Warning Alert Alert Information .....	166
Table 278 - System Ratio Threshold Critical Alert Message Arguments .....	167
Table 279 - System Ratio Threshold Critical Alert Alert Information.....	167
Table 280 - Deduplication Ratio Threshold Warning Alert Message Arguments.....	168
Table 281 - Deduplication Ratio Threshold Warning Alert Alert Information .....	168
Table 282 - Deduplication Ratio Threshold Critical Alert Message Arguments .....	168
Table 283 - Deduplication Ratio Threshold Critical Alert Alert Information.....	169
Table 284 - Replication Traffic Threshold Warning Alert Message Arguments .....	169
Table 285 - Replication Traffic Threshold Warning Alert Alert Information.....	169
Table 286 - Replication Traffic Threshold Critical Alert Message Arguments.....	170
Table 287 - Replication Traffic Threshold Critical Alert Alert Information .....	170
Table 288 - Message Types .....	174
Table 289 - Required Configuration Properties for SA as DA.....	178
Table 290 - Required Configuration Properties for SA .....	179
Table 291 - Create an IndicationFilter and subscribe to it .....	185