

# ISO/IEC 18012-3:2025-07 (E)

## Information technology - Home electronic system (HES) - Guidelines for product interoperability - Part 3: Lexicon

---

Contents	Page
FOREWORD.....	13
INTRODUCTION.....	15
0.1 Overview .....	15
0.2 Relation to existing work .....	15
0.3 Lexicon and event encoding .....	16
1 Scope.....	18
2 Normative references .....	18
3 Terms, definitions, abbreviated terms and conventions .....	18
3.1 Terms and definitions .....	18
3.2 Abbreviated terms .....	21
3.3 Conventions.....	21
3.3.1 Data formats .....	21
3.3.2 Memory storage and access types.....	26
3.3.3 Address and data types.....	27
4 Conformance requirements .....	28
5 HES lexicon concepts, principles .....	29
5.1 General.....	29
5.2 Communicating “HES lexicon” on media .....	29
6 Object concepts.....	29
6.1 Overview of object concepts .....	29
6.2 User object concepts.....	31
6.3 Binding map object concepts .....	32
6.4 Service object concepts.....	32
6.5 Interface object concepts .....	32
6.6 Remote object concepts .....	32
7 Action concepts .....	32
7.1 Overview .....	32
7.2 Communicating “functional actions” on media .....	33
8 Objects – Detailed HES lexicon.....	33
9 User objects – Detailed HES lexicon .....	33
9.1 User objects short form .....	33
9.2 User object components.....	34
9.3 Common objects and structures.....	34
9.3.1 currentValue .....	34
9.3.2 previousValue .....	39
9.3.3 compareValue.....	39
9.4 Application domains .....	39
9.4.1 Current application domains .....	39
9.4.2 Energy management domain .....	41
9.4.3 Lighting domain .....	41
9.4.4 Utility domain.....	42
9.4.5 HVAC domain .....	44
9.4.6 Convenience domain.....	45
9.4.7 User interface domain .....	46
9.4.8 Audio and video domain .....	46
9.4.9 Telecommunications domain .....	47

9.4.10	Security domain .....	47
9.4.11	Appliance domain .....	48
9.4.12	Common user interface domain .....	48
9.4.13	Safety cluster domain.....	49
9.4.14	Electric vehicle domain .....	49
9.4.15	General domain .....	50
10	Binding map objects – Detailed HES lexicon .....	50
10.1	Overview .....	50
10.2	Mathematical and logical operations .....	51
10.3	Conditioning.....	51
10.4	Adjustment.....	52
10.5	Operation table .....	52
10.6	Addressing table .....	54
10.7	Binding map overall aspects .....	55
10.8	Operation table and addressing table.....	56
11	Service objects – Detailed HES lexicon .....	60
11.1	Service module .....	60
11.2	Services.....	60
11.2.1	General .....	60
11.2.2	Identification service (foundational) .....	61
11.2.3	Time service (foundational) .....	65
11.2.4	Authorization and authentication service (foundational).....	73
11.2.5	Cryptographic service (foundational) .....	80
11.2.6	Common user interface service .....	82
11.2.7	Cluster to cluster service .....	82
11.2.8	Artificial intelligence service .....	82
11.2.9	Energy management service .....	82
11.2.10	Electrical energy measuring system service.....	82
11.2.11	Web-based energy service .....	82
11.2.12	Audio gateway service .....	82
11.2.13	IGRS RA agent service .....	82
12	Interface objects – Detailed HES lexicon .....	83
12.1	General interface objects .....	83
12.2	HAN interface objects.....	83
12.2.1	General .....	83
12.2.2	Overview .....	83
12.2.3	HAN interface module discovery of HES gateway modules.....	84
12.2.4	HAN interface module central operations .....	85
12.2.5	HAN interface module attached network .....	86
12.2.6	HAN interface module configuration mode .....	87
12.2.7	HAN interface module privacy, security and safety.....	88
12.2.8	HAN interface module example - ISO/IEC 14543-4-302.....	90
12.3	WAN interface objects and actions .....	94
12.3.1	General .....	94
12.3.2	WAN interface module discovery of HES gateway modules .....	94
12.3.3	WAN interface module central operations .....	95
12.3.4	WAN interface module attached network.....	96
12.3.5	WAN interface module privacy, security, safety, and traffic .....	97
12.3.6	WAN interface module overall WAN channel services .....	99

12.3.7	WAN interface module channel service table .....	99
12.3.8	WAN interface module privacy, security, safety, traffic for WAN channel .....	101
13	Remote objects – detailed HES lexicon .....	104
13.1	General.....	104
13.2	Common objects and structures.....	104
13.2.1	currentValue .....	104
13.2.2	previousValue .....	106
13.2.3	compareValue.....	106
13.2.4	Other properties.....	107
13.3	Remote object domains .....	107
13.3.1	General .....	107
13.3.2	Environmental domain.....	108
13.3.3	Common area domain .....	109
13.3.4	Indirect GHG domain.....	109
14	Actions – Detailed HES lexicon .....	110
Annex A (normative)	Binding map service .....	111
A.1	Overview .....	111
A.2	Value operation.....	114
A.2.1	General .....	114
A.2.2	Mathematical and logical operations .....	115
A.2.3	Table of operations .....	117
A.2.4	Conditioning .....	117
A.2.5	Adjustment .....	117
A.2.6	Examples of using the “Value Operation” .....	118
A.2.7	Address redirection.....	119
A.2.8	Operation table .....	121
Annex B (informative)	Example of operation group .....	126
Annex C (normative)	WAN interface module .....	129
C.1	WAN interface objects and actions .....	129
C.2	WAN interface module objects.....	129
C.3	WAN interface channel objects .....	130
C.4	WAN communication with other HES gateway systems .....	133
Annex D (informative)	Authorization service examples.....	135
D.1	Parent and kid authorization example .....	135
D.2	Limit incoming packets example .....	139
Annex E (normative)	Semantic meaning .....	143
E.1	Semantic meaning.....	143
E.2	HAN message meaning conveyed by HAN lexicon specification .....	143
E.3	HAN message meaning conveyed by generic HAN specification.....	144
E.4	All interface modules and all network messages .....	145
Annex F (normative)	Detailed HES lexicon for user objects.....	146
F.1	Detailed HES lexicon.....	146
F.2	Energy management domain .....	146
F.2.1	General .....	146
F.2.2	Power buses .....	146
F.2.3	Energy management domain summary .....	148
F.2.4	Energy management domain power bus retrieval .....	148
F.3	Lighting domain.....	151

F.3.1	General .....	151
F.3.2	Lighting domain summary.....	151
F.3.3	Lighting domain digital actuator.....	152
F.3.4	Lighting domain digital sensor .....	154
F.3.5	Lighting domain analog actuator.....	157
F.3.6	Lighting domain analog sensor.....	159
F.4	Utility domain .....	161
F.4.1	Utility domain summary .....	161
F.4.2	Utility domain electrical AC power sensor .....	164
F.4.3	Utility domain electrical DC power sensor.....	166
F.4.4	Utility domain electrical AC current sensor.....	170
F.4.5	Utility domain electrical DC current sensor.....	173
F.4.6	Utility domain DC voltage sensor.....	176
F.4.7	Utility domain electrical AC voltage sensor .....	179
F.4.8	Utility domain electrical energy current sensor (cumulative) .....	182
F.4.9	Utility domain electrical AC energy sensor (within time period).....	185
F.4.10	Utility domain electrical frequency sensor .....	189
F.4.11	Utility domain AC power factor sensor .....	192
F.4.12	Utility domain energy storage operation mode.....	195
F.4.13	Utility domain energy storage remaining .....	198
F.4.14	Utility domain electrical reactive power sensor.....	201
F.4.15	Utility domain electrical apparent power sensor .....	204
F.4.16	Utility domain electrical reactive energy sensor (cumulative).....	207
F.4.17	Utility domain electrical apparent energy sensor (cumulative).....	210
F.4.18	Utility domain harmonic distortion .....	213
F.5	User interface domain .....	216
F.5.1	User interface domain summary .....	216
F.5.2	User interface digital sensor.....	217
F.5.3	User interface string sensor.....	219
F.5.4	User interface digital actuator.....	223
F.5.5	User interface string actuator .....	225
	Bibliography .....	228

Figure 1 – ISO/IEC 18012-3 within the core interoperability and HES gateway standards .....	17
Figure 2 – Types of objects in the HES gateway .....	30
Figure 3 – Short form formats for objects in the HES lexicon.....	31
Figure 4 – Short form formats for functional actions in the HES lexicon .....	33
Figure 5 – Overview of user objects .....	34
Figure 6 – Access direction of “in” (Sensor).....	37
Figure 7 – Access direction of “out” (Actuator).....	37
Figure 8 – Functionality of binding maps .....	51
Figure 9 – Components within an operation group of a binding map.....	52
Figure 10 – Components within the addressingTable .....	54
Figure 11 – Overview of service .....	60
Figure 12 – Time service block diagram .....	66
Figure 13 – Overview of interface objects .....	83

Figure 14 – ISO/IEC 14543-4-302 communications .....	91
Figure 15 – HES gateway to ISO/IEC 14543-4-302 electrical storage system .....	91
Figure 16 – Other controllers can use the ISO/IEC 14543-4-302 electrical storage system .....	92
Figure 17 – Access to WAN interface objects .....	94
Figure 18 – Components within a channel of a WAN interface module.....	100
Figure A.1 – Service module .....	111
Figure A.2 – Binding map example (switch and light) .....	112
Figure A.3 – Binding map controller setup .....	112
Figure A.4 – Real time operation of binding map.....	113
Figure A.5 – Functionality of binding map .....	113
Figure A.6 – Object conversion .....	114
Figure A.7 – Object conversion .....	115
Figure A.8 – Authorization.....	115
Figure A.9 – Multiple source and destination values .....	115
Figure A.10 – Address redirection .....	119
Figure A.11 – Address referencing in binding map.....	120
Figure A.12 – Addressing referencing for clusters in binding map.....	121
Figure A.13 – List of operation groups in a binding map.....	122
Figure A.14 – Components within an operation group of a binding map.....	122
Figure A.15 – Components within the addressingTable.....	124
Figure B.1 – Inputs .....	126
Figure B.2 – Source addressing .....	126
Figure B.3 – Source object.....	126
Figure B.4 – Goes above .....	127
Figure B.5 – Pass through.....	127
Figure B.6 – Outputs.....	127
Figure B.7 – Destination addressing.....	127
Figure B.8 – Destination object .....	128
Figure B.9 – Light on .....	128
Figure C.1 – Access to WAN interface objects.....	129
Figure C.2 – Types of WAN interface objects.....	129
Figure C.3 – WAN interface module objects.....	130
Figure C.4 – Remote services through WAN interface module.....	130
Figure C.5 – Example of remote servers through a WAN interface module .....	131
Figure C.6 – Channel access through a WAN interface module .....	131
Figure C.7 – Authorization and translation for each channel.....	132
Figure C.8 – Settings of WAN interface module .....	132
Figure C.9 – WAN interface channel objects.....	133
Figure C.10 – Service originating from outside the HES gateway system.....	133
Figure D.1 – Parent full control.....	135
Figure D.2 – Kid partial control.....	135
Figure D.3 – Authorization updates binding map.....	136

Figure D.4 – Parent and kid data in the authorization tables.....	137
Figure D.5 – Parent authorization example.....	138
Figure D.6 – Kid authorization example.....	139
Figure D.7 – Authorization updates HAN interface module.....	140
Figure D.8 – Unlimited Incoming Packet Example.....	141
Figure D.9 – Limited incoming packet example.....	142
Figure E.1 – HAN with semantic specification.....	144
Figure E.2 – HAN with generic HAN specification.....	145
Figure F.1 – Device interaction to power buses.....	146
Figure F.2 – List of power bus groups.....	147
Figure F.3 – Components within a power bus group.....	147
Figure F.4 – Electrical AC power sensor element model.....	164
Figure F.5 – Electrical DC power sensor element model.....	167
Figure F.6 – Electrical AC current sensor element model.....	170
Figure F.7 – Electrical DC current sensor element model.....	173
Figure F.8 – DC voltage sensor element model.....	176
Figure F.9 – AC voltage sensor element model.....	179
Figure F.10 – Electrical energy sensor element model (cumulative).....	182
Figure F.11 – Electrical energy sensor element model (within a time period).....	185
Figure F.12 – Electrical frequency sensor element model.....	189
Figure F.13 – Power factor sensor element model.....	192
Figure F.14 – Energy storage mode element model.....	195
Figure F.15 – Energy storage remaining energy.....	198
Figure F.16 – Electrical reactive power sensor element model.....	201
Figure F.17 – Electrical apparent power sensor element model.....	204
Figure F.18 – Electrical reactive energy sensor element model (cumulative).....	207
Figure F.19 – Electrical apparent energy sensor element model (cumulative).....	210
Figure F.20 – Total harmonic distortion.....	213
Figure F.21 – Single button.....	219
Figure F.22 – Row of buttons.....	219
Figure F.23 – Row of buttons example.....	220
Figure F.24 – Touch screen with virtual buttons.....	220
Figure F.25 – Example for touch screen with virtual buttons.....	220
Table 1 – Defined types of dataFormat.....	21
Table 2 – Memory storage and access types (memoryType).....	27
Table 3 – dataPurpose ('dp') parameter.....	28
Table 4 – addrPoint ('ap').....	28
Table 5 – storageType ('st').....	28
Table 6 – Pre-Market currentValue metaData.....	34
Table 7 – Post-Market currentValue metaData.....	38
Table 8 – currentValue interactiveData.....	38
Table 9 – Pre-Market compareValue metaData.....	39

Table 10 – Post-Market compareValue metaData .....	39
Table 11 – Application domains.....	40
Table 12 – Energy management domain summary.....	41
Table 13 – Lighting domain summary .....	42
Table 14 – Utility domain summary.....	42
Table 15 – HVAC domain summary .....	45
Table 16 – Convenience domain summary .....	46
Table 17 – User interface domain summary.....	46
Table 18 – Audio and video interface domain summary.....	47
Table 19 – Telecommunications domain summary .....	47
Table 20 – Security domain summary.....	48
Table 21 – Appliance domain summary .....	48
Table 22 – Common user interface domain summary.....	49
Table 23 – Safety cluster domain summary .....	49
Table 24 – Electric vehicle domain summary .....	50
Table 25 – General domain summary .....	50
Table 26 – Key operations and their parameters.....	51
Table 27 – Basic conditioning .....	52
Table 28 – Basic adjustment.....	52
Table 29 – Inputs table .....	53
Table 30 – Outputs table.....	54
Table 31 – addressingTable components.....	55
Table 32 – Object address .....	55
Table 33 – bindingMap configurationData (memoryType = 'pr') .....	55
Table 34 – Binding map operation table and addressing table.....	57
Table 35 – Services .....	61
Table 36 – Object address .....	62
Table 37 – identification configurationData (memoryType = 'pr') .....	62
Table 38 – Object address .....	62
Table 39 – discovery operationData (memoryType = 'op').....	63
Table 40 – Object address .....	63
Table 41 – centralOperations Data (memoryType = 'ro') .....	64
Table 42 – centralOperations operationData (memoryType = 'op') .....	64
Table 43 – centralOperations Data (memoryType = 'sp').....	64
Table 44 – centralOperations metaData (memoryType = 'po') .....	65
Table 45 – Object address .....	66
Table 46 – Pre-market realTime configurationData (memoryType = 'ro').....	67
Table 47 – Post-Market realTime configurationData (memoryType = 'po') .....	68
Table 48 – realTime interactiveData (memoryType = 'ra') .....	68
Table 49 – Object address .....	68
Table 50 – Pre-Market localTimeZone configurationData (memoryType = 'pr').....	69
Table 51 – Post-Market localTimeZone configurationData (memoryType = 'po') .....	70
Table 52 – localTimeZone interactiveData (memoryType = 'ra') .....	70

Table 53 – Object address .....	71
Table 54 – Pre-Market sourceOfTime configurationData (memoryType = 'pr').....	71
Table 55 – Post-Market sourceOfTime configurationData (memoryType = 'po') .....	72
Table 56 – sourceOfTime interactiveData (memoryType = 'ra') .....	72
Table 57 – Object address .....	73
Table 58 – authClass configurationData (memoryType = 'pr').....	73
Table 59 – Object address .....	74
Table 60 – Post-Market authClass configurationData (memoryType = 'sp').....	74
Table 61 – Object address .....	74
Table 62 – Post-Market authIdentity configurationData (memoryType = 'sp').....	75
Table 63 – Object address .....	75
Table 64 – Post-Market credentials configurationData (memoryType = 'sp') .....	75
Table 65 – Object address .....	76
Table 66 – Post-Market permissionGroup configurationData (memoryType = 'sp').....	76
Table 67 – Object address .....	76
Table 68 – Post-Market permissionService configurationData (memoryType = 'sp').....	77
Table 69 – Authorization and authentication service .....	78
Table 70 – Object address .....	80
Table 71 – crypto configurationData (memoryType = 'pr') .....	80
Table 72 – Object address .....	81
Table 73 – Post-Market crypto configurationData (memoryType = 'sp').....	81
Table 74 – Object address .....	84
Table 75 – Pre-Market discovery configurationData (memoryType = 'pr') .....	84
Table 76 – Post-Market discovery configurationData (memoryType = 'po') .....	84
Table 77 – Discovery interactiveData (memoryType = 'ra').....	84
Table 78 – Object address .....	85
Table 79 – Pre-Market centralOperations configurationData (memoryType = 'pr').....	85
Table 80 – Post-Market centralOperations configurationData (memoryType = 'po').....	85
Table 81 – centralOperations interactiveData (memoryType = 'ra').....	85
Table 82 – Object address .....	86
Table 83 – Pre-Market attachedNetwork configurationData (memoryType = 'pr') .....	86
Table 84 – Post-Market attachedNetwork configurationData (memoryType = 'po') .....	87
Table 85 – attachedNetwork interactiveData (memoryType = 'ra') .....	87
Table 86 – Object address .....	87
Table 87 – Pre-Market attachedNetwork configurationData (memoryType = 'pr') .....	87
Table 88 – Post-Market attachedNetwork configurationData (memoryType = 'po') .....	88
Table 89 – attachedNetwork interactiveData (memoryType = 'ra') .....	88
Table 90 – Object address .....	88
Table 91 – Post-Market privacySecuritySafety configurationData (memoryType = 'po').....	89
Table 92 – privacySecuritySafety serviceData (memoryType = 'op').....	90
Table 93 – Translation between ISO/IEC 14543-4-302 and HES gateway ISO/IEC 18012-3 lexicon (partial list).....	93
Table 94 – Object address .....	94

Table 95 – discovery configurationData (memoryType = 'ro')	94
Table 96 – discovery Data (memoryType = 'op')	95
Table 97 – Object address	95
Table 98 – centralOperations configurationData (memoryType = 'db')	95
Table 99 – centralOperations configurationData (memoryType = 'ro')	95
Table 100 – centralOperations operationData (memoryType = 'op')	96
Table 101 – Object address	96
Table 102 – attachedNetwork configurationData (memoryType = 'ro')	97
Table 103 – attachedNetwork configurationData (memoryType = 'db')	97
Table 104 – Object address	97
Table 105 – privacySecuritySafetyTraffic configurationData (memoryType = 'ro')	98
Table 106 – privacySecuritySafetyTraffic configurationData (memoryType = 'db')	98
Table 107 – Object address	99
Table 108 – requirement configurationData (memoryType = 'pr')	99
Table 109 – Object address	99
Table 110 – channel configurationData (memoryType = 'db')	100
Table 111 – channel configurationData (memoryType = 'ro')	100
Table 112 – Object address	101
Table 113 – privacySecuritySafetyTrafficTable configurationData (memoryType = 'ro')	101
Table 114 – privacySecuritySafetyTrafficTable operationData (memoryType = 'op')	102
Table 115 – Channel Tables	103
Table 116 – Pre-Market currentValue metaData	104
Table 117 – Post-Market currentValue metaData	105
Table 118 – Pre-Market compareValue metaData	107
Table 119 – Post-Market compareValue metaData	107
Table 120 – Remote object domains	107
Table 121 – Environment domain summary	108
Table 122 – Common area domain summary	109
Table 123 – Indirect GHG domain summary	110
Table A.1 – Key operations and parameters	117
Table A.2 – Basic conditioning	117
Table A.3 – Basic adjustment	118
Table A.4 – Straight through	118
Table A.5 – Increase value	118
Table A.6 – Increment	118
Table A.7 – Subtract	118
Table A.8 – Toggle	119
Table A.9 – Greater than	119
Table A.10 – Less than	119
Table A.11 – Inputs table	123
Table A.12 – Outputs table	124
Table A.13 – addressingTable components	125
Table F.1 – Power bus group components	147

Table F.2 – Energy management domain summary .....	148
Table F.3 – Object address .....	148
Table F.4 – Pre-Market currentValue metaData (memoryType = 'pr').....	149
Table F.5 – Post-Market currentValue metaData (memoryType = 'po') .....	150
Table F.6 – currentValue interactiveData (memoryType = 'po') .....	151
Table F.7 – Lighting domain summary .....	151
Table F.8 – Object address .....	152
Table F.9 – Pre-Market currentValue metaData (memoryType = 'pr').....	152
Table F.10 – Post-Market currentValue metaData (memoryType = 'po') .....	153
Table F.11 – currentValue interactiveData (memoryType = 'ra') .....	154
Table F.12 – Object address .....	154
Table F.13 – Pre-Market currentValue metaData (memoryType = 'pr').....	155
Table F.14 – Post-Market currentValue metaData (memoryType = 'po') .....	156
Table F.15 – currentValue interactiveData (memoryType = 'ra') .....	156
Table F.16 – Object address .....	157
Table F.17 – Pre-Market currentValue metaData (memoryType = 'pr').....	157
Table F.18 – Post-Market currentValue metaData (memoryType = 'po') .....	158
Table F.19 – currentValue interactiveData (memoryType = 'ra') .....	159
Table F.20 – Object address .....	159
Table F.21 – Pre-Market currentValue metaData (memoryType = 'pr').....	159
Table F.22 – Post-Market currentValue metaData (memoryType = 'po') .....	160
Table F.23 – currentValue interactiveData (memoryType = 'ra') .....	161
Table F.24 – Utility domain summary.....	162
Table F.25 – Object address .....	164
Table F.26 – Pre-Market currentValue metaData (memoryType = 'pr').....	165
Table F.27 – Post-Market currentValue metaData (memoryType = 'po') .....	166
Table F.28 – currentValue interactiveData (memoryType = 'ra') .....	166
Table F.29 – Object address .....	167
Table F.30 – Pre-Market currentValue metaData (memoryType = 'pr').....	168
Table F.31 – Post-Market currentValue metaData (memoryType = 'po') .....	169
Table F.32 – currentValue interactiveData (memoryType = 'ra') .....	169
Table F.33 – Object address .....	170
Table F.34 – Pre-Market currentValue metaData (memoryType = 'pr').....	171
Table F.35 – Post-Market currentValue metaData (memoryType = 'po') .....	172
Table F.36 – currentValue interactiveData (memoryType = 'ra') .....	172
Table F.37 – Object address .....	173
Table F.38 – Pre-Market currentValue metaData (memoryType = 'pr').....	174
Table F.39 – Post-Market currentValue metaData (memoryType = 'po') .....	175
Table F.40 – currentValue interactiveData (memoryType = 'ra') .....	175
Table F.41 – Object address .....	176
Table F.42 – Pre-Market currentValue metaData (memoryType = 'pr').....	177
Table F.43 – Post-Market currentValue metaData (memoryType = 'po') .....	178
Table F.44 – currentValue interactiveData (memoryType = 'ra') .....	178

Table F.45 – Object address .....	179
Table F.46 – Pre-Market currentValue metaData (memoryType = 'pr').....	180
Table F.47 – Post-Market currentValue metaData (memoryType = 'po') .....	181
Table F.48 – currentValue interactiveData (memoryType = 'ra') .....	181
Table F.49 – Object address .....	182
Table F.50 – Pre-Market currentValue metaData (memoryType = 'pr').....	183
Table F.51 – Post-Market currentValue metaData (memoryType = 'po') .....	184
Table F.52 – currentValue interactiveData (memoryType = 'ra') .....	184
Table F.53 – Object address .....	185
Table F.54 – Pre-Market compareValue metaData (memoryType = 'pr') .....	186
Table F.55 – Post-Market compareValue metaData (memoryType = 'po') .....	187
Table F.56 – currentValue interactiveData (memoryType = 'ra') .....	188
Table F.57 – Object address .....	189
Table F.58 – Pre-Market currentValue metaData (memoryType = 'pr').....	190
Table F.59– Post-Market currentValue metaData (memoryType = 'po') .....	191
Table F.60– currentValue interactiveData (memoryType = 'ra') .....	191
Table F.61 – Object address .....	192
Table F.62 – Pre-Market currentValue metaData (memoryType = 'pr').....	193
Table F.63 – Post-Market currentValue metaData (memoryType = 'po') .....	194
Table F.64 – currentValue interactiveData (memoryType = 'ra') .....	194
Table F.65 – Object address .....	195
Table F.66 – Pre-Market currentValue metaData (memoryType = 'pr').....	196
Table F.67 – Post-Market currentValue metaData (memoryType = 'po') .....	197
Table F.68 – currentValue interactiveData (memoryType = 'ra') .....	197
Table F.69 – Object address .....	198
Table F.70 – Pre-Market currentValue metaData (memoryType = 'pr').....	199
Table F.71 – Post-Market currentValue metaData (memoryType = 'po') .....	200
Table F.72 – currentValue interactiveData (memoryType = 'ra') .....	200
Table F.73 – Object address .....	201
Table F.74 – Pre-Market currentValue metaData (memoryType = 'pr').....	202
Table F.75 – Post-Market currentValue metaData (memoryType = 'po') .....	203
Table F.76 – currentValue interactiveData (memoryType = 'ra') .....	203
Table F.77 – Object address .....	204
Table F.78 – Pre-Market currentValue metaData (memoryType = 'pr').....	205
Table F.79 – Post-Market currentValue metaData (memoryType = 'po') .....	206
Table F.80 – currentValue interactiveData (memoryType = 'ra') .....	206
Table F.81 – Object address .....	207
Table F.82 – Pre-Market currentValue metaData (memoryType = 'pr').....	208
Table F.83 – Post-Market currentValue metaData (memoryType = 'po') .....	209
Table F.84 – currentValue interactiveData (memoryType = 'ra') .....	209
Table F.85 – Object address .....	210
Table F.86 – Pre-Market currentValue metaData (memoryType = 'pr').....	211
Table F.87 – Post-Market currentValue metaData (memoryType = 'po') .....	212

Table F.88 – currentValue interactiveData (memoryType = 'ra') .....	212
Table F.89 – Object address .....	213
Table F.90 – Pre-Market currentValue metaData (memoryType = 'pr').....	214
Table F.91 – Post-Market currentValue metaData (memoryType = 'po') .....	215
Table F.92 – currentValue interactiveData (memoryType = 'ra') .....	215
Table F.93 – User interface domain summary.....	216
Table F.94 – Object address .....	217
Table F.95 – Pre-Market currentValue metaData (memoryType = 'pr').....	217
Table F.96 – Post-Market currentValue metaData (memoryType = 'po') .....	218
Table F.97 – currentValue interactiveData (memoryType = 'ra') .....	219
Table F.98 – Object address .....	221
Table F.99 – Pre-Market currentValue metaData (memoryType = 'pr').....	221
Table F.100 – Post-Market currentValue metaData (memoryType = 'po').....	222
Table F.101 – currentValue interactiveData (memoryType = 'ra') .....	223
Table F.102 – Object address .....	223
Table F.103 – Pre-Market currentValue metaData (memoryType = 'pr').....	223
Table F.104 – Post-Market currentValue metaData (memoryType = 'po').....	224
Table F.105 – currentValue interactiveData (memoryType = 'ra') .....	225
Table F.106 – Object address .....	225
Table F.107 – Pre-Market currentValue metaData (memoryType = 'pr').....	226
Table F.108 – Post-Market currentValue metaData (memoryType = 'po').....	227
Table F.109 – currentValue interactiveData (memoryType = 'ra') .....	227