ISO/IEC 18012-3:2025-07 (E)

Information technology - Home electronic system (HES) - Guidelines for product interoperability - Part 3: Lexicon

Contents

Page

FOREWORD 13
INTRODUCTION 15
0.1 Overview 15
0.2 Relation to existing work 15
0.3 Lexicon and event encoding 16
1 Scope 18
2 Normative references 18
3 Terms, definitions, abbreviated terms and conventions 18
3.1 Terms and definitions 18
3.2 Abbreviated terms 21
3.3 Conventions 21
3.3.1 Data formats 21
3.3.2 Memory storage and access types 26
3.3.3 Address and data types 27
4 Conformance requirements 28
5 HES lexicon concepts, principles 29
5.1 General 29
5.2 Communicating “HES lexicon” on media 29
6 Object concepts 29
6.1 Overview of object concepts 29
6.2 User object concepts 31
6.3 Binding map object concepts 32
6.4 Service object concepts 32
6.5 Interface object concepts 32
6.6 Remote object concepts 32
7 Action concepts 32
7.1 Overview 32
7.2 Communicating “functional actions” on media 33
8 Objects – Detailed HES lexicon 33
9 User objects – Detailed HES lexicon 33
9.1 User objects short form 33
9.2 User object components 34
9.3 Common objects and structures 34
9.3.1 currentValue 34
9.3.2 previousValue 39
9.3.3 compareValue 39
9.4 Application domains 39
9.4.1 Current application domains 39
9.4.2 Energy management domain 41
9.4.3 Lighting domain 41
9.4.4 Utility domain 42
9.4.5 HVAC domain 44
9.4.6 Convenience domain 45
9.4.7 User interface domain 46
9.4.8 Audio and video domain 46
9.4.9 Telecommunications domain 47

9.4.10 Security domain 47
9.4.11 Appliance domain 48
9.4.12 Common user interface domain 48
9.4.13 Safety cluster domain 49
9.4.14 Electric vehicle domain 49
9.4.15 General domain 50
10 Binding map objects – Detailed HES lexicon 50
10.1 Overview 50
10.2 Mathematical and logical operations 51
10.3 Conditioning 51
10.4 Adjustment 52
10.5 Operation table 52
10.6 Addressing table 54
10.7 Binding map overall aspects 55
10.8 Operation table and addressing table 56
11 Service objects – Detailed HES lexicon 60
11.1 Service module 60
11.2 Services 60
11.2.1 General 60
11.2.2 Identification service (foundational) 61
11.2.3 Time service (foundational) 65
11.2.4 Authorization and authentication service (foundational) 73
11.2.5 Cryptographic service (foundational) 80
11.2.6 Common user interface service 82
11.2.7 Cluster to cluster service 82
11.2.8 Artificial intelligence service 82
11.2.9 Energy management service 82
11.2.10 Electrical energy measuring system service 82
11.2.11 Web-based energy service 82
11.2.12 Audio gateway service 82
11.2.13 IGRS RA agent service 82
12 Interface objects – Detailed HES lexicon 83
12.1 General interface objects 83
12.2 HAN interface objects 83
12.2.1 General 83
12.2.2 Overview 83
12.2.3 HAN interface module discovery of HES gateway modules 84
12.2.4 HAN interface module central operations 85
12.2.5 HAN interface module attached network 86
12.2.6 HAN interface module configuration mode 87
12.2.7 HAN interface module privacy, security and safety 88
12.2.8 HAN interface module example - ISO/IEC 14543-4-302 90
12.3 WAN interface objects and actions 94
12.3.1 General 94
12.3.2 WAN interface module discovery of HES gateway modules 94
12.3.3 WAN interface module central operations 95
12.3.4 WAN interface module attached network 96
12.3.5 WAN interface module privacy, security, safety, and traffic 97
12.3.6 WAN interface module overall WAN channel services 99

12.3.7 WAN interface module channel service table 99
12.3.8 WAN interface module privacy, security, safety, traffic for WAN channel 101
13 Remote objects – detailed HES lexicon 104
13.1 General 104
13.2 Common objects and structures 104
13.2.1 currentValue 104
13.2.2 previousValue 106
13.2.3 compareValue 106
13.2.4 Other properties 107
13.3 Remote object domains 107
13.3.1 General 107
13.3.2 Environmental domain 108
13.3.3 Common area domain 109
13.3.4 Indirect GHG domain 109
14 Actions – Detailed HES lexicon 110
Annex A (normative) Binding map service 111
A.1 Overview 111
A.2 Value operation 114
A.2.1 General 114
A.2.2 Mathematical and logical operations 115
A.2.3 Table of operations 117
A.2.4 Conditioning 117
A.2.5 Adjustment 117
A.2.6 Examples of using the “Value Operation” 118
A.2.7 Address redirection 119
A.2.8 Operation table 121
Annex B (informative) Example of operation group 126
Annex C (normative) WAN interface module 129
C.1 WAN interface objects and actions 129
C.2 WAN interface module objects 129
C.3 WAN interface channel objects 130
C.4 WAN communication with other HES gateway systems 133
Annex D (informative) Authorization service examples 135
D.1 Parent and kid authorization example 135
D.2 Limit incoming packets example 139
Annex E (normative) Semantic meaning 143
E.1 Semantic meaning 143
E.2 HAN message meaning conveyed by HAN lexicon specification 143
E.3 HAN message meaning conveyed by generic HAN specification 144
E.4 All interface modules and all network messages 145
Annex F (normative) Detailed HES lexicon for user objects 146
F.1 Detailed HES lexicon 146
F.2 Energy management domain 146
F.2.1 General 146
F.2.2 Power buses 146
F.2.3 Energy management domain summary 148
F.2.4 Energy management domain power bus retrieval 148
F.3 Lighting domain 151

F.3.1 General 151
F.3.2 Lighting domain summary 151
F.3.3 Lighting domain digital actuator 152
F.3.4 Lighting domain digital sensor 154
F.3.5 Lighting domain analog actuator 157
F.3.6 Lighting domain analog sensor 159
F.4 Utility domain 161
F.4.1 Utility domain summary 161
F.4.2 Utility domain electrical AC power sensor 164
F.4.3 Utility domain electrical DC power sensor 166
F.4.4 Utility domain electrical AC current sensor 170
F.4.5 Utility domain electrical DC current sensor 173
F.4.6 Utility domain DC voltage sensor 176
F.4.7 Utility domain electrical AC voltage sensor 179
F.4.8 Utility domain electrical energy current sensor (cumulative) 182
F.4.9 Utility domain electrical AC energy sensor (within time period) 185
F.4.10 Utility domain electrical frequency sensor 189
F.4.11 Utility domain AC power factor sensor 192
F.4.12 Utility domain energy storage operation mode 195
F.4.13 Utility domain energy storage remaining 198
F.4.14 Utility domain electrical reactive power sensor 201
F.4.15 Utility domain electrical apparent power sensor 204
F.4.16 Utility domain electrical reactive energy sensor (cumulative) 207
F.4.17 Utility domain electrical apparent energy sensor (cumulative) 210
F.4.18 Utility domain harmonic distortion 213
F.5 User interface domain 216
F.5.1 User interface domain summary 216
F.5.2 User interface digital sensor 217
F.5.3 User interface string sensor 219
F.5.4 User interface digital actuator 223
F.5.5 User interface string actuator 225
Bibliography 228

Figure 1 – ISO/IEC 18012-3 within the core interoperability and HES gateway standards 17
Figure 2 – Types of objects in the HES gateway 30
Figure 3 – Short form formats for objects in the HES lexicon 31
Figure 4 – Short form formats for functional actions in the HES lexicon 33
Figure 5 – Overview of user objects 34
Figure 6 – Access direction of “in” (Sensor) 37
Figure 7 – Access direction of “out” (Actuator) 37
Figure 8 – Functionality of binding maps 51
Figure 9 – Components within an operation group of a binding map 52
Figure 10 – Components within the addressingTable 54
Figure 11 – Overview of service 60
Figure 12 – Time service block diagram 66
Figure 13 – Overview of interface objects 83

Figure 14 – ISO/IEC 14543-4-302 communications 91
Figure 15 – HES gateway to ISO/IEC 14543-4-302 electrical storage system 91
Figure 16 – Other controllers can use the ISO/IEC 14543-4-302 electrical storage system 92
Figure 17 – Access to WAN interface objects 94
Figure 18 – Components within a channel of a WAN interface module 100
Figure A.1 – Service module 111
Figure A.2 – Binding map example (switch and light) 112
Figure A.3 – Binding map controller setup 112
Figure A.4 – Real time operation of binding map 113
Figure A.5 – Functionality of binding map 113
Figure A.6 – Object conversion 114
Figure A.7 – Object conversion 115
Figure A.8 – Authorization 115
Figure A.9 – Multiple source and destination values 115
Figure A.10 – Address redirection 119
Figure A.11 – Address referencing in binding map 120
Figure A.12 – Addressing referencing for clusters in binding map 121
Figure A.13 – List of operation groups in a binding map 122
Figure A.14 – Components within an operation group of a binding map 122
Figure A.15 – Components within the addressingTable 124
Figure B.1 – Inputs 126
Figure B.2 – Source addressing 126
Figure B.3 – Source object 126
Figure B.4 – Goes above 127
Figure B.5 – Pass through 127
Figure B.6 – Outputs 127
Figure B.7 – Destination addressing 127
Figure B.8 – Destination object 128
Figure B.9 – Light on 128
Figure C.1 – Access to WAN interface objects 129
Figure C.2 – Types of WAN interface objects 129
Figure C.3 – WAN interface module objects 130
Figure C.4 – Remote services through WAN interface module 130
Figure C.5 – Example of remote servers through a WAN interface module 131
Figure C.6 – Channel access through a WAN interface module 131
Figure C.7 – Authorization and translation for each channel 132
Figure C.8 – Settings of WAN interface module 132
Figure C.9 – WAN interface channel objects 133
Figure C.10 – Service originating from outside the HES gateway system 133
Figure D.1 – Parent full control 135
Figure D.2 – Kid partial control 135
Figure D.3 – Authorization updates binding map 136

Figure D.4 – Parent and kid data in the authorization tables 137
Figure D.5 – Parent authorization example 138
Figure D.6 – Kid authorization example 139
Figure D.7 – Authorization updates HAN interface module 140
Figure D.8 – Unlimited Incoming Packet Example 141
Figure D.9 – Limited incoming packet example 142
Figure E.1 – HAN with semantic specification 144
Figure E.2 – HAN with generic HAN specification 145
Figure F.1 – Device interaction to power buses 146
Figure F.2 – List of power bus groups 147
Figure F.3 – Components within a power bus group 147
Figure F.4 – Electrical AC power sensor element model 164
Figure F.5 – Electrical DC power sensor element model 167
Figure F.6 – Electrical AC current sensor element model 170
Figure F.7 – Electrical DC current sensor element model 173
Figure F.8 – DC voltage sensor element model 176
Figure F.9 – AC voltage sensor element model 179
Figure F.10 – Electrical energy sensor element model (cumulative) 182
Figure F.11 – Electrical energy sensor element model (within a time period) 185
Figure F.12 – Electrical frequency sensor element model 189
Figure F.13 – Power factor sensor element model 192
Figure F.14 – Energy storage mode element model 195
Figure F.15 – Energy storage remaining energy 198
Figure F.16 – Electrical reactive power sensor element model 201
Figure F.17 – Electrical apparent power sensor element model 204
Figure F.18 – Electrical reactive energy sensor element model (cumulative) 207
Figure F.19 – Electrical apparent energy sensor element model (cumulative) 210
Figure F.20 – Total harmonic distortion 213
Figure F.21 – Single button 219
Figure F.22 – Row of buttons 219
Figure F.23 – Row of buttons example 220
Figure F.24 – Touch screen with virtual buttons 220
Figure F.25 – Example for touch screen with virtual buttons 220

Table 1 – Defined types of dataFormat 21
Table 2 – Memory storage and access types (memoryType) 27
Table 3 – dataPurpose (‘dp’) parameter 28
Table 4 – addrPoint ('ap') 28
Table 5 – storageType (‘st’) 28
Table 6 – Pre-Market currentValue metaData 34
Table 7 – Post-Market currentValue metaData 38
Table 8 – currentValue interactiveData 38
Table 9 – Pre-Market compareValue metaData 39

Table 10 – Post-Market compareValue metaData 39
Table 11 – Application domains 40
Table 12 – Energy management domain summary 41
Table 13 – Lighting domain summary 42
Table 14 – Utility domain summary 42
Table 15 – HVAC domain summary 45
Table 16 – Convenience domain summary 46
Table 17 – User interface domain summary 46
Table 18 – Audio and video interface domain summary 47
Table 19 – Telecommunications domain summary 47
Table 20 – Security domain summary 48
Table 21 – Appliance domain summary 48
Table 22 – Common user interface domain summary 49
Table 23 – Safety cluster domain summary 49
Table 24 – Electric vehicle domain summary 50
Table 25 – General domain summary 50
Table 26 – Key operations and their parameters 51
Table 27 – Basic conditioning 52
Table 28 – Basic adjustment 52
Table 29 – Inputs table 53
Table 30 – Outputs table 54
Table 31 – addressingTable components 55
Table 32 – Object address 55
Table 33 – bindingMap configurationData (memoryType = ‘pr’) 55
Table 34 – Binding map operation table and addressing table 57
Table 35 – Services 61
Table 36 – Object address 62
Table 37 – identification configurationData (memoryType = ‘pr’) 62
Table 38 – Object address 62
Table 39 – discovery operationData (memoryType = ‘op’) 63
Table 40 – Object address 63
Table 41 – centralOperations Data (memoryType = ‘ro’) 64
Table 42 – centralOperations operationData (memoryType = ‘op’) 64
Table 43 – centralOperations Data (memoryType = ‘sp’) 64
Table 44 – centralOperations metaData (memoryType = ‘po’) 65
Table 45 – Object address 66
Table 46 – Pre-market realTime configurationData (memoryType = ‘ro’) 67
Table 47 – Post-Market realTime configurationData (memoryType = ‘po’) 68
Table 48 – realTime interactiveData (memoryType = ‘ra’) 68
Table 49 – Object address 68
Table 50 – Pre-Market localTimeZone configurationData (memoryType = ‘pr’) 69
Table 51 – Post-Market localTimeZone configurationData (memoryType = ‘po’) 70
Table 52 – localTimeZone interactiveData (memoryType = ‘ra’) 70

Table 53 – Object address 71
Table 54 – Pre-Market sourceOfTime configurationData (memoryType = ‘pr’) 71
Table 55 – Post-Market sourceOfTime configurationData (memoryType = ‘po’) 72
Table 56 – sourceOfTime interactiveData (memoryType = ‘ra’) 72
Table 57 – Object address 73
Table 58 – authClass configurationData (memoryType = ‘pr’) 73
Table 59 – Object address 74
Table 60 – Post-Market authClass configurationData (memoryType = ‘sp’) 74
Table 61 – Object address 74
Table 62 – Post-Market authIdentity configurationData (memoryType = ‘sp’) 75
Table 63 – Object address 75
Table 64 – Post-Market credentials configurationData (memoryType = ‘sp’) 75
Table 65 – Object address 76
Table 66 – Post-Market permissionGroup configurationData (memoryType = ‘sp’) 76
Table 67 – Object address 76
Table 68 – Post-Market permissionService configurationData (memoryType = ‘sp’) 77
Table 69 – Authorization and authentication service 78
Table 70 – Object address 80
Table 71 – crypto configurationData (memoryType = ‘pr’) 80
Table 72 – Object address 81
Table 73 – Post-Market crypto configurationData (memoryType = ‘sp’) 81
Table 74 – Object address 84
Table 75 – Pre-Market discovery configurationData (memoryType = ‘pr’) 84
Table 76 – Post-Market discovery configurationData (memoryType = ‘po’) 84
Table 77 – Discovery interactiveData (memoryType = ‘ra’) 84
Table 78 – Object address 85
Table 79 – Pre-Market centralOperations configurationData (memoryType = ‘pr’) 85
Table 80 – Post-Market centralOperations configurationData (memoryType = ‘po’) 85
Table 81 – centralOperations interactiveData (memoryType = ‘ra’) 85
Table 82 – Object address 86
Table 83 – Pre-Market attachedNetwork configurationData (memoryType = ‘pr’) 86
Table 84 – Post-Market attachedNetwork configurationData (memoryType = ‘po’) 87
Table 85 – attachedNetwork interactiveData (memoryType = ‘ra’) 87
Table 86 – Object address 87
Table 87 – Pre-Market attachedNetwork configurationData (memoryType = ‘pr’) 87
Table 88 – Post-Market attachedNetwork configurationData (memoryType = ‘po’) 88
Table 89 – attachedNetwork interactiveData (memoryType = ‘ra’) 88
Table 90 – Object address 88
Table 91 – Post-Market privacySecuritySafety configurationData (memoryType = ‘po’) 89
Table 92 – privacySecuritySafety serviceData (memoryType = ‘op’) 90
Table 93 – Translation between ISO/IEC 14543-4-302 and HES gateway ISO/IEC 18012-3 lexicon (partial list) 93
Table 94 – Object address 94

Table 95 – discovery configurationData (memoryType = ‘ro’) 94
Table 96 – discovery Data (memoryType = ‘op’) 95
Table 97 – Object address 95
Table 98 – centralOperations configurationData (memoryType = ‘db’) 95
Table 99 – centralOperations configurationData (memoryType = ‘ro’) 95
Table 100 – centralOperations operationData (memoryType = ‘op’) 96
Table 101 – Object address 96
Table 102 – attachedNetwork configurationData (memoryType = ‘ro’) 97
Table 103 – attachedNetwork configurationData (memoryType = ‘db’) 97
Table 104 – Object address 97
Table 105 – privacySecuritySafetyTraffic configurationData (memoryType = ‘ro’) 98
Table 106 – privacySecuritySafetyTraffic configurationData (memoryType = ‘db’) 98
Table 107 – Object address 99
Table 108 – requirement configurationData (memoryType = ‘pr’) 99
Table 109 – Object address 99
Table 110 – channel configurationData (memoryType = ‘db’) 100
Table 111 – channel configurationData (memoryType = ‘ro’) 100
Table 112 – Object address 101
Table 113 – privacySecuritySafetyTrafficTable configurationData (memoryType = ‘ro’) 101
Table 114 – privacySecuritySafetyTrafficTable operationData (memoryType = ‘op’) 102
Table 115 – Channel Tables 103
Table 116 – Pre-Market currentValue metaData 104
Table 117 – Post-Market currentValue metaData 105
Table 118 – Pre-Market compareValue metaData 107
Table 119 – Post-Market compareValue metaData 107
Table 120 – Remote object domains 107
Table 121 – Environment domain summary 108
Table 122 – Common area domain summary 109
Table 123 – Indirect GHG domain summary 110
Table A.1 – Key operations and parameters 117
Table A.2 – Basic conditioning 117
Table A.3 – Basic adjustment 118
Table A.4 – Straight through 118
Table A.5 – Increase value 118
Table A.6 – Increment 118
Table A.7 – Subtract 118
Table A.8 – Toggle 119
Table A.9 – Greater than 119
Table A.10 – Less than 119
Table A.11 – Inputs table 123
Table A.12 – Outputs table 124
Table A.13 – addressingTable components 125
Table F.1 – Power bus group components 147

Table F.2 – Energy management domain summary 148
Table F.3 – Object address 148
Table F.4 – Pre-Market currentValue metaData (memoryType = ‘pr’) 149
Table F.5 – Post-Market currentValue metaData (memoryType = ‘po’) 150
Table F.6 – currentValue interactiveData (memoryType = ‘po’) 151
Table F.7 – Lighting domain summary 151
Table F.8 – Object address 152
Table F.9 – Pre-Market currentValue metaData (memoryType = ‘pr’) 152
Table F.10 – Post-Market currentValue metaData (memoryType = ‘po’) 153
Table F.11 – currentValue interactiveData (memoryType = ‘ra’) 154
Table F.12 – Object address 154
Table F.13 – Pre-Market currentValue metaData (memoryType = ‘pr’) 155
Table F.14 – Post-Market currentValue metaData (memoryType = ‘po’) 156
Table F.15 – currentValue interactiveData (memoryType = ‘ra’) 156
Table F.16 – Object address 157
Table F.17 – Pre-Market currentValue metaData (memoryType = ‘pr’) 157
Table F.18 – Post-Market currentValue metaData (memoryType = ‘po’) 158
Table F.19 – currentValue interactiveData (memoryType = ‘ra’) 159
Table F.20 – Object address 159
Table F.21 – Pre-Market currentValue metaData (memoryType = ‘pr’) 159
Table F.22 – Post-Market currentValue metaData (memoryType = ‘po’) 160
Table F.23 – currentValue interactiveData (memoryType = ‘ra’) 161
Table F.24 – Utility domain summary 162
Table F.25 – Object address 164
Table F.26 – Pre-Market currentValue metaData (memoryType = ‘pr’) 165
Table F.27 – Post-Market currentValue metaData (memoryType = ‘po’) 166
Table F.28 – currentValue interactiveData (memoryType = ‘ra’) 166
Table F.29 – Object address 167
Table F.30 – Pre-Market currentValue metaData (memoryType = ‘pr’) 168
Table F.31 – Post-Market currentValue metaData (memoryType = ‘po’) 169
Table F.32 – currentValue interactiveData (memoryType = ‘ra’) 169
Table F.33 – Object address 170
Table F.34 – Pre-Market currentValue metaData (memoryType = ‘pr’) 171
Table F.35 – Post-Market currentValue metaData (memoryType = ‘po’) 172
Table F.36 – currentValue interactiveData (memoryType = ‘ra’) 172
Table F.37 – Object address 173
Table F.38 – Pre-Market currentValue metaData (memoryType = ‘pr’) 174
Table F.39 – Post-Market currentValue metaData (memoryType = ‘po’) 175
Table F.40 – currentValue interactiveData (memoryType = ‘ra’) 175
Table F.41 – Object address 176
Table F.42 – Pre-Market currentValue metaData (memoryType = ‘pr’) 177
Table F.43 – Post-Market currentValue metaData (memoryType = ‘po’) 178
Table F.44 – currentValue interactiveData (memoryType = ‘ra’) 178

Table F.45 – Object address 179
Table F.46 – Pre-Market currentValue metaData (memoryType = ‘pr’)..... 180
Table F.47 – Post-Market currentValue metaData (memoryType = ‘po’) 181
Table F.48 – currentValue interactiveData (memoryType = ‘ra’) 181
Table F.49 – Object address 182
Table F.50 – Pre-Market currentValue metaData (memoryType = ‘pr’)..... 183
Table F.51 – Post-Market currentValue metaData (memoryType = ‘po’) 184
Table F.52 – currentValue interactiveData (memoryType = ‘ra’) 184
Table F.53 – Object address 185
Table F.54 – Pre-Market compareValue metaData (memoryType = ‘pr’) 186
Table F.55 – Post-Market compareValue metaData (memoryType = ‘po’)..... 187
Table F.56 – currentValue interactiveData (memoryType = ‘ra’) 188
Table F.57 – Object address 189
Table F.58 – Pre-Market currentValue metaData (memoryType = ‘pr’)..... 190
Table F.59– Post-Market currentValue metaData (memoryType = ‘po’) 191
Table F.60– currentValue interactiveData (memoryType = ‘ra’) 191
Table F.61 – Object address 192
Table F.62 – Pre-Market currentValue metaData (memoryType = ‘pr’)..... 193
Table F.63 – Post-Market currentValue metaData (memoryType = ‘po’) 194
Table F.64 – currentValue interactiveData (memoryType = ‘ra’) 194
Table F.65 – Object address 195
Table F.66 – Pre-Market currentValue metaData (memoryType = ‘pr’)..... 196
Table F.67 – Post-Market currentValue metaData (memoryType = ‘po’) 197
Table F.68 – currentValue interactiveData (memoryType = ‘ra’) 197
Table F.69 – Object address 198
Table F.70 – Pre-Market currentValue metaData (memoryType = ‘pr’)..... 199
Table F.71 – Post-Market currentValue metaData (memoryType = ‘po’) 200
Table F.72 – currentValue interactiveData (memoryType = ‘ra’) 200
Table F.73 – Object address 201
Table F.74 – Pre-Market currentValue metaData (memoryType = ‘pr’)..... 202
Table F.75 – Post-Market currentValue metaData (memoryType = ‘po’) 203
Table F.76 – currentValue interactiveData (memoryType = ‘ra’) 203
Table F.77 – Object address 204
Table F.78 – Pre-Market currentValue metaData (memoryType = ‘pr’)..... 205
Table F.79 – Post-Market currentValue metaData (memoryType = ‘po’) 206
Table F.80 – currentValue interactiveData (memoryType = ‘ra’) 206
Table F.81 – Object address 207
Table F.82 – Pre-Market currentValue metaData (memoryType = ‘pr’)..... 208
Table F.83 – Post-Market currentValue metaData (memoryType = ‘po’) 209
Table F.84 – currentValue interactiveData (memoryType = ‘ra’) 209
Table F.85 – Object address 210
Table F.86 – Pre-Market currentValue metaData (memoryType = ‘pr’)..... 211
Table F.87 – Post-Market currentValue metaData (memoryType = ‘po’) 212

Table F.88 – currentValue interactiveData (memoryType = ‘ra’) 212
Table F.89 – Object address 213
Table F.90 – Pre-Market currentValue metaData (memoryType = ‘pr’) 214
Table F.91 – Post-Market currentValue metaData (memoryType = ‘po’) 215
Table F.92 – currentValue interactiveData (memoryType = ‘ra’) 215
Table F.93 – User interface domain summary 216
Table F.94 – Object address 217
Table F.95 – Pre-Market currentValue metaData (memoryType = ‘pr’) 217
Table F.96 – Post-Market currentValue metaData (memoryType = ‘po’) 218
Table F.97 – currentValue interactiveData (memoryType = ‘ra’) 219
Table F.98 – Object address 221
Table F.99 – Pre-Market currentValue metaData (memoryType = ‘pr’) 221
Table F.100 – Post-Market currentValue metaData (memoryType = ‘po’) 222
Table F.101 – currentValue interactiveData (memoryType = ‘ra’) 223
Table F.102 – Object address 223
Table F.103 – Pre-Market currentValue metaData (memoryType = ‘pr’) 223
Table F.104 – Post-Market currentValue metaData (memoryType = ‘po’) 224
Table F.105 – currentValue interactiveData (memoryType = ‘ra’) 225
Table F.106 – Object address 225
Table F.107 – Pre-Market currentValue metaData (memoryType = ‘pr’) 226
Table F.108 – Post-Market currentValue metaData (memoryType = ‘po’) 227
Table F.109 – currentValue interactiveData (memoryType = ‘ra’) 227