

# ISO/IEC 14776-331:2002-09 (E)

## Information technology\_ - Small computer system interface (SCSI)\_ - Part\_331: Stream commands (SSC)

---

### CONTENTS

- FOREWORD ..... 6
- INTRODUCTION ..... 7
- 1 Scope ..... 8
- 2 Normative references ..... 9
- 3 Definitions, symbols and abbreviations ..... 9
  - 3.1 Definitions ..... 9
  - 3.2 Symbols and abbreviations.....11
  - 3.3 Keywords .....11
  - 3.4 Conventions .....12
- 4 General.....13
  - 4.1 Overview .....13
  - 4.2 Physical models .....13
- 5 Sequential-access devices .....13
  - 5.1 Definitions specific to sequential access devices .....13
  - 5.2 Sequential-access device model .....16
    - 5.2.1 Physical elements .....16
    - 5.2.2 Early warning .....19
    - 5.2.3 Partitions within a volume.....19
    - 5.2.4 Logical elements within a partition .....21
    - 5.2.5 Data buffering .....22
    - 5.2.6 Tagged command queuing .....22
    - 5.2.7 Recorded object descriptors (block identifiers).....23
    - 5.2.8 Direction and position definitions .....23
    - 5.2.9 Write protection .....25
    - 5.2.10 Progress indication.....27
    - 5.2.11 TapeAlert application client interface .....28
    - 5.2.12 Device reservations and command behavior .....31
  - 5.3 Command descriptions for sequential-access devices .....32
    - 5.3.1 ERASE command.....34
    - 5.3.2 FORMAT MEDIUM command .....34
    - 5.3.3 LOAD UNLOAD command.....36
    - 5.3.4 LOCATE command .....38
    - 5.3.5 READ command.....39
    - 5.3.6 READ BLOCK LIMITS command .....41
    - 5.3.7 READ POSITION command .....42
    - 5.3.8 READ REVERSE command.....45
    - 5.3.9 RECOVER BUFFERED DATA command .....46
    - 5.3.10 REPORT DENSITY SUPPORT command .....47
    - 5.3.11 REWIND command .....50
    - 5.3.12 SPACE command.....51
    - 5.3.13 VERIFY command.....54
    - 5.3.14 WRITE command.....55
    - 5.3.15 WRITE FILEMARKS command.....57

5.4	Parameters for sequential-access devices.....	58
5.4.1	Diagnostic parameters .....	58
5.4.2	Log parameters .....	58
5.4.3	Mode parameters .....	60
6	Printer devices .....	79
6.1	Model for printer devices .....	79
6.2	Commands for printer devices.....	80
6.2.1	FORMAT command.....	81
6.2.2	PRINT command.....	82
6.2.3	RECOVER BUFFERED DATA command .....	83
6.2.4	SLEW AND PRINT command .....	83
6.2.5	STOP PRINT command .....	84
6.2.6	SYNCHRONIZE BUFFER command.....	84
6.3	Parameters for printer devices .....	85
6.3.1	Diagnostic parameters .....	85
6.3.2	Log parameters.....	85
6.3.3	Mode parameters .....	86
Annex A (informative)	Historical density codes.....	94
Annex B (normative)	TapeAlert log page parameter codes (flags) .....	96
Bibliography	.....	101
Figure 1	– SCSI standards - general structure.....	8
Figure 2	– Typical volume layout.....	17
Figure 3	– Typical medium track layout.....	17
Figure 4	– Serpentine recording example.....	18
Figure 5	– Parallel recording example.....	18
Figure 6	– Helical scan recording example.....	18
Figure 7	– Early-warning example.....	19
Figure 8	– Partitioning example – one partition per track group .....	20
Figure 9	– Partitioning example – one partition per two track groups .....	20
Figure 10	– Partitioning example – two partitions per track group .....	20
Figure 11	– SCSI printer model.....	80
Table 1	– Error conditions and sense keys.....	24
Table 2	– Write protect ASC/ASCQ combinations .....	26
Table 3	– Commands providing progress indication without changing ready state.....	27
Table 4	– Commands changing ready state and providing progress indication .....	28
Table 5	– TapeAlert default informational exceptions control page .....	29
Table 6	– TapeAlert flag types .....	30
Table 7	– TapeAlert flags minimum subset .....	30
Table 8	– TapeAlert flag definitions.....	31
Table 9	– Streaming commands that are allowed in the presence of various reservations .....	32
Table 10	– Commands for sequential-access devices .....	33
Table 11	– ERASE command.....	34
Table 12	– FORMAT MEDIUM command .....	35
Table 13	– Format field definition.....	36

Table 14 – LOAD UNLOAD command.....	37
Table 15 – LOCATE command .....	38
Table 16 – READ command.....	39
Table 17 – READ BLOCK LIMITS command .....	41
Table 18 – READ BLOCK LIMITS data.....	41
Table 19 – READ POSITION command .....	42
Table 20 – READ POSITION data format, short form .....	43
Table 21 – READ POSITION data format, long form .....	44
Table 22 – READ REVERSE command.....	45
Table 23 – RECOVER BUFFERED DATA command .....	46
Table 24 – REPORT DENSITY SUPPORT command .....	47
Table 25 – Density support header .....	48
Table 26 – Density support data block descriptor .....	48
Table 27 – REWIND command .....	51
Table 28 – SPACE command.....	51
Table 29 – Code definition .....	52
Table 30 – VERIFY command.....	54
Table 31 – WRITE command.....	55
Table 32 – WRITE FILEMARKS command.....	57
Table 33 – Diagnostic page codes .....	58
Table 34 – Log page codes.....	59
Table 35 – Parameter codes for sequential-access device page.....	60
Table 36 – TapeAlert log page.....	60
Table 37 – Device-specific parameter .....	61
Table 38 – Buffered modes.....	61
Table 39 – Speed field definition .....	61
Table 40 – Sequential-access density codes .....	62
Table 41 – Mode page codes.....	63
Table 42 – Data compression page.....	64
Table 43 – Possible boundaries and resulting sense keys due to data compression .....	65
Table 44 – Compression algorithm identifiers.....	67
Table 45 – Device configuration page .....	67
Table 46 – EOD defined values .....	69
Table 47 – Medium partition page(1).....	71
Table 48 – PSUM values .....	72
Table 49 – Medium format recognition values .....	74
Table 50 – Medium partition page(2-4).....	75
Table 51 – Read-write error recovery page .....	76
Table 52 – Informational exceptions control page.....	78
Table 53 – TapeAlert test descriptions .....	78
Table 54 – Commands for printer devices .....	81
Table 55 – FORMAT command.....	82
Table 56 – Format type values.....	82

Table 57 – PRINT command.....	82
Table 58 – RECOVER BUFFERED DATA command .....	83
Table 59 – SLEW AND PRINT command .....	83
Table 60 – STOP PRINT command.....	84
Table 61 – SYNCHRONIZE BUFFER command .....	85
Table 62 – Diagnostic page codes .....	85
Table 63 – Log page codes.....	86
Table 64 – Printer device-specific parameter .....	86
Table 65 – Mode page codes.....	87
Table 66 – Parallel printer interface .....	87
Table 67 – Parity select codes .....	88
Table 68 – VFU control byte .....	88
Table 69 – Printer options.....	89
Table 70 – Font identification values .....	89
Table 71 – Slew mode codes .....	90
Table 72 – Line slew codes .....	90
Table 73 – Form slew codes .....	91
Table 74 – Data termination option codes .....	91
Table 75 – Serial printer interface .....	92
Table 76 – Parity selection codes .....	92
Table 77 – Pacing protocol codes .....	93
Table A.1 – Historical sequential-access density codes.....	94
Table B.1 – TapeAlert log page parameter codes.....	96