

ISO/IEC 15018:2004-06 (E)

Information technology – Generic cabling for homes

CONTENTS

	Page
FOREWORD	7
Introduction	8
1 Scope	11
2 Normative references	11
3 Definitions and abbreviations	14
3.1 Definitions	14
3.2 Abbreviations	18
4 Conformance	19
5 Structure of the generic cabling system to support ICT and/or BCT applications	20
5.1 General	20
5.2 Functional elements	20
5.3 Cabling subsystems for ICT and BCT	20
5.3.1 General	20
5.3.2 Primary home cabling subsystem	22
5.3.3 Secondary home cabling subsystem	23
5.4 Cabling structure for ICT and BCT applications	23
5.5 Interfaces	24
5.5.1 Equipment interfaces and test interfaces	24
5.5.2 Channel and permanent link	25
5.5.3 Network access cabling	26
5.5.4 External network interface	27
5.6 Accommodation of functional elements	27
5.6.1 Distributors	27
5.6.2 Application outlets	28
5.6.3 Cable pathways	29
5.7 Dimensioning and configuring	29
5.7.1 Distributors	29
5.7.2 Application outlets	30
5.7.3 Equipment cords	31
5.7.4 Building entrance facilities	31
6 Cabling to support CCCB applications	31
6.1 General	31
6.2 Functional elements	31
6.3 Cabling subsystems for CCCB	32
6.3.1 General	32
6.3.2 Area feeder cabling subsystem	32
6.3.3 Coverage area cabling subsystem	33
6.4 Cabling structure for CCCB applications	34
6.5 Interfaces	34
6.5.1 Equipment interfaces and test interfaces	34
6.5.2 Channel and permanent link	35
6.5.3 Network access cabling	36
6.5.4 External network interface	36

6.6	Accommodation of functional elements	37
6.6.1	Area connection points (ACPs).....	37
6.6.2	Control outlets (COs)	37
6.6.3	Cable pathways	37
6.7	Dimensioning and configuring	37
6.7.1	Distributors	37
6.7.2	Control outlet (CO).....	37
6.7.3	Cable sharing	38
6.7.4	Equipment cords	38
6.7.5	Building entrance facilities.....	38
7	Performance.....	38
7.1	General	38
7.2	ICT channel performance.....	40
7.3	BCT channel performance	40
7.4	CCCB channel performance.....	43
8	Reference implementation	45
8.1	General	45
8.2	Cabling assumptions	45
8.2.1	Introduction	45
8.2.2	General	45
8.2.3	Dimensions for ICT and BCT channels	47
8.2.4	Dimensions for CCCB channels.....	48
9	Cable requirements	49
9.1	General	49
9.2	Cable performance for ICT.....	49
9.3	Cable performance for BCT	51
9.3.1	Requirements for balanced pairs for BCT	51
9.3.2	Requirements for coaxial cables for BCT	52
9.4	Cable performance for CCCB coverage area	54
10	Connecting hardware.....	56
10.1	General requirements	56
10.1.1	Applicability	56
10.1.2	Location.....	56
10.1.3	Design	56
10.1.4	Operating environment.....	57
10.1.5	Mounting	57
10.1.6	Installation practices	57
10.1.7	Marking and colour coding	57
10.2	Mating interfaces at TO, BO and CO	58
10.2.1	General	58
10.2.2	Mating interface for TO	58
10.2.3	Mating interface for BO	58
10.2.4	Mating interface for CO	59
10.2.5	Minimum performance requirements.....	59
11	Safety requirements and screening practices	65
11.1	General.....	65

11.2	Coexistence with mains	65
11.3	Operational safety	65
11.4	Screening practices	66
11.4.1	General	66
11.4.2	Earthing.....	66
Annex A (normative)	BCT channel levels	67
Annex B (normative)	Link performance	68
B.1	General	68
B.2	Performance requirements for ICT permanent links	68
B.3	Performance requirements for BCT permanent links	69
B.4	Performance requirements for CCCB permanent links	71
Annex C (informative)	BCT levels: channel and link performance and implementation	72
C.1	General	72
C.2	BCT-H, BCT-M and BCT-L channels	72
C.3	BCT-H, BCT-M and BCT-L links	74
C.4	BCT levels' implementation.....	76
C.4.1	General	76
C.4.2	Cable specifications	76
C.4.3	Connecting hardware specifications.....	76
C.4.4	Maximum channel lengths for reference implementations.....	76
C.4.5	Channel lengths using other coaxial cable specifications	77
C.4.6	Channel lengths using other balanced cable specifications	77
Annex D (informative)	Applications and associated cabling	78
Bibliography	81
Figure 1 – Overview of a generic cabling for home		9
Figure 2 – Structure of the generic cabling system.....		21
Figure 3 – Interconnect and cross-connect models		22
Figure 4 – Hierarchical structure of a generic cabling system in support of ICT and BCT applications		23
Figure 5 – Equipment and test interfaces in support of ICT and BCT applications.....		24
Figure 6 – Channels and permanent links within the home		26
Figure 7 – Examples of interconnection of home and network access cabling.....		27
Figure 8 – Interconnection of home cabling subsystems		29
Figure 9 – Structure of the generic cabling system in support of CCCB applications		32
Figure 10 – Hierarchical structure of a generic cabling system in support of CCCB applications		34
Figure 11 – Equipment and test interfaces in support of CCCB applications		35
Figure 12 – Channels and permanent links for CCCB cabling.....		36
Figure 13 – Reference implementations for ICT and BCT channels (PHD/SHD - TO/BO).....		47
Figure 14 – Reference implementations for CCCB channels with PHD or SHD		48
Figure 15 – Reference implementations for CCCB channels with PHD and SHD.....		49
Figure 16 – Pin grouping assignments for IEC 60603-7 series outlet (front view).....		58

11.2	Coexistence with mains	65
11.3	Operational safety	65
11.4	Screening practices	66
11.4.1	General	66
11.4.2	Earthing	66
Annex A (normative)	BCT channel levels	67
Annex B (normative)	Link performance	68
B.1	General	68
B.2	Performance requirements for ICT permanent links	68
B.3	Performance requirements for BCT permanent links	69
B.4	Performance requirements for CCCB permanent links	71
Annex C (informative)	BCT levels: channel and link performance and implementation	72
C.1	General	72
C.2	BCT-H, BCT-M and BCT-L channels	72
C.3	BCT-H, BCT-M and BCT-L links	74
C.4	BCT levels' implementation	76
C.4.1	General	76
C.4.2	Cable specifications	76
C.4.3	Connecting hardware specifications	76
C.4.4	Maximum channel lengths for reference implementations	76
C.4.5	Channel lengths using other coaxial cable specifications	77
C.4.6	Channel lengths using other balanced cable specifications	77
Annex D (informative)	Applications and associated cabling	78
Bibliography	81
Figure 1	– Overview of a generic cabling for home	9
Figure 2	– Structure of the generic cabling system	21
Figure 3	– Interconnect and cross-connect models	22
Figure 4	– Hierarchical structure of a generic cabling system in support of ICT and BCT applications	23
Figure 5	– Equipment and test interfaces in support of ICT and BCT applications	24
Figure 6	– Channels and permanent links within the home	26
Figure 7	– Examples of interconnection of home and network access cabling	27
Figure 8	– Interconnection of home cabling subsystems	29
Figure 9	– Structure of the generic cabling system in support of CCCB applications	32
Figure 10	– Hierarchical structure of a generic cabling system in support of CCCB applications	34
Figure 11	– Equipment and test interfaces in support of CCCB applications	35
Figure 12	– Channels and permanent links for CCCB cabling	36
Figure 13	– Reference implementations for ICT and BCT channels (PHD/SHD - TO/BO)	47
Figure 14	– Reference implementations for CCCB channels with PHD or SHD	48
Figure 15	– Reference implementations for CCCB channels with PHD and SHD	49
Figure 16	– Pin grouping assignments for IEC 60603-7 series outlet (front view)	58
Table D.1	– Grouping of applications and cabling	78
Table D.2	– Characteristics of ICT, BCT & CCCB cabling	80