

# ISO/IEC 14776-222 :2005-02 (E)

## Information technology - Small Computer System Interface (SCSI) - Part 222: Fibre Channel Protocol for SCSI, Second Version (FCP-2)

---

### CONTENTS

- Foreword .....11
- Introduction.....12
- 1 Scope .....14
- 2 Normative references.....14
  - 2.1 International standards .....14
  - 2.2 International standards under development.....14
  - 2.3 Other references.....14
- 3 Definitions, abbreviations and conventions .....15
  - 3.1 Definitions .....15
  - 3.2 Abbreviations .....20
  - 3.3 Keywords .....21
  - 3.4 Editorial conventions .....22
- 4 General .....24
  - 4.1 Structure and concepts.....24
  - 4.2 Device management.....25
  - 4.3 Precise delivery of SCSI commands .....27
  - 4.4 Confirmed completion of FCP I/O Operations.....28
  - 4.5 Retransmission of unsuccessfully transmitted data .....29
  - 4.6 Task retry identification.....29
  - 4.7 Discovery of FCP capabilities.....30
  - 4.8 Task management.....30
  - 4.9 Clearing effects of task management, FCP, FC-FS, and FC-AL-2 actions.....31
  - 4.10 I\_T nexus loss notification events .....33
  - 4.11 Transport Reset notification events.....34
  - 4.12 Port login/logout.....34
  - 4.13 Process login/logout .....34
  - 4.14 Link management.....34
- 5 Fibre Channel protocol overview .....35
  - 5.1 FCP addressing and Exchange identification.....35
  - 5.2 SCSI third-party device identifier for the Fibre Channel protocol.....35
  - 5.3 Use of World Wide Names .....35
  - 5.4 FCP Information Units (IUs) .....36
  - 5.5 Fibre Channel protocol standard formats .....37
  - 5.6 FC-FS mappings to SCSI-3 functionality.....38
    - 5.6.1 FC-FS frame header.....38
    - 5.6.2 Frame header fields.....38
      - 5.6.2.1 R\_CTL .....38
      - 5.6.2.2 D\_ID.....38
      - 5.6.2.3 CS\_CTL .....38
      - 5.6.2.4 S\_ID .....38
      - 5.6.2.5 TYPE .....38
      - 5.6.2.6 F\_CTL.....39
      - 5.6.2.7 SEQ\_ID.....39
      - 5.6.2.8 DF\_CTL .....39
      - 5.6.2.9 SEQ\_CNT .....39
      - 5.6.2.10 OX\_ID .....39
      - 5.6.2.11 RX\_ID .....39
      - 5.6.2.12 PARAMETER.....40

6	FCP basic and extended link service definitions .....	40
6.1	Overview of link service requirements.....	40
6.2	Overview of Process Login/Logout.....	40
6.3	Process Login (PRLI) .....	41
6.3.1	Use of Process Login by the Fibre Channel protocol.....	41
6.3.2	Process_Associator requirements.....	41
6.3.3	New or repeated PRLI .....	41
6.3.4	Process Login request FCP Service Parameter page format .....	42
6.3.5	Process Login accept FCP Service Parameter page format.....	45
6.4	Process Logout (PRLO) .....	46
6.5	Read Exchange Concise (REC) .....	46
7	FC-4 specific name server objects .....	47
7.1	Overview of FC-4 specific objects for the Fibre Channel protocol .....	47
7.2	FC-4 Features object.....	47
7.3	FC-4 Descriptor object.....	47
8	FC-4 Link Service definitions .....	48
8.1	FC-4 Link Services for the Fibre Channel protocol .....	48
8.2	Sequence Retransmission Request (SRR).....	48
8.3	FCP FC-4 Link Service Reject.....	50
9	FCP Information Unit (IU) formats .....	52
9.1	FCP_CMND IU .....	52
9.1.1	FCP_CMND IU format.....	52
9.1.2	FCP_CMND IU Field descriptions .....	52
9.1.2.1	FCP_LUN .....	52
9.1.2.2	COMMAND REFERENCE NUMBER.....	53
9.1.2.3	TASK ATTRIBUTE .....	53
9.1.2.4	TASK MANAGEMENT FLAGS .....	53
9.1.2.5	ADDITIONAL FCP_CDB LENGTH .....	56
9.1.2.6	RDDATA .....	56
9.1.2.7	WRDATA .....	56
9.1.2.8	FCP_CDB.....	56
9.1.2.9	ADDITIONAL_FCP_CDB.....	56
9.1.2.10	FCP_DL .....	56
9.1.3	Additional mechanisms for performing task management functions - ABORT TASK.....	57
9.2	FCP_XFER_RDY IU.....	57
9.2.1	Overview and format of FCP_XFER_RDY IU .....	57
9.2.2	FCP_DATA_RO .....	57
9.2.3	FCP_BURST_LEN.....	58
9.3	FCP_DATA IU .....	58
9.4	FCP_RSP IU .....	59
9.4.1	Overview and format of FCP_RSP IU .....	59
9.4.2	FCP_CONF_REQ.....	60
9.4.3	FCP_RESID_UNDER.....	60
9.4.4	FCP_RESID_OVER.....	60
9.4.5	FCP_SNS_LEN_VALID .....	61
9.4.6	FCP_RSP_LEN_VALID .....	61
9.4.7	SCSI STATUS CODE.....	61
9.4.8	FCP_RESID .....	61
9.4.9	FCP_SNS_LEN .....	62
9.4.10	FCP_RSP_LEN .....	62
9.4.11	FCP_RSP_INFO .....	62
9.4.12	FCP_SNS_INFO .....	63
9.5	FCP_CONF IU.....	63

10	SCSI mode parameters for the Fibre Channel protocol .....	64
10.1	Overview of mode page codes for the Fibre Channel protocol .....	64
10.2	Disconnect-Reconnect mode page .....	64
10.2.1	Overview and format of Disconnect-Reconnect mode page for FCP .....	64
10.2.2	BUFFER FULL RATIO .....	65
10.2.3	BUFFER EMPTY RATIO .....	66
10.2.4	BUS INACTIVITY LIMIT .....	66
10.2.5	DISCONNECT TIME LIMIT .....	66
10.2.6	CONNECT TIME LIMIT .....	66
10.2.7	MAXIMUM BURST SIZE FIELD .....	66
10.2.8	ENABLE MODIFY DATA POINTERS (EMDP) .....	67
10.2.9	FAA, FAB, FAC .....	67
10.2.10	FIRST BURST SIZE .....	67
10.3	Fibre Channel Logical Unit Control mode page .....	68
10.4	Fibre Channel Port Control mode page .....	68
10.4.1	Overview and format of Fibre Channel Port Control mode page .....	68
10.4.2	DISABLE TARGET ORIGINATED LOOP INITIALIZATION (DTOLI) .....	69
10.4.3	DISABLE TARGET INITIATED PORT ENABLE (DTIPE) .....	69
10.4.4	ALLOW LOGIN WITHOUT LOOP INITIALIZATION (ALWLI) .....	69
10.4.5	REQUIRE HARD ADDRESS (RHA) .....	69
10.4.6	DISABLE LOOP MASTER (DLM) .....	69
10.4.7	DISABLE DISCOVERY (DDIS) .....	70
10.4.8	PREVENT LOOP PORT BYPASS (PLPB) .....	70
10.4.9	DISABLE TARGET FABRIC DISCOVERY (DTFD) .....	70
10.4.10	RESOURCE RECOVERY TIME-OUT VALUE (RR_TOV) .....	70
11	Timers for FCP operation and recovery .....	72
11.1	Summary of timers for the Fibre Channel protocol .....	72
11.2	Error_Detect Time-out (E_D_TOV) .....	72
11.3	Resource Allocation Time-out (R_A_TOV) .....	73
11.4	Resource Recovery Timer (RR_TOV) .....	73
11.5	Read Exchange Concise Time-out Value (REC_TOV) .....	74
11.6	Upper Level Protocol Time-out (ULP_TOV) .....	74
12	Link error recovery procedure .....	75
12.1	Overview .....	75
12.1.1	Exchange level error recovery .....	75
12.1.2	Sequence level error recovery .....	75
12.2	FCP Error Detection .....	75
12.2.1	Overview of FCP-2 Error Detection .....	75
12.2.2	FCP-2 Error Detection using protocol errors for all classes of service .....	75
12.2.3	Error Detection mechanisms for acknowledged classes of Service .....	76
12.3	Exchange level recovery using recovery abort .....	77
12.3.1	Recovery abort requirements .....	77
12.3.2	Initiator invocation of recovery abort .....	77
12.3.3	Target response to recovery abort .....	77
12.3.4	Additional error recovery by initiator .....	78
12.3.5	Additional error recovery by target .....	78

12.4	Sequence level error detection and recovery .....	78
12.4.1	Using information from REC to perform Sequence level recovery.....	78
12.4.1.1	Polling Exchange state with REC.....	78
12.4.1.2	Detection of errors while polling with REC.....	79
12.4.1.3	FCP_CMND IU Recovery using information from REC.....	79
12.4.1.4	FCP_XFER_RDY IU Recovery .....	79
12.4.1.5	FCP_RSP IU Recovery .....	79
12.4.1.6	FCP_DATA IU Recovery – Write .....	81
12.4.1.7	FCP_DATA IU Recovery – Read .....	81
12.4.1.8	FCP_CONF IU Recovery .....	81
12.4.2	Additional error recovery requirements .....	82
12.4.2.1	Error indicated in ACK.....	82
12.4.2.2	Missing ACK.....	82
12.4.2.3	Distinguishing exchange to be aborted.....	82
12.5	Second-level error recovery .....	83
12.5.1	ABTS .....	83
12.5.2	REC .....	83
12.5.3	SRR.....	83
12.6	Responses to FCP type frames before PLOGI or PRLI.....	83

Annex A (normative) FCP mapping to SAM-2 (Fibre Channel Protocol Service mapping to SCSI Architectural Model (SAM-2)).....	84
A.1 Definition of procedure terms .....	84
A.2 Notation for procedures and functions .....	85
A.3 Application client SCSI command services .....	86
A.4 Send SCSI command service.....	86
A.5 Data Transfer Protocol Services .....	87
A.5.1 Overview of data buffer movement services .....	87
A.5.2 Data-in delivery service .....	87
A.5.3 Data-out delivery service .....	87
A.6 Task management services.....	87
Annex B (informative) FCP examples .....	88
B.1 Examples of the use of FCP Information Units (IUs) .....	88
B.1.1 Overview of examples .....	88
B.1.2 SCSI FCP read operation.....	88
B.1.3 SCSI FCP write operation .....	89
B.1.4 SCSI FCP operation with no data transfer or with check condition.....	89
B.1.5 SCSI FCP read operation with multiple FCP_DATA IUs .....	90
B.1.6 SCSI FCP write operation with FCP_XFR_RDY disabled .....	90
B.1.7 SCSI linked commands .....	91
B.1.8 SCSI WRITE command with confirmed completion .....	91
B.1.9 SCSI FCP task management function .....	92
B.2 FCP write example, frame level .....	93
B.3 FCP read example, frame level.....	95
Annex C (informative) Error detection and recovery action examples.....	97
Annex D (informative) FCP-2 examples of link service usage.....	131
D.1 Formats for recovery link services.....	131
D.2 Abort Sequence (ABTS) Request .....	131
D.2.1 Abort Sequence (ABTS) Request fields.....	131
D.2.2 Basic Accept (BA_ACC) Frame to ABTS .....	132
D.2.3 Basic Reject (BA_RJT) Frame to ABTS.....	132
D.3 Reinstatement Recovery Qualifier (RRQ) .....	133
Annex E (informative) Bidirectional operation support.....	134
E.1 Introduction.....	134
E.2 Changes in the FCP device management model.....	134
E.2.1 Support of bidirectional operation.....	134
E.2.2 Relationship between bidirectional and unidirectional operation .....	134
E.3 FCP_CMND IU changes .....	135
E.3.1 FCP_CMND IU payload .....	135
E.3.2 TASK MANAGEMENT FLAGS .....	135
E.3.3 RDDATA and WRDATA .....	136
E.3.4 FCP_DL.....	136
E.3.5 FCP_BIDIRECTIONAL_READ_DL .....	136
E.4 FCP_DATA IU changes.....	136
E.5 FCP_RSP IU changes.....	137
E.5.1 FCP_RSP IU payload.....	137
E.5.2 FCP_BIDI_RSP.....	137
E.5.3 FCP_BIDI_READ_RESID_UNDER .....	137
E.5.4 FCP_BIDI_READ_RESID_OVER.....	138
E.5.5 FCP_RESID .....	138
E.5.6 FCP_BIDIRECTIONAL_READ_RESID .....	138

E.6	Error recovery changes .....	139
E.6.1	Overview .....	139
E.6.2	Sequence level error recovery.....	139
E.6.3	FCP-2 Error Detection using protocol errors for all classes of service.....	139
E.7	FCP Example .....	139
E.7.1	Overview.....	139
E.7.2	SCSI FCP bidirectional command with write before read .....	141
E.7.3	SCSI FCP bidirectional command with read before write .....	141
E.7.4	SCSI FCP bidirectional command, write first, write FCP_XFER_RDY disabled.....	142
E.7.5	SCSI FCP bidirectional command with intermixed writes and reads .....	143
Annex F	(informative) FCP Device Discovery Procedure .....	144
F.1	FCP Device Discovery Procedure .....	144
F.1.1	Initiator discovery of Fabric-attached targets .....	144
F.1.2	Initiator discovery of loop-attached targets.....	144
F.2	Fabric and Device Authentication.....	145
F.3	Logical unit authentication .....	145
Bibliography	.....	146

Table 1 – SCSI and Fibre Channel protocol functions .....	25
Table 2 – Discovery of FCP–2 capabilities .....	30
Table 3 – Task management functions, SAM–2 to FCP .....	31
Table 4 – Clearing effects of link related functions .....	32
Table 5 – Clearing effects of initiator actions .....	33
Table 6 – FCP third–party device id format .....	35
Table 7 – FCP Information Units (IUs) sent to targets .....	36
Table 8 – FCP Information Units (IUs) sent to initiators .....	37
Table 9 – FCP frame header .....	38
Table 10 – FCP Service Parameter page, PRLI request .....	42
Table 11 – FCP Service Parameter page, PRLI accept .....	45
Table 12 – FCP definition of FC–4 Feature bits .....	47
Table 13 – FCP FC–4 Link Service Requests and Responses for FCP–2 .....	48
Table 14 – SRR Payload .....	49
Table 15 – SRR Accept Payload .....	49
Table 16 – FCP FC–4 Link Service Reject (FCP_RJT) Payload .....	50
Table 17 – FCP FC–4 Link Service Reject reason codes .....	50
Table 18 – FCP FC–4 Link Service Reject reason code explanation .....	51
Table 19 – FCP_CMND IU Payload .....	52
Table 20 – TASK_ATTRIBUTE field values .....	53
Table 21 – task management Flags .....	54
Table 22 – FCP_XFER_RDY IU payload .....	57
Table 23 – FCP_RSP IU Payload .....	60
Table 24 – FCP_RSP_INFO field format .....	62
Table 25 – RSP_CODE definitions .....	63
Table 26 – Mode page codes for FCP .....	64
Table 27 – Disconnect–reconnect page (02h) .....	65
Table 28 – Fibre Channel Logical Unit Control page (18h) .....	68
Table 29 – Fibre Channel Port Control page (19h) .....	69
Table 30 – Values for RR_TOV UNITS .....	71
Table 31 – Timer summary .....	72
Table 32 – Initiator REC_TOV Usage .....	74
Table 33 – Target REC_TOV usage .....	74
Table A.1 – FCP procedure terms mapped to terms from SAM–2 standard .....	84
Table A.2 – Procedure Terms .....	85
Table A.3 – Processing of send SCSI command service procedure .....	86
Table A.4 – Processing of data–in delivery service procedure .....	87
Table A.5 – Processing of data–out delivery service procedure .....	87
Table B.1 – FCP read operation, example .....	88
Table B.2 – FCP write operation, example .....	89
Table B.3 – FCP operation without data transfer, example .....	89
Table B.4 – FCP read operation, example .....	90
Table B.5 – FCP write operation with FCP_XFER_RDY disabled, example .....	90
Table B.6 – FCP linked commands, example .....	91
Table B.7 – FCP write command with confirmed completion .....	91
Table B.8 – FCP task management function, example .....	93
Table C.1 – Diagram Drawing conventions .....	97
Table D.1 – ABTS Frame .....	131
Table D.2 – BA_ACC Frame to ABTS .....	132
Table D.3 – BA_RJT Frame to ABTS .....	132
Table D.4 – Reinstate Recovery Qualifier .....	133
Table E.1 – FCP_CMND payload for a bidirectional command .....	135
Table E.2 – FCP_RSP IU Payload .....	137
Table E.3 – FCP bidirectional command with write before read, example .....	140
Table E.4 – FCP bidirectional command with read before write, example .....	141
Table E.5 – FCP bidirectional command, write FCP_XFER_RDY disabled, example .....	142
Table E.6 – FCP bidirectional command with intermixed writes and reads, example .....	143

Figure B.1 – Example of class 2 FCP write I/O operation.....	93
Figure B.2 – Example of class 2 FCP_DATA write .....	94
Figure B.3 – Example of class 2 FCP read I/O operation .....	95
Figure B.4 – Example of class 2 FCP_DATA read .....	96
Figure C.1 – Lengthy FCP_CMND or Lost ACK .....	98
Figure C.2 – FCP_CMND Lost, Unacknowledged Classes .....	99
Figure C.3 – FCP_CMND Lost, Acknowledged Classes .....	100
Figure C.4 – FCP_CMND Acknowledgement Lost, Acknowledged Classes.....	101
Figure C.5 – FCP_XFER_RDY Lost, Unacknowledged Classes.....	102
Figure C.6 – FCP_XFER_RDY Lost, Acknowledged Classes.....	103
Figure C.7 – FCP_XFER_RDY Received, ACK Lost, Acknowledged Classes .....	104
Figure C.8 – FCP_RSP Lost, FCP_CONF not requested, Unacknowledged Classes.....	105
Figure C.9 – FCP_RSP Lost, FCP_CONF not requested, Acknowledged Classes .....	106
Figure C.10 – FCP_RSP Lost Read Command, no FCP_CONF, Acknowledged Classes.....	107
Figure C.11 – FCP_RSP Received, ACK Lost, Acknowledged Classes, Example 1 .....	108
Figure C.12 – FCP_RSP Received, ACK Lost, Acknowledged Classes, Example 2 .....	109
Figure C.13 – Lost Write Data, Last Frame of Sequence, Unacknowledged Classes .....	110
Figure C.14 – Lost Write Data, Last Frame of Sequence, Acknowledged Classes.....	111
Figure C.15 – Lost Write Data, Not Last Frame of Sequence, Unacknowledged Classes.....	112
Figure C.16 – Lost Write Data, Not Last Frame of Sequence, Acknowledged Classes.....	113
Figure C.17 – Lost Read Data, Last Frame of Sequence, Unacknowledged Classes .....	114
Figure C.18 – Lost Read Data, Last Frame of Sequence, Acknowledged Classes .....	115
Figure C.19 – Lost Read Data, Not Last Frame of Sequence, Unacknowledged Classes .....	116
Figure C.20 – Lost Read Data, Not Last Frame of Sequence, Acknowledged Classes.....	117
Figure C.21 – ACK Lost on Read (Acknowledged Classes).....	118
Figure C.22 – ACK Lost on Write (Acknowledged Classes) .....	119
Figure C.23 – FCP_CONF Lost, Unacknowledged Classes.....	120
Figure C.24 – FCP_CONF Lost, Acknowledged Classes.....	121
Figure C.25 – ACK lost on FCP_CONF, Acknowledged Classes.....	122
Figure C.26 – REC or REC Response Lost, Unacknowledged Classes .....	123
Figure C.27 – REC Lost, Acknowledged Classes.....	124
Figure C.28 – REC Response Lost, Acknowledged Classes .....	125
Figure C.29 – Two RECs Lost, Unacknowledged Classes, Abort the original Exchange .....	126
Figure C.30 – SRR Lost, Unacknowledged Classes, Abort original Exchange .....	127
Figure C.31 – SRR Response Lost, Unacknowledged Classes .....	128
Figure C.32 – SRR Lost, Acknowledged Classes.....	129
Figure C.33 – SRR Response Lost, Acknowledged Classes .....	130