ISO/IEC 14776-362 :2006-4 (E)

Technologies de l'information_- Interface de petit système d'ordinateur (SCSI)_- Partie_362: Commandes Multimedia SCSI_- 2 (MMC-2)

CONTENTS

FOREWORD 18
INTRODUCTION 20
1 Scope 21
2 References 21
2.1 Normative references 21
2.1.1 Approved references 21
2.1.2 References under development 22
2.2 Other references 22
3 Definitions, abbreviations and acronyms 22
3.1 Definitions of terms 22
3.2 Conventions 31
3.3 Keywords 31
4 C/DVD models 32
4.1 General 32
4.1.1 CD address reporting formats (MSF bit) 32
4.1.2 Logical blocks 33
4.1.3 Data cache 33
4.1.4 RESETS 34
4.1.5 Error reporting 35
4.1.6 Deferred errors 35
4.1.7 Removable medium 36
4.2 CD device model 37
4.2.1 Recorded CD media structure 37
4.2.2 Physical track topology – Multi-session disc 40
4.2.3 CD Audio error reporting 55
4.2.4 CD ready condition/not ready condition 55
4.2.5 Sensing support for CD-audio commands 57
4.3 DVD Model 57
4.3.1 DVD media functionality 57
4.3.2 Track structure 58
4.3.3 Recording for DVD-R 65
4.3.4 ECC Block 66
4.3.5 Sector configuration 66
4.3.6 DVD ready condition/Not ready condition 71
4.3.7 DVD copy protection 72
4.4 Changer model 76
4.4.1 Side definition 77
4.4.2 Changer addressing 79
4.4.3 Automatic load and unload operations 79
4.4.4 Delayed disc load operation 79
4.4.5 Prevent/Allow processing 81
4.4.6 Error reporting for Changers 81
5 Features and profiles 81
5.1 Introduction 81
5.2 Features 82
5.2.1 Version field 83
5.2.2 Persistent bit 83

5.2.3 Current bit 83
5.2.4 Additional length field 83
5.2.5 Feature codes 83
5.3 Feature definitions 85
5.3.1 Profile list feature (0000h) 85
5.3.2 Core feature (0001h) 86
5.3.3 Morphing feature (0002h) 88
5.3.4 Removable medium feature (0003h) 89
5.3.5 Random readable feature (0010h) 90
5.3.6 Multi-Read feature (001Dh) 92
5.3.7 CD read feature (001Eh) 92
5.3.8 DVD read feature (001Fh) 93
5.3.9 Random writable feature (0020h) 94
5.3.10 Incremental streaming writable (0021h) 95
5.3.11 Sector erasable feature (0022h) 97
5.3.12 Formattable feature (0023h) 97
5.3.13 Defect management feature (0024h) 98
5.3.14 Write once feature (0025h) 99
5.3.15 Restricted overwrite feature (0026h) 100
5.3.16 CD Track at once feature (002Dh) 101
5.3.17 CD mastering (session at once) feature (002Eh) 102
5.3.18 DVD-R write feature (002Fh) 104
5.3.19 Power management feature (0100h) 105
5.3.20 Embedded changer feature (0102h) 105
5.3.21 CD audio external play feature (0103h) 106
5.3.22 Microcode upgrade feature (0104h) 108
5.3.23 Time-out feature (0105h) 108
5.3.24 DVD-CSS Feature (0106h) 109
5.3.25 Real-time streaming feature (0107h) 110
5.3.26 Feature 0108h – Logical unit serial number 110
5.3.27 Feature 010Ah - Disc control blocks 111
5.4 Profile definitions 112
5.4.1 Profile 2 - Removable disk 113
5.4.2 Profile 3 - Magneto-optical 113
5.4.3 Profile 4 - Magneto-optical write once 114
5.4.4 Profile 5h - AS-MO 114
5.4.5 Profile 8 - CD-ROM 115
5.4.6 Profile 9 - CD-R 115
5.4.7 Profile Ah - CD-RW 116
5.4.8 Profile 10h - DVD-ROM 116
5.4.9 Profile 11h - DVD-R 117
5.4.10 Profile 12h - DVD re-writable 117
5.4.11 Profile FFFFh - Logical units not conforming to a standard profile 118
5.5 Parameters for all logical unit types 118
5.5.1 Mode pages 118
5.5.2 Mode select/sense parameters 119
5.5.3 Read/write error recovery parameters page (page code 01h) 121
5.5.4 Write parameters mode page (page code 05h) 126
5.5.5 CD device parameters (page code 0Dh) 130
5.5.6 CD audio control parameters page (page code 0Eh) 131
5.5.7 Power condition page (page code 1Ah) 133
5.5.8 Fault/failure reporting control page 134

5.5.9 Time-out and protect page 136
5.5.10 Capabilities and mechanical status page 137
6 Command descriptions for all logical units 141
6.1 C/DVD commands 142
6.1.1 BLANK command 143
6.1.2 CLOSE TRACK/SESSION command 145
6.1.3 FORMAT UNIT command 147
6.1.4 GET CONFIGURATION command 154
6.1.5 GET EVENT/STATUS NOTIFICATION 158
6.1.6 GET PERFORMANCE 167
6.1.7 LOAD/UNLOAD MEDIUM command 171
6.1.8 MECHANISM STATUS command 173
6.1.9 PAUSE/RESUME command 176
6.1.10 PLAY AUDIO (10) Command 177
6.1.11 PLAY AUDIO (12) command 178
6.1.12 PLAY AUDIO MSF command 179
6.1.13 Play CD command (obsolete) 180
6.1.14 READ BUFFER CAPACITY command (obsolete) 182
6.1.15 READ CD command 183
6.1.16 READ CD MSF command 191
6.1.17 READ CAPACITY command 193
6.1.18 READ DISC INFORMATION command 194
6.1.19 READ DVD STRUCTURE command 198
6.1.20 READ FORMAT CAPACITIES 215
6.1.21 READ HEADER command (obsolete) 219
6.1.22 READ MASTER CUE command (obsolete) 221
6.1.23 READ SUB-CHANNEL command 222
6.1.24 READ TOC/PMA/ATIP command 229
6.1.25 TOC/PMA/ATIP response data format 0100b 237
6.1.26 READ TRACK INFORMATION command 239
6.1.27 REPAIR TRACK command (obsolete) 247
6.1.28 REPORT KEY command 247
6.1.29 RESERVE TRACK command 253
6.1.30 SCAN command 255
6.1.31 SEND CUE SHEET command 258
6.1.32 SEND DVD STRUCTURE command 266
6.1.33 SEND EVENT Command 271
6.1.34 SEND KEY command 273
6.1.35 SEND OPC INFORMATION Command 275
6.1.36 SET CD SPEED command (obsolete) 277
6.1.37 SET READ AHEAD command 278
6.1.38 SET STREAMING command 279
6.1.39 STOP PLAY/SCAN command 282
6.1.40 SYNCHRONIZE CACHE command 283
6.1.41 WRITE (10) command 284
6.1.42 WRITE AND VERIFY (10) command 287
Annex A (normative) Additional Sense Codes for CD 289
A.1 Error reporting 289
Annex B (normative) ATAPI Compliance 299
B.1 Introduction 299

B.2 General 299
B.2.1 Terms 299
B.2.2 Supported Block Sizes 299
B.2.3 CD Audio error reporting 299
B.2.4 Multi-Initiator Environment 299
B.2.5 Command Packet Padding 300
B.2.6 Mapping of reset functions 300
B.3 ATAPI commands requirements 300
Annex C (normative) Requirements for SBP-2 compliance 303
C.1 SBP-2 definitions 303
C.2 SBP-2 Storage Model 304
C.2.1 Model configuration 304
C.2.2 Model operation 305
C.2.3 Reconnect/Power reset support (normative) 306
C.3 Configuration ROM support 306
C.3.1 Unit Directory – Command_Set_Spec_ID 306
C.3.2 Unit Directory – Command_Set 306
C.3.3 Unit Directory – Command_Set_Revision 307
C.3.4 Unit Directory – Logical_Unit_Number 307
C.4 Login support 307
C.5 Security support 308
C.6 Status block support 308
C.7 Unsolicited Status support 308
C.8 Unit attention condition 309
Annex D (normative) Requirements for Fibre Channel Protocol for SCSI Compliance 310
D.1 Introduction 310
D.2 General 310
D.2.1 Terms 310
D.2.2 Information units 310
D.2.3 Process login/logout 310
D.2.4 Sense information 310
D.2.5 Reset mapping 311
Annex E (normative) SCSI Implementation notes 312
E.1 Introduction 312
E.2 SCSI signal utilization 312
E.3 SCSI compatibility 312
E.3.1 Additions to the SCSI Standards (ISO/IEC 14776-xxx) 312
E.4 Reset Functionality 312
E.4.1 Power On Reset 312
E.4.2 Hard Reset 312
E.4.3 TARGET RESET task management function 313
E.4.4 Device Reset 313
E.4.5 Power Management and Device Reset in SCSI 313
E.4.6 Mapping of reset functions 314
Annex F (normative) Power management functions 315
F.1 Power management states 315
F.2 Power state transitions 316

F.2.1 Active State (D0) 316
F.2.2 Idle State (D1) 316
F.2.3 Standby State (D2) 316
F.2.4 Sleep State (D3) 317
F.3 Power management state diagram 317
F.4 Power Management Timers 318
F.5 Standby timer 319
F.6 Power Management Status Reporting 321
Annex G (informative) SCSI command listings 322
G.1 List of SCSI commands 322
Annex H (informative) Implementation of features 323
H.1 What's a Feature? 323
H.2 History 323
H.3 Implementation of Features 324
H.4 Compatibility 325
H.5 Summary 325
Annex I (informative) MMC command listings 326
Annex J (informative) CD -TEXT Format in the Lead-in Area 329
Bibliography 332

Figure 1 – Single Session Disc 40
Figure 2 – Multi-Session Recorded Disc 40
Figure 3 – Q Sub-channel Mode-1 Format recorded in Program Area 42
Figure 4 – Q Sub-channel Mode-2 Format 42
Figure 5 – Q Sub-channel, Mode-3 Format 43
Figure 6 – Q Sub-channel Mode-1 Format recorded in Lead-in 44
Figure 7 – Q Sub-channel Mode-5 Format recorded in Lead-in 45
Figure 8 – Synchronization Field pattern 46
Figure 9 – CD-R and CD-RW medium 50
Figure 10 – PMA, Q Sub-channel 51
Figure 11 – Packet Format 52
Figure 12 – Physical and Logical Layout of Single Layer DVD-ROM Media 59
Figure 13 – Physical and Logical Layout of Parallel Track Path DVD-ROM Media 60
Figure 14 – Physical and Logical Layout of Opposite Track Path DVD-ROM Media 61
Figure 15 – Physical and Logical Layout of DVD-R Media 62
Figure 16 – Physical and Logical Layout of Single Layer DVD + RW Media 63
Figure 17 – Physical and Logical Layout of DVD-RAM Media 64
Figure 18 – Data Organization within an ECC Block 66
Figure 19 – Formation of Data Unit 3 66
Figure 20 – Data Unit 1 67
Figure 21 – Data ID Field definition 67
Figure 22 – Data Structure of Disc Lead-in Area 68
Figure 23 – Device key exchange and authentication state diagram 73

Figure 24 – Authentication flag sequence 73
Figure 25 – Region State Diagram 76
Figure 26 – Media Changer Mechanism Model 77
Figure 27 – Changer State Diagram 79
Figure 28 – Read CD Sub-channel, R-W (100b) 190
Figure 29 – CD (CD-DA) 262
Figure 30 – CD-ROM mode 1 263
Figure 31 – CD-ROM XA, CD-I 263
Figure 32 – CD-ROM Mode 2 264
Figure 33 – Location of Sub-channel Data 265
Figure 34 – Stop Play/Play Audio/Audio Scan/Pause/Resume Sequencing 283
Figure C.1 – Mass storage interface block diagram 304
Figure C.2 – Command_Set_Spec_ID 306
Figure C.3 – Command_Set 307
Figure C.4 – Command_Set_Revision 307
Figure C.5 – Logical_Unit_Number 307
Figure C.6 – Status block for MMC-2 308
Figure F.1 – Power Management STATE diagram 318
Figure J.1 – Block number character position 330

Table 1 – MSF address format 33
Table 2 – Sense key responses for error reporting 35
Table 3 – Small Frame layout and definition 37
Table 4 – CD Frame Structure from Small Frames 38
Table 5 – Sub-Channel byte layout 38
Table 6 – P-Sub-Channel Layout 39
Table 7 – Q Sub-channel record format 41
Table 8 – ISRC 6 bit character codes (in hexadecimal) 43
Table 9 – Sync pattern block header 46
Table 10 – Mode zero data format 47
Table 11 – Mode 1 data format 47
Table 12 – Mode 2 formless block format 48
Table 13 – Mode 2 form 1 data format 48
Table 14 – Mode 2 form 1 sub-header format 49
Table 15 – Mode 2 form 2 data format 49
Table 16 – ATIP format 50
Table 17 – Block Identifier bits 53
Table 18 – Track Descriptor Block (TDB) header 54
Table 19 – Track Descriptor Unit (TDU) Format 54
Table 20 – Not Ready Error Reporting (by command) 56
Table 21 – Data field number for DVD media 68
Table 22 – Control structure of control data block 69

Table 23 – Common part of physical format information 69
Table 24 – Book type field 69
Table 25 – DVD-ROM unique part of physical format information 70
Table 26 – DVD-R unique part of physical format information 70
Table 27 – DVD-RAM unique part of physical format information 70
Table 28 – DVD + RW unique part of physical format 70
Table 29 – Data area allocation definition 71
Table 30 – Commands that may cause delayed loads to occur 80
Table 31 – Commands that will cause delayed loads to occur 80
Table 32 – Commands that should not cause delayed loads to occur 80
Table 33 – Error conditions and Sense Keys for Changer mechanisms 81
Table 34 – GET CONFIGURATION response data format 82
Table 35 – Feature header 82
Table 36 – Feature descriptor generic format 83
Table 37 – Feature codes 84
Table 38 – Profile list descriptor format 85
Table 39 – Profile descriptor 85
Table 40 – Profile list 86
Table 41 – Core commands 87
Table 42 – Core feature descriptor format 87
Table 43 – Physical interface standard 88
Table 44 – Morphing feature commands 88
Table 45 – Morphing descriptor format 88
Table 46 – Removable medium commands 89
Table 47 – Removable medium descriptor format 89
Table 48 – Loading mechanism type 90
Table 49 – Random readable feature 90
Table 50 – Random Readable Descriptor format 91
Table 51 – Multi-Read feature commands 92
Table 52 – Multi-Read descriptor format 92
Table 53 – CD READ commands 92
Table 54 – CD Read descriptor format 93
Table 55 – DVD READ feature commands 93
Table 56 – DVD read descriptor format 93
Table 57 – Random writable block device commands 94
Table 58 – Random writable descriptor format 94
Table 59 – Incremental streaming commands 95
Table 60 – Incremental streaming parameters 96
Table 61 – Incremental streaming writable descriptor format 96
Table 62 – Sector erasable feature commands 97
Table 63 – Sector erasable 97
Table 64 – Formattable feature commands 97

Table 65 – Formattable descriptor format 98
Table 66 – Defect management feature parameters 98
Table 67 – Defect management descriptor format 98
Table 68 – Write once feature commands 99
Table 69 – Write once feature parameters 99
Table 70 – Write once descriptor format 99
Table 71 – Restricted overwrite commands 100
Table 72 – Restricted Overwrite parameter 100
Table 73 – Restricted overwrite descriptor format 100
Table 74 – CD track at once feature commands 101
Table 75 – CD track at once feature parameters 101
Table 76 – CD Track at once descriptor format 101
Table 77 – CD mastering (session at once) feature commands 102
Table 78 – CD mastering (session at once) parameter 102
Table 79 – CD mastering (RAW) feature commands 102
Table 80 – CD mastering (RAW) parameters 102
Table 81 – CD mastering feature descriptor 103
Table 82 – DVD-R write commands 104
Table 83 – DVD-R write feature parameters 104
Table 84 – DVD-R write feature descriptor format 104
Table 85 – Power management commands 105
Table 86 – Power management mode parameters 105
Table 87 – Power management descriptor format 105
Table 88 – Embedded changer command 106
Table 89 – Embedded changer descriptor format 106
Table 90 – CD-audio external play feature commands 107
Table 91 – CD-Audio External Output Parameters 107
Table 92 – CD audio external play descriptor format 107
Table 93 – Microcode upgrade command 108
Table 94 – Microcode upgrade descriptor format 108
Table 95 – Time-out feature parameter 108
Table 96 – Time-Out Descriptor Format 109
Table 97 – DVD-CSS feature commands 109
Table 98 – DVD-CSS feature descriptor format 109
Table 99 – Real-time streaming feature commands 110
Table 100 – Real-time streaming feature descriptor format 110
Table 101 – Logical unit serial number feature descriptor 111
Table 102 – Disc control blocks feature commands 111
Table 103 – Disc control blocks feature descriptor 112
Table 104 – Mandatory features for removable disks 113
Table 105 – Mandatory features for magneto-optical erasable 113
Table 106 – Mandatory features for magneto-optical write once 114

Table 107 – Mandatory features for AS-MO 114
Table 108 – Mandatory features for CD-ROM 115
Table 109 – Mandatory features for CD-R 115
Table 110 – Mandatory features for CD-RW 116
Table 111 – Mandatory Features for DVD-ROM 116
Table 112 – Mandatory features for DVD-R 117
Table 113 – Mandatory features for DVD re-writable 117
Table 114 – Mandatory features for logical units not conforming to a standard profile 118
Table 115 – Mode page codes for C/DVD 118
Table 116 – Mode parameter list 119
Table 117 – Mode page format 119
Table 118 – Mode parameter header 120
Table 119 – Block Descriptor Block Sizes for Read 120
Table 120 – Read/Write Error Recovery Parameters Page Format 121
Table 121 – CD-ROM Devices, error recovery description 123
Table 122 – DVD Devices, Error Recovery Description 125
Table 123 – Write Parameters Mode Page 126
Table 124 – Write Type Field 127
Table 125 – Multi-session Field Definition 128
Table 126 – Data Block Type Codes 129
Table 127 – Session Format Codes 130
Table 128 – CD Parameters page 130
Table 129 – Inactivity timer multiplier values 131
Table 130 – CD Audio Control Mode Page Format 131
Table 131 – CDDA Output Port Channel Selection Codes 132
Table 132 – Attenuation Levels for Audio 133
Table 133 – Power Condition Mode Page Format 133
Table 134 – Fault/Failure Reporting Control Page 134
Table 135 – Method of Reporting Fault/Failure Reporting Field 135
Table 136 – Time-out & Protect Page 136
Table 137 – CD Capabilities and Mechanical Status Page 137
Table 138 – Loading Mechanism Type 139
Table 139 – Commands Specific to C/DVD Devices 142
Table 140 – BLANK Command Descriptor Block 143
Table 141 – Blanking types 144
Table 142 – Recommended errors for BLANK Command 145
Table 143 – CLOSE TRACK/SESSION Command Descriptor Block 145
Table 144 – Session and Track bits Definitions 146
Table 145 – Recommended errors for CLOSE TRACK/SESSION Command 147
Table 146 – Format Unit Command 147
Table 147 – DVD-RAM Defect List Handling 148
Table 148 – Format Unit Parameter List 149

Table 149 – Format List Header 149
Table 150 – Initialization Pattern Descriptor 150
Table 151 – IP Modifier Field 151
Table 152 – Initialization Pattern Type 151
Table 153 – CD-RW Format Descriptor 152
Table 154 – Format Code 001b Format Descriptor 153
Table 155 – Recommended errors for FORMAT UNIT Command 154
Table 156 – GET CONFIGURATION Command Descriptor Block 155
Table 157 – RT Field definition 155
Table 158 – GET CONFIGURATION response data format 156
Table 159 – Feature Header 156
Table 160 – Feature Descriptor generic format 156
Table 161 – Recommended Errors for GET CONFIGURATION Command 158
Table 162 – GET EVENT/STATUS NOTIFICATION Command 158
Table 163 – Notification Class Request 159
Table 164 – Event Status Notification Response 159
Table 165 – Event Header Return Data 159
Table 166 – Notification Class Field 160
Table 167 – Operational Change/Notification Returned Data 160
Table 168 – Operational Status Response 160
Table 169 – Operational Status Format 161
Table 170 – Operational Request/Report Format 161
Table 171 – Power Management Status Returned Data 161
Table 172 – Power Event Field 162
Table 173 – Power Status Field 162
Table 174 – External Request Descriptor 162
Table 175 – External Request Event Format 163
Table 176 – External Request Status Codes 163
Table 177 – External Request Codes 163
Table 178 – Media Event Descriptor 164
Table 179 – Media Event Format 164
Table 180 – Media Status Byte Definition 164
Table 181 – Multiple Initiator Descriptor 165
Table 182 – Multiple Initiator Event Format 165
Table 183 – Multiple Initiator Status Codes 165
Table 184 – Multiple Initiator Codes 166
Table 185 – Device Busy Event Descriptor 166
Table 186 – Device Busy Event Format 166
Table 187 – Device Busy Status Format 166
Table 188 – Recommended Errors for GET EVENT/STATUS NOTIFICATION command 167
Table 189 – GET PERFORMANCE command Descriptor Block 168
Table 190 – Performance response format 168

Table 191 – Performance Header 169
Table 192 – Performance Descriptor – Nominal Performance 170
Table 193 – Performance Descriptor – Exceptions 170
Table 194 – Recommended errors for GET PERFORMANCE command 171
Table 195 – LOAD/UNLOAD MEDIUM command 171
Table 196 – Load/Unload Operations 172
Table 197 – Recommended errors for LOAD/UNLOAD MEDIUM operation 172
Table 198 – MECHANISM STATUS Command Descriptor Block 173
Table 199 – Mechanism Status Parameter List 173
Table 200 – Mechanism Status Header 174
Table 201 – Changer State Field 174
Table 202 – Mechanism State Field 175
Table 203 – Slot Table Response Format 175
Table 204 – Recommended errors for Mechanism Status command 176
Table 205 – PAUSE/RESUME Command Descriptor Block 176
Table 206 – Recommended errors for PAUSE/RESUME command 176
Table 207 – PLAY AUDIO(10) Command Descriptor Block 177
Table 208 – Recommended errors for PLAY AUDIO (10) command 178
Table 209 – PLAY AUDIO (12) Command Descriptor Block 178
Table 210 – Recommended errors for PLAY AUDIO(12) Command 179
Table 211 – PLAY AUDIO MSF Command Descriptor Block 179
Table 212 – Recommended errors for PLAY AUDIO MSF Command 180
Table 213 – PLAY CD Command Descriptor Block 180
Table 214 – PLAY CD Field definition 181
Table 215 – Recommended errors PLAY CD command 181
Table 216 – READ BUFFER CAPACITY Command Descriptor Block 182
Table 217 – READ BUFFER CAPACITY data 182
Table 218 – Recommended errors for READ BUFFER CAPACITY command 183
Table 219 – READ CD Command Descriptor Block 183
Table 220 – Expected Sector type field bit definitions 184
Table 221 – Header Code field definition 184
Table 222 – READ CD, Error field definition 185
Table 223 – READ CD, Sub-channel Data Selection Field definition 185
Table 224 – Formatted Q Sub-channel response data 186
Table 225 – Number of Bytes Returned Based on Data Selection Field 187
Table 226 – CD-DA (Digital Audio) Data Block Format 188
Table 227 – P-W RAW data format 188
Table 228 – P-W Data de-interleaved and error corrected 189
Table 229 – Sub-channel R-W: Allowed mode/item combinations 191
Table 230 – Recommended errors for READ CD command 191
Table 231 – READ CD MSF Command Descriptor Block 192
Table 232 – Recommended errors for READ CD MSF command 192

Table 233 – READ CAPACITY Command Descriptor Block 193
Table 234 – READ CAPACITY Response Data format 193
Table 235 – Recommended errors for READ CAPACITY command 194
Table 236 – READ DISC INFORMATION Command Descriptor Block 194
Table 237 – Disc Information Block 195
Table 238 – Disc Status 196
Table 239 – State of Last Session 196
Table 240 – Disc Type Field – PMA 197
Table 241 – OPC Table Entry 198
Table 242 – Recommended errors for READ DISC INFORMATION Command 198
Table 243 – READ DVD STRUCTURE command 199
Table 244 – Format Code definitions for READ DVD STRUCTURE command 200
Table 245 – READ DVD STRUCTURE Data Format (Format field = 00h) 201
Table 246 – Layer Descriptor(s) 201
Table 247 – Book Type Field 202
Table 248 – Minimum Rate Field 202
Table 249 – Layer Type Field 203
Table 250 – Linear Density Field 203
Table 251 – Track Density Field 203
Table 252 – Starting Physical Sector Number of Main Data Field 203
Table 253 – READ DVD STRUCTURE Data Format (Format field = 01h) 204
Table 254 – READ DVD STRUCTURE Data Format (Format field = 02h) 205
Table 255 – READ DVD STRUCTURE Data Format (Format field = 03h) 205
Table 256 – READ DVD STRUCTURE Data Format (Format field = 04h) 206
Table 257 – READ DVD STRUCTURE Data Format (Format field = 05h) 206
Table 258 – READ DVD STRUCTURE Data Format (Format field = 08h) 207
Table 259 – READ DVD STRUCTURE Data Format (Format field = 0Ch) 208
Table 260 – READ DVD STRUCTURE Data Format (Format field = 0Dh) 208
Table 261 – READ DVD STRUCTURE Data Format (Format field = 0Eh) 209
Table 262 – READ DVD STRUCTURE Data Format (Format field = 0Fh) 211
Table 263 – Content Descriptor 211
Table 264 – READ DVD STRUCTURE Data Format (Format field = 30h) 212
Table 265 – Generic Disc Control Block 212
Table 266 – Unknown Content Descriptor Actions 212
Table 267 – Disc Control Block (FFFFFFFFh) 213
Table 268 – READ DVD STRUCTURE Data Format (Format field = FFh) 214
Table 269 – Structure List Entry 214
Table 270 – Recommended errors for READ DVD STRUCTURE command 215
Table 271 – READ FORMAT CAPACITIES Command Descriptor Block 215
Table 272 – READ FORMAT CAPACITIES Data Format 216
Table 273 – Capacity List Header 216
Table 274 – Current/Maximum Capacity Descriptor 216

Table 275 – Descriptor Types 217
Table 276 – Formattable Capacity Descriptor(s) 217
Table 277 – Format Type 218
Table 278 – Returned Current/Maximum Descriptor for Combination of Logical Unit and Media 219
Table 279 – Recommended errors for READ FORMAT CAPACITIES command 219
Table 280 – READ HEADER Command Descriptor Block 219
Table 281 – READ HEADER LBA data format 220
Table 282 – CD Data Mode field 220
Table 283 – READ HEADER MSF data format 221
Table 284 – Recommended errors for READ HEADER command 221
Table 285 – READ MASTER CUE Command Descriptor Block 221
Table 286 – Sheet Number Values 222
Table 287 – Master CD response data format 222
Table 288 – Recommended errors for READ MASTER CUE command 222
Table 289 – READ SUB-CHANNEL Command Descriptor Block 223
Table 290 – Sub-channel parameter list codes 223
Table 291 – Sub-Q Channel Data Header Format 224
Table 292 – Audio status codes 224
Table 293 – CD current position data format 225
Table 294 – ADR Q Sub-channel field 225
Table 295 – Q Sub-channel control field 226
Table 296 – Media Catalog Number data format 227
Table 297 – MCN Format of Data Returned 227
Table 298 – Track International Standard Recording Code data format 228
Table 299 – ISRC Format of Data Returned 228
Table 300 – ISRC Translation 229
Table 301 – Recommended errors for READ SUB-CHANNEL command 229
Table 302 – READ TOC/PMA/ATIP Command Descriptor Block 230
Table 303 – Format Field 230
Table 304 – READ TOC/PMA/ATIP parameter list, general definition 231
Table 305 – READ TOC/PMA/ATIP response data (Format = 0000b) 232
Table 306 – READ TOC/PMA/ATIP response data (Format = 0001b) 233
Table 307 – READ TOC/PMA/ATIP response data (Format = 0010b) 234
Table 308 – TOC Track Descriptor Format, Q Sub-channel 235
Table 309 – POINT Field 235
Table 310 – Disc Type Byte Format 236
Table 311 – READ TOC/PMA/ATIP response data (Format = 0011b) 236
Table 312 – READ TOC/PMA/ATIP response data (Format = 0100b) 237
Table 313 – Lowest CLV Recording Speeds 238
Table 314 – Highest CLV Recording Speeds 238
Table 315 – READ TOC/PMA/ATIP response data (With Format Field = 0101b) 239
Table 316 – Recommended errors for READ TOC/PMA/ATIP command 239

Table 317 – READ TRACK INFORMATION Command Descriptor Block 240
Table 318 – LBA/Track/Session Number Field definition 240
Table 319 – Track Information Block 241
Table 320 – Write Parameter Restrictions due to Track State 243
Table 321 – Track Status Indications 244
Table 322 – Data Mode 244
Table 323 – Next Writable Address Definition 245
Table 324 – Recommended errors for READ TRACK INFORMATION command 246
Table 325 – REPAIR TRACK Command Descriptor Block 247
Table 326 – Recommended errors for REPAIR TRACK command 247
Table 327 – REPORT KEY Command Descriptor Block 248
Table 328 – Key Format Code definitions for REPORT KEY Command 248
Table 329 – REPORT KEY Data Format (With KEY Format = 000000b) 249
Table 330 – REPORT KEY Data Format (With KEY Format = 000001b) 249
Table 331 – REPORT KEY Data Format (With KEY Format = 000010b) 250
Table 332 – REPORT KEY Data Format (With KEY Format = 000100b) 250
Table 333 – REPORT KEY Data Format (with KEY Format = 000101b) 251
Table 334 – REPORT KEY Data Format (with KEY Format = 001000b) 252
Table 335 – Type Code Field Definitions 252
Table 336 – RPC Scheme field Definition 253
Table 337 – Recommended errors for REPORT KEY command 253
Table 338 – RESERVE TRACK Command Descriptor Block 253
Table 339 – Track reservation sizing (CD) 254
Table 340 – TRACK reservation sizing (DVD) 254
Table 341 – Recommended errors for RESERVE TRACK command 255
Table 342 – SCAN Command Descriptor Block 256
Table 343 – Type field bit definitions 256
Table 344 – Scan starting address field format-logical blocks 256
Table 345 – Scan Starting Address format – MIN, SEC, FRAME format 257
Table 346 – Scan Starting Address Format-Track Number (TNO) 257
Table 347 – Recommended errors for SCAN operation 257
Table 348 – SEND CUE SHEET Command Descriptor Block 258
Table 349 – Cue Sheet format 258
Table 350 – Sample CUE SHEET 259
Table 351 – Cue Sheet Data 260
Table 352 – CTL/ADR byte 260
Table 353 – Control Field 260
Table 354 – ADR Field 261
Table 355 – Data Form Byte 261
Table 356 – SCMS Byte 261
Table 357 – CD-DA Data format (1 Sample) 262
Table 358 – Data Form of Sub-channel 264

Table 359 – Media Catalog Number (N1..N13) 266
Table 360 – ISRC (I1..I12) 266
Table 361 – Recommended Sense Key, ASC and ASCQ SEND CUE SHEET command 266
Table 362 – SEND DVD STRUCTURE Command Descriptor Block 267
Table 363 – Format Field Definition 267
Table 364 – SEND DVD STRUCTURE Data Format (Format Code = 04h) 268
Table 365 – SEND DVD STRUCTURE Data Format (Format Code = 05h) 268
Table 366 – SEND DVD STRUCTURE Data Format (Format Code = 0Fh) 269
Table 367 – SEND DVD STRUCTURE Data Format (Format Code = 30h) 270
Table 368 – Recommended errors for SEND DVD STRUCTURE Command 271
Table 369 – SEND EVENT Command Descriptor Block 271
Table 370 – Event Parameter Header 272
Table 371 – Operational Change/Notification Parameter Data 272
Table 372 – Operational Event Field 272
Table 373 – Recommended errors for SEND EVENT Command 273
Table 374 – SEND KEY Command Descriptor Block 273
Table 375 – Key Format Code definitions for SEND KEY command 274
Table 376 – SEND KEY Parameter List (KEY Format field =000001b) 274
Table 377 – SEND KEY Parameter List (KEY Format field =000011b) 274
Table 378 – SEND KEY Parameter List (KEY Format field =000110b) 275
Table 379 – Recommended errors for SEND KEY Command 275
Table 380 – SEND OPC INFORMATION Command Descriptor Block 276
Table 381 – SEND OPC INFORMATION Parameter List 276
Table 382 – Recommended errors for SEND OPC INFORMATION command 277
Table 383 – SET CD SPEED Command Descriptor Block 277
Table 384 – Recommended errors for SET CD SPEED command 277
Table 385 – SET READ AHEAD Command Descriptor Block 278
Table 386 – Recommended errors for SET READ AHEAD command 278
Table 387 – SET STREAMING Command Descriptor Block 279
Table 388 – Performance Descriptor 280
Table 389 – Recommended errors for SET STREAMING command 281
Table 390 – STOP PLAY/SCAN Command Descriptor Block 282
Table 391 – Recommended errors for STOP PLAY/SCAN command 282
Table 392 – SYNCHRONIZE CACHE command 284
Table 393 – Recommended errors for SYNCHRONIZE CACHE command 284
Table 394 – WRITE (10) command 285
Table 395 – LBA to MSF translation 286
Table 396 – Recommended errors for WRITE Command 287
Table 397 – WRITE AND VERIFY (10) command 288
Table 398 – Recommended errors for WRITE AND VERIFY (10) command 288
Table A.1 – Logical Unit Sense Key, ASC and ASCQ Assignments 289
Table A.2 – Logical Unit General Errors 294

Table 359 – Media Catalog Number (N1..N13) 266
Table 360 – ISRC (I1..I12) 266
Table 361 – Recommended Sense Key, ASC and ASCQ SEND CUE SHEET command 266
Table 362 – SEND DVD STRUCTURE Command Descriptor Block 267
Table 363 – Format Field Definition 267
Table 364 – SEND DVD STRUCTURE Data Format (Format Code = 04h) 268
Table 365 – SEND DVD STRUCTURE Data Format (Format Code = 05h) 268
Table 366 – SEND DVD STRUCTURE Data Format (Format Code = 0Fh) 269
Table 367 – SEND DVD STRUCTURE Data Format (Format Code = 30h) 270
Table 368 – Recommended errors for SEND DVD STRUCTURE Command 271
Table 369 – SEND EVENT Command Descriptor Block 271
Table 370 – Event Parameter Header 272
Table 371 – Operational Change/Notification Parameter Data 272
Table 372 – Operational Event Field 272
Table 373 – Recommended errors for SEND EVENT Command 273
Table 374 – SEND KEY Command Descriptor Block 273
Table 375 – Key Format Code definitions for SEND KEY command 274
Table 376 – SEND KEY Parameter List (KEY Format field =000001b) 274
Table 377 – SEND KEY Parameter List (KEY Format field =000011b) 274
Table 378 – SEND KEY Parameter List (KEY Format field =000110b) 275
Table 379 – Recommended errors for SEND KEY Command 275
Table 380 – SEND OPC INFORMATION Command Descriptor Block 276
Table 381 – SEND OPC INFORMATION Parameter List 276
Table 382 – Recommended errors for SEND OPC INFORMATION command 277
Table 383 – SET CD SPEED Command Descriptor Block 277
Table 384 – Recommended errors for SET CD SPEED command 277
Table 385 – SET READ AHEAD Command Descriptor Block 278
Table 386 – Recommended errors for SET READ AHEAD command 278
Table 387 – SET STREAMING Command Descriptor Block 279
Table 388 – Performance Descriptor 280
Table 389 – Recommended errors for SET STREAMING command 281
Table 390 – STOP PLAY/SCAN Command Descriptor Block 282
Table 391 – Recommended errors for STOP PLAY/SCAN command 282
Table 392 – SYNCHRONIZE CACHE command 284
Table 393 – Recommended errors for SYNCHRONIZE CACHE command 284
Table 394 – WRITE (10) command 285
Table 395 – LBA to MSF translation 286
Table 396 – Recommended errors for WRITE Command 287
Table 397 – WRITE AND VERIFY (10) command 288
Table 398 – Recommended errors for WRITE AND VERIFY (10) command 288
Table A.1 – Logical Unit Sense Key, ASC and ASCQ Assignments 289
Table A.2 – Logical Unit General Errors 294

Table 359 – Media Catalog Number (N1..N13) 266
Table 360 – ISRC (I1..I12) 266
Table 361 – Recommended Sense Key, ASC and ASCQ SEND CUE SHEET command 266
Table 362 – SEND DVD STRUCTURE Command Descriptor Block 267
Table 363 – Format Field Definition 267
Table 364 – SEND DVD STRUCTURE Data Format (Format Code = 04h) 268
Table 365 – SEND DVD STRUCTURE Data Format (Format Code = 05h) 268
Table 366 – SEND DVD STRUCTURE Data Format (Format Code = 0Fh) 269
Table 367 – SEND DVD STRUCTURE Data Format (Format Code = 30h) 270
Table 368 – Recommended errors for SEND DVD STRUCTURE Command 271
Table 369 – SEND EVENT Command Descriptor Block 271
Table 370 – Event Parameter Header 272
Table 371 – Operational Change/Notification Parameter Data 272
Table 372 – Operational Event Field 272
Table 373 – Recommended errors for SEND EVENT Command 273
Table 374 – SEND KEY Command Descriptor Block 273
Table 375 – Key Format Code definitions for SEND KEY command 274
Table 376 – SEND KEY Parameter List (KEY Format field =000001b) 274
Table 377 – SEND KEY Parameter List (KEY Format field =000011b) 274
Table 378 – SEND KEY Parameter List (KEY Format field =000110b) 275
Table 379 – Recommended errors for SEND KEY Command 275
Table 380 – SEND OPC INFORMATION Command Descriptor Block 276
Table 381 – SEND OPC INFORMATION Parameter List 276
Table 382 – Recommended errors for SEND OPC INFORMATION command 277
Table 383 – SET CD SPEED Command Descriptor Block 277
Table 384 – Recommended errors for SET CD SPEED command 277
Table 385 – SET READ AHEAD Command Descriptor Block 278
Table 386 – Recommended errors for SET READ AHEAD command 278
Table 387 – SET STREAMING Command Descriptor Block 279
Table 388 – Performance Descriptor 280
Table 389 – Recommended errors for SET STREAMING command 281
Table 390 – STOP PLAY/SCAN Command Descriptor Block 282
Table 391 – Recommended errors for STOP PLAY/SCAN command 282
Table 392 – SYNCHRONIZE CACHE command 284
Table 393 – Recommended errors for SYNCHRONIZE CACHE command 284
Table 394 – WRITE (10) command 285
Table 395 – LBA to MSF translation 286
Table 396 – Recommended errors for WRITE Command 287
Table 397 – WRITE AND VERIFY (10) command 288
Table 398 – Recommended errors for WRITE AND VERIFY (10) command 288
Table A.1 – Logical Unit Sense Key, ASC and ASCQ Assignments 289
Table A.2 – Logical Unit General Errors 294

Table A.3 – Media Access Errors 296
Table A.4 – Logical Unit Write Errors 298
Table A.5 – Logical Unit Fixation Errors 298
Table B.1 – Example Reset Function Mapping in ATAPI 300
Table B.2 – ATAPI Commands Requirements 301
Table E.1 – Example Reset Function Mapping in SCSI 314
Table F.1 – Power Management Model States 315
Table F.2 – State Transition, Events and Status 319
Table F.3 – Effects of Initiator commands on Timers 320
Table G.1 – Commands common to all SCSI devices 322
Table I.1 – Multimedia commands – Alphabetically 326
Table I.2 – Multimedia commands – By OpCode 327
Table I.3 – Commands common to all SCSI devices 328
Table J.1 – CD-TEXT Pack Data format for the Lead-in area 329
Table J.2 – Pack type indicator definitions 330