

ISO 4691:2009-06 (E)

Iron ores - Determination of titanium - Diantiprylmethane spectrophotometric method

| Contents | | Page |
|------------------------------|--------------------------------------------------------------------------------------------------|-------------|
| Foreword | | iv |
| 1 | Scope | 1 |
| 2 | Normative references | 1 |
| 3 | Principle | 1 |
| 4 | Reagents | 2 |
| 5 | Apparatus | 3 |
| 6 | Sampling and samples | 3 |
| 6.1 | Laboratory samples | 3 |
| 6.2 | Preparation of predried test samples | 3 |
| 7 | Procedure | 3 |
| 7.1 | Number of determinations | 3 |
| 7.2 | Blank test and check test | 3 |
| 7.3 | Test portion | 4 |
| 7.4 | Determination | 4 |
| 7.4.1 | Decomposition of the test portion | 4 |
| 7.4.2 | Spectrophotometric determination | 5 |
| 7.4.3 | Preparation of calibration graph | 6 |
| 8 | Expression of results | 6 |
| 8.1 | Calculation of mass fraction of titanium | 6 |
| 8.2 | General treatment of results | 6 |
| 8.2.1 | Repeatability and permissible tolerance | 6 |
| 8.2.2 | Determination of analytical result | 7 |
| 8.2.3 | Between-laboratories precision | 7 |
| 8.2.4 | Check for trueness | 8 |
| 8.2.5 | Calculation of final result | 9 |
| 8.3 | Oxide factor | 9 |
| 9 | Test report | 9 |
| Annex A (normative) | Flowsheet of the procedure for the acceptance of analytical values for test samples | 10 |
| Annex B (informative) | Derivation of repeatability and permissible tolerance equations | 11 |
| Annex C (informative) | Precision data obtained by international analytical trials | 12 |