

# ISO 21826-1:2022-07 (E)

## Iron ores - Determination of total iron content using the EDTA photometric titration method - Part 1: Microwave digestion method

---

<b>Contents</b>		<b>Page</b>
Foreword .....		iv
<b>1</b>	<b>Scope .....</b>	<b>1</b>
<b>2</b>	<b>Normative references .....</b>	<b>1</b>
<b>3</b>	<b>Terms and definitions .....</b>	<b>1</b>
<b>4</b>	<b>Principle .....</b>	<b>2</b>
<b>5</b>	<b>Reagents .....</b>	<b>2</b>
<b>6</b>	<b>Apparatus .....</b>	<b>5</b>
<b>7</b>	<b>Sampling and samples .....</b>	<b>6</b>
7.1	Laboratory sample .....	6
7.2	Preparation of test samples .....	6
7.2.1	General .....	6
7.2.2	Ores having significant contents of combined water or oxidizable compounds .....	6
7.2.3	Ores outside the scope of 7.2.2 .....	6
<b>8</b>	<b>Procedures .....</b>	<b>6</b>
8.1	Number of determinations .....	6
8.2	Test portion .....	6
8.3	Blank test .....	7
8.4	Determination .....	7
8.4.1	Decomposition of the test portion .....	7
8.4.2	Titration .....	7
8.5	Procedure of blank test .....	7
<b>9</b>	<b>Expression of results .....</b>	<b>8</b>
9.1	Calculation of total iron content .....	8
9.2	General treatment of results .....	8
9.2.1	Repeatability and permissible tolerance .....	8
9.2.2	Methods for checking the acceptability of the test results and determining the final quoted result .....	9
9.2.3	Between-laboratories precision .....	9
9.2.4	Check for trueness .....	9
9.2.5	Calculation of final result .....	10
9.3	Oxide factors .....	10
<b>10</b>	<b>Test report .....</b>	<b>11</b>
<b>Annex A (informative) Flowsheet of the procedure for the acceptance of analytical values for test samples .....</b>		<b>12</b>
<b>Annex B (informative) Typical titration curves .....</b>		<b>13</b>
<b>Annex C (informative) Titration parameters for reference .....</b>		<b>15</b>
<b>Bibliography .....</b>		<b>26</b>