DIN EN 54-16:2008-06 (E)

Fire detection and fire alarm systems - Part 16: Voice alarm control and indicating equipment

Contents

Page

Foreword 4

Introduction 6

1 Scope 7

2 Normative references 7

3 Terms, definitions and abbreviations 8
3.1 Terms and definitions 8
3.2 Abbreviations 10

4 General requirements 11
4.1 General 11
4.2 Combined VACIE and CIE 11
4.3 Power supply 11

5 General requirements for indications 11
5.1 Display and functional conditions 11
5.2 Indication display 12
5.3 Indication on alphanumeric displays 12
5.4 Indication of the supply of power 12
5.5 Additional indications 12

6 The quiescent condition 12

7 The voice alarm condition 12
7.1 Reception and processing of fire signals 12
7.2 Indication of the voice alarm condition 13
7.3 Audible warning (option with requirements) 13
7.4 Delays to entering the voice alarm condition (option with requirements) 13
7.5 Phased evacuation (option with requirements) 13
7.6 Silencing of the voice alarm condition 13
7.7 Reset of the voice alarm condition 14
7.8 Output to fire alarm devices (option with requirements) 14
7.9 Voice alarm condition output (option with requirements) 14

8 Fault warning condition 14
8.1 Reception and processing of fault signals 14
8.2 Indication of faults in specified functions 15
8.3 Indication of faults related to the transmission path to the CIE (option with requirements) 16
8.4 Indication of faults related to voice alarm zones (option with requirements) 16
8.5 System fault 16
8.6 Audible indication 16
8.7 Reset of fault indications 16
8.8 Transmission of the fault warning condition 16

9 Disablement condition (option with requirements) 17
9.1 General requirements 17
9.2 Indication of the disabled condition 17

9.3 Indication of specific disablements 17
9.4 Disablements and their indication 17
9.5 Transmission of the disablement condition 17

10 Voice alarm manual control (option with requirements) 18
10.1 General requirements 18
10.2 Indication of the voice alarm zones in an activated condition 18
10.3 Indication of the voice alarm zones in fault condition 18
10.4 Indication of the voice alarm zones in disablement condition 18

11 Interface to external control device(s) (option with the requirements) 18

12 Emergency microphone(s) (option with requirements) 19

13 Design requirements 19
13.1 General requirements and manufacturer's declaration 19
13.2 Documentation 20
13.3 Mechanical design requirements 20
13.4 Electrical and other design requirements 21
13.5 Integrity of transmission paths 21
13.6 Accessibility of indications and controls 21
13.7 Indications by means of light emitting indicators 22
13.8 Indications on alphanumeric displays 22
13.9 Indication colours 22
13.10 Audible indications 23
13.11 Indicator testing 23
13.12 Audio performance 23
13.13 Message store(s) 25
13.14 Redundant power amplifiers (option with requirements) 25

14 Additional design requirements for software controlled VACIE 25
14.1 General requirements and manufacturer's declarations 25
14.2 Software documentation 25
14.3 Software design 26
14.4 Program monitoring (see also Annex C) 26
14.5 The storage of programs and data (see also Annex C) 27
14.6 Monitoring of memory contents 27

15 Marking 27

16 Tests 28
16.1 General 28
16.2 Functional tests 29
16.3 Audio performance and environmental tests 31
16.4 Output power 32
16.5 Signal-to-noise ratio 34
16.6 Frequency response of VACIE without microphone(s) 35
16.7 Frequency response of VACIE with microphone(s) 36
16.8 Cold (operational) 37
16.9 Damp heat, steady state (operational) 38
16.10 Damp heat, steady state (endurance) 39
16.11 Impact (operational) 40
16.12 Vibration, sinusoidal (operational) 41
16.13 Vibration, sinusoidal (endurance) 42
16.14 Supply voltage variation (operational) 42
16.15 Electromagnetic Compatibility (EMC), Immunity tests (operational) 43

Annex A (informative) Explanation of access level 45

Annex B (informative) Optional functions with requirements and alternatives 47

Annex C (informative) Design requirements for software controlled VACIE 49

Annex D (informative) General information about voice alarm systems 50

Annex E (informative) Interface between the VACIE and the CIE 53

Annex F (informative) Common indications, controls and outputs when the VACIE and the CIE are combined 54

Annex ZA (informative) Clauses of this European Standard addressing the provisions of the EU Construction Products Directive (89/106/EEC) 56

Bibliography 65