

# DIN EN 54-16:2008-06 (E)

## Fire detection and fire alarm systems - Part 16: Voice alarm control and indicating equipment

---

<b>Contents</b>		<b>Page</b>
Foreword .....		4
Introduction .....		6
<b>1</b>	<b>Scope .....</b>	<b>7</b>
<b>2</b>	<b>Normative references .....</b>	<b>7</b>
<b>3</b>	<b>Terms, definitions and abbreviations .....</b>	<b>8</b>
3.1	Terms and definitions .....	8
3.2	Abbreviations .....	10
<b>4</b>	<b>General requirements .....</b>	<b>11</b>
4.1	General .....	11
4.2	Combined VACIE and CIE .....	11
4.3	Power supply .....	11
<b>5</b>	<b>General requirements for indications .....</b>	<b>11</b>
5.1	Display and functional conditions .....	11
5.2	Indication display .....	12
5.3	Indication on alphanumeric displays .....	12
5.4	Indication of the supply of power .....	12
5.5	Additional indications .....	12
<b>6</b>	<b>The quiescent condition .....</b>	<b>12</b>
<b>7</b>	<b>The voice alarm condition .....</b>	<b>12</b>
7.1	Reception and processing of fire signals .....	12
7.2	Indication of the voice alarm condition .....	13
7.3	Audible warning (option with requirements) .....	13
7.4	Delays to entering the voice alarm condition (option with requirements) .....	13
7.5	Phased evacuation (option with requirements) .....	13
7.6	Silencing of the voice alarm condition .....	13
7.7	Reset of the voice alarm condition .....	14
7.8	Output to fire alarm devices (option with requirements) .....	14
7.9	Voice alarm condition output (option with requirements) .....	14
<b>8</b>	<b>Fault warning condition .....</b>	<b>14</b>
8.1	Reception and processing of fault signals .....	14
8.2	Indication of faults in specified functions .....	15
8.3	Indication of faults related to the transmission path to the CIE (option with requirements) .....	16
8.4	Indication of faults related to voice alarm zones (option with requirements) .....	16
8.5	System fault .....	16
8.6	Audible indication .....	16
8.7	Reset of fault indications .....	16
8.8	Transmission of the fault warning condition .....	16
<b>9</b>	<b>Disablement condition (option with requirements) .....</b>	<b>17</b>
9.1	General requirements .....	17
9.2	Indication of the disabled condition .....	17

9.3	Indication of specific disablements .....	17
9.4	Disablements and their indication .....	17
9.5	Transmission of the disablement condition .....	17
10	Voice alarm manual control (option with requirements) .....	18
10.1	General requirements .....	18
10.2	Indication of the voice alarm zones in an activated condition .....	18
10.3	Indication of the voice alarm zones in fault condition .....	18
10.4	Indication of the voice alarm zones in disablement condition .....	18
11	Interface to external control device(s) (option with the requirements) .....	18
12	Emergency microphone(s) (option with requirements) .....	19
13	Design requirements .....	19
13.1	General requirements and manufacturer's declaration .....	19
13.2	Documentation .....	20
13.3	Mechanical design requirements .....	20
13.4	Electrical and other design requirements .....	21
13.5	Integrity of transmission paths .....	21
13.6	Accessibility of indications and controls .....	21
13.7	Indications by means of light emitting indicators .....	22
13.8	Indications on alphanumeric displays .....	22
13.9	Indication colours .....	22
13.10	Audible indications .....	23
13.11	Indicator testing .....	23
13.12	Audio performance .....	23
13.13	Message store(s) .....	25
13.14	Redundant power amplifiers (option with requirements) .....	25
14	Additional design requirements for software controlled VACIE .....	25
14.1	General requirements and manufacturer's declarations .....	25
14.2	Software documentation .....	25
14.3	Software design .....	26
14.4	Program monitoring (see also Annex C) .....	26
14.5	The storage of programs and data (see also Annex C) .....	27
14.6	Monitoring of memory contents .....	27
15	Marking .....	27
16	Tests .....	28
16.1	General .....	28
16.2	Functional tests .....	29
16.3	Audio performance and environmental tests .....	31
16.4	Output power .....	32
16.5	Signal-to-noise ratio .....	34
16.6	Frequency response of VACIE without microphone(s) .....	35
16.7	Frequency response of VACIE with microphone(s) .....	36
16.8	Cold (operational) .....	37
16.9	Damp heat, steady state (operational) .....	38
16.10	Damp heat, steady state (endurance) .....	39
16.11	Impact (operational) .....	40
16.12	Vibration, sinusoidal (operational) .....	41
16.13	Vibration, sinusoidal (endurance) .....	42
16.14	Supply voltage variation (operational) .....	42
16.15	Electromagnetic Compatibility (EMC), Immunity tests (operational) .....	43
Annex A (informative)	Explanation of access level .....	45
Annex B (informative)	Optional functions with requirements and alternatives .....	47
Annex C (informative)	Design requirements for software controlled VACIE .....	49

<b>Annex D (informative) General information about voice alarm systems .....</b>	<b>50</b>
<b>Annex E (informative) Interface between the VACIE and the CIE .....</b>	<b>53</b>
<b>Annex F (informative) Common indications, controls and outputs when the VACIE and the CIE are combined .....</b>	<b>54</b>
<b>Annex ZA (informative) Clauses of this European Standard addressing the provisions of the EU Construction Products Directive (89/106/EEC) .....</b>	<b>56</b>
<b>Bibliography .....</b>	<b>65</b>