

ISO 7240-3:2010-12 (E)

Fire detection and alarm systems - Part 3: Audible alarm devices

Contents		Page
Foreword		iv
Introduction		vi
1	Scope	1
2	Normative references	1
3	Terms, definitions and abbreviated terms	2
3.1	Terms and definitions	2
3.2	Abbreviated terms	3
4	Requirements	3
4.1	Compliance	3
4.2	Sound pressure level	3
4.3	Frequency and sound pattern	4
4.4	Audible alarm devices (a.a.d.s) with voice	4
4.5	Synchronization -- Optional function	4
4.6	Construction	5
4.7	On-site adjustment of the mode of operation	5
4.8	Durability	6
4.9	Marking and data	6
4.10	Requirements for software-controlled a.a.d.s	7
5	Tests	8
5.1	General	8
5.2	Reproducibility	11
5.3	Operational performance	11
5.4	Durability	12
5.5	Dry heat (operational)	12
5.6	Dry heat (endurance)	13
5.7	Cold (operational)	14
5.8	Damp heat, cyclic (operational)	15
5.9	Damp heat, steady state (endurance)	16
5.10	Damp heat, cyclic (endurance)	16
5.11	Sulfur dioxide (SO ₂) corrosion (endurance)	17
5.12	Shock (operational)	18
5.13	Impact (operational)	19
5.14	Vibration, sinusoidal (operational)	20
5.15	Vibration, sinusoidal (endurance)	21
5.16	Electromagnetic compatibility (EMC), immunity (operational)	21
5.17	Enclosure protection	23
5.18	Operational performance for a.a.d.s with voice	24
5.19	Sequence timing for a.a.d.s with voice	24
5.20	Synchronization (optional)	25
6	Test report	26
Annex A (normative)	Sound pressure level test for a.a.d	28
Annex B (normative)	Comparative sound pressure level test during environmental conditioning	32
Annex C (informative)	Comparison of flammability test requirements in various standards	37
Bibliography		39