ISO 7240-8:2014-12 (E)

Fire detection and alarm systems - Part 8: Point-type fire detectors using a carbon monoxide sensor in combination with a heat sensor

Contents

Page

Foreword vi

Introduction viii

1 Scope 1

2 Normative references 1

3 Terms and definitions and abbreviated terms 2
3.1 Terms and definitions 2
3.2 Abbreviated terms 2

4 Requirements 2
4.1 Compliance 2
4.2 Individual alarm indication 2
4.3 Connection of ancillary devices 3
4.4 Monitoring of detachable detectors 3
4.5 Manufacturer's adjustments 3
4.6 On-site adjustment of response behaviour 3
4.7 Rate-sensitive response behaviour 3
4.8 Requirements for software-controlled detectors 4
4.8.1 General 4
4.8.2 Software design 4
4.8.3 The storage of programs and data 4

5 Tests 4
5.1 General 4
5.1.1 Atmospheric conditions for tests 4
5.1.2 Mounting arrangements 4
5.1.3 Operating conditions for tests 5
5.1.4 Tolerances 5
5.1.5 Measurement of CO response value 5
5.1.6 Measurement of heat sensor response value 6
5.1.7 Provision for tests 6
5.1.8 Test schedule 7
5.1.9 Test report 7
5.2 Repeatability of CO response 7
5.2.1 Object of the test 7
5.2.2 Test procedure 7
5.2.3 Requirements 7
5.3 Directional dependence of CO response 8
5.3.1 Object of the test 8
5.3.2 Test procedure 8
5.3.3 Requirements 9
5.4 Directional dependence of heat response 9
5.4.1 Object of the test 9
5.4.2 Test procedure 9
5.4.3 Requirements 9
5.5 Lower limit of heat sensitivity 9
5.5.1 Object of the test 9
5.5.2 Test procedure 9

5.5.3 Requirements 10
5.6 Reproducibility of CO response 10
5.6.1 Object of the test 10
5.6.2 Test procedure 10
5.6.3 Requirements 10
5.7 Reproducibility of heat response 10
5.7.1 Object of the test 10
5.7.2 Test procedure 10
5.7.3 Requirements 11
5.8 Exposure to chemical agents at environmental concentrations 11
5.8.1 Object of the test 11
5.8.2 Test procedure 11
5.8.3 Requirements 11
5.9 Long-term stability of CO response 12
5.9.1 Object of the test 12
5.9.2 Test procedure 12
5.9.3 Requirements 12
5.10 Saturation 12
5.10.1 Object of the test 12
5.10.2 Test procedure 13
5.10.3 Requirements 13
5.11 Exposure to chemical agents which may be present during a fire 13
5.11.1 Object of the test 13
5.11.2 Test procedure 13
5.11.3 Requirements 14
5.12 Variation in supply parameters 14
5.12.1 Object of the test 14
5.12.2 Test procedure 14
5.12.3 Requirements 15
5.13 Air movement 15
5.13.1 Object of the test 15
5.13.2 Test procedure 15
5.13.3 Requirements 15
5.14 Dry heat (operational) 16
5.14.1 Object of the test 16
5.14.2 Test procedure 16
5.14.3 Requirements 16
5.15 Dry heat endurance 16
5.15.1 Object 16
5.15.2 Test procedure 17
5.15.3 Requirements 17
5.16 Cold (operational) 17
5.16.1 Object of the test 17
5.16.2 Test procedure 18
5.16.3 Requirements 18
5.17 Damp heat, cyclic (operational) 19
5.17.1 Object 19
5.17.2 Test procedure 19
5.17.3 Requirements 19
5.18 Damp heat, steady-state (endurance) 20
5.18.1 Object of the test 20
5.18.2 Test procedure 20
5.18.3 Requirements 20
5.19 Low humidity, steady-state (endurance) 21
5.19.1 Object of the test 21
5.19.2 Test procedure 21
5.19.3 Requirements 21
5.20 Sulfur dioxide SO2 corrosion (endurance) 22
5.20.1 Object of the test 22
5.20.2 Test procedure 22
5.20.3 Requirements 22
5.21 Shock (operational) 23

5.21.1 Object of the test 23
5.21.2 Test procedure 23
5.21.3 Requirements 24
5.22 Impact (operational) 24
5.22.1 Object of the test 24
5.22.2 Test procedure 24
5.22.3 Requirements 25
5.23 Vibration, sinusoidal, (operational) 25
5.23.1 Object of the test 25
5.23.2 Test procedure 25
5.23.3 Requirements 26
5.24 Vibration, sinusoidal (endurance) 26
5.24.1 Object of the test 26
5.24.2 Test procedure 26
5.24.3 Requirements 27
5.25 Electromagnetic Compatibility (EMC), Immunity tests (operational) 27
5.26 Fire sensitivity 28
5.26.1 Object of the test 28
5.26.2 Test procedure 28

6 Test report 30

7 Marking 30

8 Data 31
8.1 Hardware documentation 31
8.2 Software documentation 31

Annex A (normative) Gas test chamber for CO response value and cross sensitivity measurements 33

Annex B (normative) Heat tunnel for response time and response temperature measurements 34

Annex C (normative) Apparatus for impact test 35

Annex D (normative) Fire test room 37

Annex E (normative) Smouldering (pyrolysis) wood fire (TF2) 39

Annex F (normative) Glowing smouldering cotton fire (TF3) 43

Annex G (normative) Open plastics (polyurethane) fire (TF4) 47

Annex H (normative) Liquid (n-heptane) fire (TF5) 50

Annex I (informative) Information concerning the construction of the gas test chamber 53

Annex J (informative) Construction of the heat tunnel 55