DIN EN 54-26:2015-11 (E)

Fire detection and fire alarm systems - Part 26: Carbon monoxide detectors - Point detectors

Contents

Page

Foreword 5

Introduction 7

1 Scope 8

2 Normative references 8

3 Terms, definitions and abbreviations 9
3.1 Terms and definitions 9
3.2 Abbreviations 9

4 Requirements 9
4.1 General 9
4.2 Nominal activation conditions/sensitivity 9
4.2.1 Individual alarm indication 9
4.2.2 Rate sensitive CO response 9
4.2.3 Response to slowly developing fires 9
4.2.4 Repeatability 10
4.2.5 Directional dependence 10
4.2.6 Reproducibility 10
4.2.7 Air movement 10
4.3 Operational reliability 10
4.3.1 Connection of ancillary devices 10
4.3.2 Monitoring of detachable detectors 10
4.3.3 Manufacturer's adjustments 10
4.3.4 On-site adjustment of behaviour 10
4.3.5 Software controlled detectors 11
4.3.6 Long term stability 12
4.4 Tolerance to supply voltage -- Variation in supply parameters 12
4.5 Performance parameters under fire conditions -- Fire sensitivity 12
4.6 Durability of nominal activation conditions/sensitivity 12
4.6.1 Temperature resistance 12
4.6.2 Humidity resistance 12
4.6.3 Corrosion resistance -- SO2 corrosion (endurance) 13
4.6.4 Shock and vibration resistance 13
4.6.5 Electrical stability -- EMC, immunity (operational) 13
4.6.6 Resistance to chemical agents 13

5 Test and assessment methods 14
5.1 General 14
5.1.1 Atmospheric conditions for tests 14
5.1.2 Operating conditions for tests 14
5.1.3 Mounting arrangements 14
5.1.4 Tolerances 14
5.1.5 Measurement of CO response value 14
5.1.6 Provision for tests 15
5.1.7 Test schedule 15
5.2 Nominal activation conditions/sensitivity 16
5.2.1 Individual alarm indication 16
5.2.2 Rate sensitive CO response 17

5.2.3 Response to slowly developing fires ... 17
5.2.4 Repeatability ... 17
5.2.5 Directional dependence ... 18
5.2.6 Reproducibility ... 18
5.2.7 Air movement ... 19
5.3 Operational reliability ... 19
5.3.1 Connection of ancillary devices ... 19
5.3.2 Monitoring of detachable detectors ... 19
5.3.3 Manufacturer's adjustments ... 19
5.3.4 On-site adjustment of behaviour ... 19
5.3.5 Software controlled detectors ... 19
5.3.6 Long term stability ... 19
5.4 Tolerance to supply voltage ... 20
5.4.1 Variation in supply parameters ... 20
5.5 Performance parameters under fire conditions ... 21
5.5.1 Fire sensitivity ... 21
5.6 Durability of nominal activation conditions/sensitivity ... 23
5.6.1 Temperature resistance ... 23
5.6.2 Humidity resistance ... 25
5.6.3 Corrosion resistance -- SO2 corrosion (endurance) ... 29
5.6.4 Shock and vibration resistance ... 30
5.6.5 Electrical stability ... 34
5.6.6 Resistance to chemical agents ... 35

6 Assessment and verification of constancy of performance (AVCP) ... 37
6.1 General ... 37
6.2 Type testing ... 37
6.2.1 General ... 37
6.2.2 Test samples, testing and compliance criteria ... 38
6.2.3 Test reports ... 39
6.3 Factory production control (FPC) ... 39
6.3.1 General ... 39
6.3.2 Requirements ... 40
6.3.3 Product specific requirements ... 42
6.3.4 Initial inspection of factory and FPC ... 42
6.3.5 Continuous surveillance of FPC ... 43
6.3.6 Procedure for modifications ... 43
6.3.7 One-off products, pre-production products, (e.g. prototypes) and products produced in very low quantities ... 43

7 Classification ... 44

8 Marking, labelling and packaging ... 44

Annex A (normative) Gas test chamber for response value and cross-sensitivity ... 46

A.1 General ... 46
A.2 Gas test chamber specification ... 46

Annex B (normative) CO and smoke measuring instruments ... 48

B.1 General ... 48
B.2 CO measuring instrument ... 48
B.3 Obscuration meter ... 48
B.4 Measuring ionization chamber (MIC) ... 48

Annex C (normative) Fire test room ... 49

C.1 General ... 49
C.2 Fire test room specification ... 49

Annex D (informative) Establishing exposure levels of chemical agents ... 52

D.1 General 52
D.2 Establishing concentration of chemical agents for test gases 1 to 9 52
D.3 Verification of test chamber leakage 52
D.4 Establishing concentration of ozone 52

Annex E (normative) Smouldering (pyrolysis) wood fire (TF2) 54

E.1 General 54
E.2 Fuel 54
E.3 Hotplate 54
E.4 Arrangement 54
E.5 Heating rate 54
E.6 End of test condition 54
E.7 Test validity criteria 54

Annex F (normative) Glowing smouldering cotton fire (TF3) 59

F.1 General 59
F.2 Fuel 59
F.3 Arrangement 59
F.4 Ignition 60
F.5 End of test condition 60
F.6 Test validity criteria 61

Annex G (informative) Information concerning the construction of the gas test chamber 64

G.1 General 64
G.2 Construction of the gas test chamber 64

Annex H (informative) Apparatus for impact test 66

H.1 General 66
H.2 Apparatus construction 66

Annex ZA (informative) Clauses of this European Standard addressing the provisions of the EU Construction Products Regulation 69

Bibliography 79