

# DIN EN 54-26:2015-11 (E)

## Fire detection and fire alarm systems - Part 26: Carbon monoxide detectors - Point detectors

---

<b>Contents</b>		<b>Page</b>
Foreword .....		5
Introduction .....		7
<b>1</b>	<b>Scope .....</b>	<b>8</b>
<b>2</b>	<b>Normative references .....</b>	<b>8</b>
<b>3</b>	<b>Terms, definitions and abbreviations .....</b>	<b>9</b>
3.1	Terms and definitions .....	9
3.2	Abbreviations .....	9
<b>4</b>	<b>Requirements .....</b>	<b>9</b>
4.1	General .....	9
4.2	Nominal activation conditions/sensitivity .....	9
4.2.1	Individual alarm indication .....	9
4.2.2	Rate sensitive CO response .....	9
4.2.3	Response to slowly developing fires .....	9
4.2.4	Repeatability .....	10
4.2.5	Directional dependence .....	10
4.2.6	Reproducibility .....	10
4.2.7	Air movement .....	10
4.3	Operational reliability .....	10
4.3.1	Connection of ancillary devices .....	10
4.3.2	Monitoring of detachable detectors .....	10
4.3.3	Manufacturer's adjustments .....	10
4.3.4	On-site adjustment of behaviour .....	10
4.3.5	Software controlled detectors .....	11
4.3.6	Long term stability .....	12
4.4	Tolerance to supply voltage -- Variation in supply parameters .....	12
4.5	Performance parameters under fire conditions -- Fire sensitivity .....	12
4.6	Durability of nominal activation conditions/sensitivity .....	12
4.6.1	Temperature resistance .....	12
4.6.2	Humidity resistance .....	12
4.6.3	Corrosion resistance -- SO <sub>2</sub> corrosion (endurance) .....	13
4.6.4	Shock and vibration resistance .....	13
4.6.5	Electrical stability -- EMC, immunity (operational) .....	13
4.6.6	Resistance to chemical agents .....	13
<b>5</b>	<b>Test and assessment methods .....</b>	<b>14</b>
5.1	General .....	14
5.1.1	Atmospheric conditions for tests .....	14
5.1.2	Operating conditions for tests .....	14
5.1.3	Mounting arrangements .....	14
5.1.4	Tolerances .....	14
5.1.5	Measurement of CO response value .....	14
5.1.6	Provision for tests .....	15
5.1.7	Test schedule .....	15
5.2	Nominal activation conditions/sensitivity .....	16
5.2.1	Individual alarm indication .....	16
5.2.2	Rate sensitive CO response .....	17

5.2.3	Response to slowly developing fires .....	17
5.2.4	Repeatability .....	17
5.2.5	Directional dependence .....	18
5.2.6	Reproducibility .....	18
5.2.7	Air movement .....	19
5.3	Operational reliability .....	19
5.3.1	Connection of ancillary devices .....	19
5.3.2	Monitoring of detachable detectors .....	19
5.3.3	Manufacturer's adjustments .....	19
5.3.4	On-site adjustment of behaviour .....	19
5.3.5	Software controlled detectors .....	19
5.3.6	Long term stability .....	19
5.4	Tolerance to supply voltage .....	20
5.4.1	Variation in supply parameters .....	20
5.5	Performance parameters under fire conditions .....	21
5.5.1	Fire sensitivity .....	21
5.6	Durability of nominal activation conditions/sensitivity .....	23
5.6.1	Temperature resistance .....	23
5.6.2	Humidity resistance .....	25
5.6.3	Corrosion resistance -- SO <sub>2</sub> corrosion (endurance) .....	29
5.6.4	Shock and vibration resistance .....	30
5.6.5	Electrical stability .....	34
5.6.6	Resistance to chemical agents .....	35
6	Assessment and verification of constancy of performance (AVCP) .....	37
6.1	General .....	37
6.2	Type testing .....	37
6.2.1	General .....	37
6.2.2	Test samples, testing and compliance criteria .....	38
6.2.3	Test reports .....	39
6.3	Factory production control (FPC) .....	39
6.3.1	General .....	39
6.3.2	Requirements .....	40
6.3.3	Product specific requirements .....	42
6.3.4	Initial inspection of factory and FPC .....	42
6.3.5	Continuous surveillance of FPC .....	43
6.3.6	Procedure for modifications .....	43
6.3.7	One-off products, pre-production products, (e.g. prototypes) and products produced in very low quantities .....	43
7	Classification .....	44
8	Marking, labelling and packaging .....	44
Annex A (normative) Gas test chamber for response value and cross-sensitivity .....		46
A.1	General .....	46
A.2	Gas test chamber specification .....	46
Annex B (normative) CO and smoke measuring instruments .....		48
B.1	General .....	48
B.2	CO measuring instrument .....	48
B.3	Obscuration meter .....	48
B.4	Measuring ionization chamber (MIC) .....	48
Annex C (normative) Fire test room .....		49
C.1	General .....	49
C.2	Fire test room specification .....	49
Annex D (informative) Establishing exposure levels of chemical agents .....		52

D.1	General .....	52
D.2	Establishing concentration of chemical agents for test gases 1 to 9 .....	52
D.3	Verification of test chamber leakage .....	52
D.4	Establishing concentration of ozone .....	52
<b>Annex E (normative) Smouldering (pyrolysis) wood fire (TF2) .....</b>		<b>54</b>
E.1	General .....	54
E.2	Fuel .....	54
E.3	Hotplate .....	54
E.4	Arrangement .....	54
E.5	Heating rate .....	54
E.6	End of test condition .....	54
E.7	Test validity criteria .....	54
<b>Annex F (normative) Glowing smouldering cotton fire (TF3) .....</b>		<b>59</b>
F.1	General .....	59
F.2	Fuel .....	59
F.3	Arrangement .....	59
F.4	Ignition .....	60
F.5	End of test condition .....	60
F.6	Test validity criteria .....	61
<b>Annex G (informative) Information concerning the construction of the gas test chamber .....</b>		<b>64</b>
G.1	General .....	64
G.2	Construction of the gas test chamber .....	64
<b>Annex H (informative) Apparatus for impact test .....</b>		<b>66</b>
H.1	General .....	66
H.2	Apparatus construction .....	66
<b>Annex ZA (informative) Clauses of this European Standard addressing the provisions of the EU Construction Products Regulation .....</b>		<b>69</b>
<b>Bibliography .....</b>		<b>79</b>