ISO 7240-22:2017-09 (E)

Fire detection and alarm systems - Part 22: Smoke-detection equipment for ducts

Contents

Page

Foreword vi

Introduction vii

1 Scope 1

2 Normative references 1

3 Termsanddefinitions 2

4 Requirements 2
4.1 Compliance 2
4.2 Visual alarm indication 2
4.3 Connection of ancillary devices 2
4.4 Monitoring of detachable detectors 3
4.5 Manufacturer's adjustments 3
4.6 On-site adjustment of response behaviour 3
4.7 Requirements for software-controlled smoke-detection equipment for ducts 3
4.7.1 General 3
4.7.2 Software design 3
4.7.3 Storage of programs and data 3

5 Tests 4
5.1 General 4
5.1.1 Atmospheric conditions for tests 4
5.1.2 Mounting arrangements 4
5.1.3 Operating conditions for tests 4
5.1.4 Tolerances 4
5.1.5 Response threshold value 4
5.1.6 Provision for tests 5
5.1.7 Test schedule 6
5.1.8 Test report 6
5.2 Repeatability 6
5.2.1 Object of test 6
5.2.2 Test procedure 6
5.2.3 Requirements 7
5.3 Reproducibility 7
5.3.1 Object of test 7
5.3.2 Test procedure 7
5.3.3 Requirements 7
5.4 Variation in supply parameters 7
5.4.1 Object of test 7
5.4.2 Test procedure 8
5.4.3 Requirements 8
5.5 Dazzling 8
5.5.1 Object of test 8
5.5.2 Test procedure 8
5.5.3 Requirements 9
5.6 Dry heat (operational) 9
5.6.1 Object of test 9
5.6.2 Test procedure 9
5.6.3 Requirements 10

5.7 Cold (operational) 10
5.7.1 Object of test 10
5.7.2 Test procedure 10
5.7.3 Requirements 11
5.8 Damp heat, steady-state (operational) 11
5.8.1 Object of test 11
5.8.2 Test procedure 11
5.8.3 Requirements 11
5.9 Damp heat, steady-state (endurance) 12
5.9.1 Object of test 12
5.9.2 Test procedure 12
5.9.3 Requirements 12
5.10 Sulfur dioxide, SO2, corrosion (endurance) 13
5.10.1 Object of test 13
5.10.2 Test procedure 13
5.10.3 Requirements 13
5.11 Shock (operational) 14
5.11.1 Object of test 14
5.11.2 Test procedure 14
5.11.3 Requirements 14
5.12 Impact (operational) 15
5.12.1 Object of test 15
5.12.2 Test procedure 15
5.12.3 Requirements 15
5.13 Vibration, sinusoidal (operational) 16
5.13.1 Object of test 16
5.13.2 Test procedure 16
5.13.3 Requirements 17
5.14 Vibration, sinusoidal (endurance) 17
5.14.1 Object of test 17
5.14.2 Test procedure 17
5.14.3 Requirements 18
5.15 Air leakage 18
5.15.1 Object of test 18
5.15.2 Test procedure 18
5.15.3 Requirements 18
5.16 Electromagnetic compatibility (EMC) immunity tests (operational) 19
5.16.1 Object of test 19
5.16.2 Test procedure 19
5.16.3 Requirements 19
5.17 Fire sensitivity 20
5.17.1 Object of test 20
5.17.2 Test procedure 20
5.17.3 Requirements 21

6 Test report 21

7 Marking 22

8 Data 22
8.1 Hardware documentation 22
8.2 Software documentation 23

Annex A (normative)Smoketunnelandfiretestroomarrangement for response measurements 24

Annex B (normative) Test aerosol for response threshold value measurements 25

Annex C (normative) Smoke-measuring instruments 26

Annex D (normative) Apparatus for dazzling test 30

Annex E (normative) Apparatus for impact test 31

Annex F (informative) Air-leakage test apparatus 33

Annex G (normative)Rapidsmouldering(pyrolysis)woodfire(TF2) 34

Annex H (normative)Openplastics(polyurethane)fire(TF4) 37

Annex I (informative) Information concerning the construction of the smoke tunnel 39

Annex J (informative) Information concerning the construction of the measuring ionization chamber 42

Bibliography 44