

ISO 7240-2:2017-11 (E)

Fire detection and alarm systems - Part 2: Fire detection control and indicating equipment

Contents		Page
Foreword		vi
Introduction		vii
1	Scope	1
2	Normative references	1
3	Terms, definitions and abbreviated terms	1
4	Requirements	2
4.1	General	2
4.2	Compliance	3
4.3	Quiescent condition	3
4.4	Fire alarm condition	3
4.4.1	Reception and processing of fire signals	3
4.4.2	Indication of fire alarm condition	4
4.4.3	Indication of fire detection zones in alarm	4
4.4.4	Audible indication	4
4.4.5	Other indications during the fire alarm condition	5
4.4.6	Reset from fire alarm condition	5
4.4.7	Output of fire alarm condition	5
4.4.8	Output to fire alarm signalling function -- Optional function	5
4.4.9	Control of fire alarm routing function -- Optional function	6
4.4.10	Output to fire protection control function -- Optional function	6
4.4.11	Delays to outputs -- Optional function	7
4.4.12	Dependency on more than one alarm signal -- Optional function	8
4.4.13	Alarm counter -- Optional function	9
4.4.14	Output of standard emergency evacuation signal -- Optional function	9
4.5	Fault warning condition	9
4.5.1	Reception and processing of fault signals	9
4.5.2	Indication of faults	9
4.5.3	Fault monitoring of fire protection control function -- Optional function	11
4.5.4	Fault signals from points -- Optional function	11
4.5.5	Total loss of the power supply -- Optional function	11
4.5.6	System fault	11
4.5.7	Audible indication	11
4.5.8	Reset of fault indications	12
4.5.9	Fault output	12
4.5.10	Output to fault warning routing function -- Optional function	12
4.6	Disabled condition -- Optional function	12
4.6.1	General	12
4.6.2	Disablements	13
4.6.3	Disablement and enablement of addressable points -- Optional function	13
4.6.4	Indication of the disabled condition	13
4.7	Test condition -- Optional function	14
4.7.1	General requirements	14
4.7.2	Indication of test condition	14
4.7.3	Indication of fire detection zones in test state	14
4.8	Supervisory signal condition -- Optional function	14
4.8.1	Reception and processing of supervisory signals	14

4.8.2	Indication of the supervisory signal condition	15
4.8.3	Indication of the supervisory signals from fire detection zones	15
4.8.4	Audible indication	15
4.8.5	Reset of supervisory signal	16
4.8.6	Supervisory signal condition output	16
4.9	Standardized input/output interface -- Optional function	16
4.10	Accessibility of indications and controls	17
4.11	Visual indications	17
4.11.1	General	17
4.11.2	Indications by means of light-emitting indicators	17
4.11.3	Indications on alphanumeric displays	18
4.12	Audible indications	19
4.13	Additional indications	19
4.14	Testing of indicators	19
4.15	Power supply	19
4.16	Mechanical	19
4.17	Integrity of transmission paths	20
4.18	Software	20
4.18.1	General	20
4.18.2	Program monitoring	20
4.18.3	Storage of programs and data	21
4.18.4	Monitoring of memory contents	21
5	Tests	21
5.1	General	21
5.1.1	Standard atmospheric conditions for testing	21
5.1.2	Specimen configuration	22
5.1.3	Mounting and orientation	22
5.1.4	Electrical connection	22
5.1.5	Provision for tests	22
5.2	Functional test	22
5.2.1	Object of test	22
5.2.2	Test schedule	22
5.2.3	Fire alarm condition	23
5.2.4	Fault warning condition	23
5.2.5	Disabled condition	23
5.2.6	Requirements	23
5.3	Environmental tests	23
5.3.1	General	23
5.3.2	Tests for one specimen	24
5.3.3	Tests for two specimens	24
5.3.4	Tests for three specimens	24
5.3.5	Requirements	24
5.4	Cold (operational)	24
5.4.1	Object of test	24
5.4.2	Test procedure	25
5.4.3	Requirements	25
5.5	Damp heat, steady-state (operational)	25
5.5.1	Object of test	25
5.5.2	Test procedure	26
5.5.3	Requirements	26
5.6	Impact (operational) -- Optional test	26
5.6.1	Object of test	26
5.6.2	Test procedure	27
5.6.3	Requirements	27
5.7	Vibration, sinusoidal (operational) -- Optional test	28
5.7.1	Object of test	28
5.7.2	Test procedure	28
5.7.3	Requirements	29
5.8	Electromagnetic compatibility (EMC) -- Immunity tests (operational)	29
5.8.1	Test procedure	29

5.8.2	Requirements	30
5.9	Supply voltage variation (operational)	30
5.9.1	Object of test	30
5.9.2	Test procedure	30
5.9.3	Requirements	30
5.10	Damp heat, steady-state (endurance)	31
5.10.1	Object of test	31
5.10.2	Test procedure	31
5.10.3	Requirements	31
5.11	Vibration, sinusoidal (endurance)	32
5.11.1	Object of test	32
5.11.2	Test procedure	32
5.11.3	Requirements	32
5.12	Dry heat (operational) -- Optional	33
5.12.1	Object of test	33
5.12.2	Test procedure	33
5.12.3	Requirements	33
6	Test report	33
7	Marking	34
8	Data	34
8.1	General	34
8.2	Software documentation	34
8.3	Hardware documentation	35
8.4	Installation and user documentation	35
Annex A (informative) Optional functions with requirements and alternatives		37
Annex B (informative) Processing of signals from fire detectors		38
Annex C (informative) Explanation of fire detection zones and zonal indication of fire alarms		39
Annex D (informative) Delays to outputs		40
Annex E (informative) Fault recognition and indication		42
Annex F (informative) Systems related to the supervisory signal condition		43
Annex G (informative) Standardized input/output interface for the connection of ancillary equipment (e.g. fire brigade panel)		44
Annex H (informative) Explanation of access levels		45
Annex I (informative) Integrity of transmission paths		47
Annex J (informative) Design requirements for software-controlled fire detection control and indicating equipment		48
Bibliography		49