

DIN EN 13565-2:2018-12 (E)

Fixed firefighting systems - Foam systems - Part 2: Design, construction and maintenance

Contents		Page
European foreword		5
Introduction		6
1	Scope	7
2	Normative references	7
3	Terms and definitions	8
3.1	Definitions	8
3.2	Abbreviations	12
4	Foam extinguishing systems	12
4.1	General	12
4.1.1	General requirements	12
4.1.2	Application rates	13
4.1.3	Environmental considerations	14
4.1.4	Planning	14
4.1.5	Documentation	15
4.1.6	Supplementary manual foam fire fighting provisions	15
4.1.7	Equipment	15
4.2	Water supply	16
4.2.1	Water demand	16
4.2.2	Operating time	16
4.2.3	Quality of water	16
4.2.4	Power supply for water pumps	17
4.3	Foam concentrate	17
4.3.1	General	17
4.3.2	Foam concentrate supply - low and medium expansion foams	17
4.3.3	Foam concentrate pumps	18
4.3.4	Supplementary external connections	18
4.4	Foam proportioners	18
4.5	Pipework	18
4.5.1	Water and foam solution pipework	18
4.5.2	Foam concentrate piping	19
4.5.3	Non Newtonian foam concentrate	19
4.5.4	Piping of aspirated foam (including that for subsurface foam applications)	19
4.5.5	Marking	19
4.6	Foam discharge outlets and generators	20
4.7	Operation and control systems	20
4.7.1	Detection of fires	20
4.7.2	Release of fixed foam extinguishing systems	20
4.7.3	Alarms	21
5	Flammable liquid storage tanks, bunds and process areas	21
5.1	General	21
5.2	Fixed cone roof tanks	23
5.2.1	General	23
5.2.2	Sub surface	24
5.2.3	Restrictions for semi-subsurface-mode	25
5.2.4	Restrictions for subsurface mode	25

5.3	Floating roof tanks	26
5.3.1	General	26
5.3.2	Number of foam discharge outlets for floating roof tanks	26
5.3.3	Rimseal protection	26
5.4	Bunded/diked areas and process areas	28
6	Foam sprinkler and deluge systems	30
6.1	Deluge systems	30
6.1.1	Deluge applications	30
6.1.2	Deluge limitations	30
6.1.3	Deluge design	30
6.2	Foam enhanced sprinkler systems	30
6.2.1	Foam enhanced sprinkler applications	30
6.2.2	Foam enhanced sprinkler limitations	30
6.2.3	Foam enhanced sprinkler design	30
6.3	Foam concentrate	31
6.3.1	Aspirated foams	31
6.3.2	Non aspirated foams	31
6.4	Foam proportioning	31
6.5	Drain and flushing connections	31
6.6	Supplementary hose streams	33
7	High expansion foam systems	33
7.1	General	33
7.2	Foam concentrate	34
7.3	Equipment	34
7.4	System design	34
7.5	Equipment location considerations	34
7.6	Personnel safety	34
7.7	Discharge rate	35
7.8	Discharge time	35
8	Marine loading and unloading docks	35
8.1	Water supplies	35
8.2	Foam concentrate	36
8.3	Foam water monitors	36
8.4	Below dock foam systems	36
9	Aircraft hangars	36
9.1	General	36
9.2	Fire detection	36
9.3	System design philosophy	37
9.4	System duration	39
9.5	Foam and water pumps	39
9.6	Acceptable application methods	39
9.7	Foam types	39
9.8	Monitors	39
9.9	Foam-water deluge systems	39
9.10	Medium expansion systems (Type 3 hangars only)	40
9.11	High expansion systems	40
9.12	Handlines	40
9.13	Commissioning tests	40
10	Liquefied flammable gases (LNG/LPG)	41
10.1	General	41
10.1.1	Liquefied Natural Gas (LNG)	41
10.1.2	Liquefied Petroleum Gas (LPG)	41
10.2	Controlled burn-off	41
10.3	Un-ignited spills	41
10.4	Fire detection	42
10.5	Foam properties	42
10.6	Foam proportioning system	42

10.7	Application techniques	42
11	Commissioning, testing, and periodic inspections	43
11.1	Instruction of operating personnel	43
11.2	Commissioning	43
11.2.1	General	43
11.2.2	Visual inspection	43
11.2.3	Pressure tests	43
11.2.4	Tests	43
11.2.5	Completion certificate	43
11.3	The periodic inspection and testing of foam systems	44
11.3.1	General	44
11.3.2	Inspections	44
11.4	Shut-down	46
11.5	Maintenance	46
11.6	Alterations	46
	Bibliography	47