DIN EN 12845:2020-11 (E)

Fixed firefighting systems - Automatic sprinkler systems - Design, installation and maintenance

Contents

Page

European foreword ... 12

Introduction ... 13

1 Scope ... 15

2 Normative references ... 15

3 Terms and definitions ... 16

4 Contract planning and documentation ... 24
4.1 General ... 24
4.2 Initial considerations ... 24
4.3 Preliminary or estimating stage ... 24
4.4 Design stage ... 25
4.4.1 General ... 25
4.4.2 Summary schedule ... 25
4.4.3 Installation layout drawings ... 25
4.4.4 Water supply ... 28

5 Extent of sprinkler protection ... 31
5.1 Buildings and areas to be protected ... 31
5.1.1 General ... 31
5.1.2 Permitted exceptions within a building ... 31
5.1.3 Necessary exceptions ... 31
5.2 Storage in the open air ... 31
5.3 Fire resistant separation ... 31
5.4 Protection of concealed spaces ... 32
5.5 Height difference between the highest and lowest sprinklers ... 32

6 Classification of occupancies and fire hazards ... 32
6.1 General ... 32
6.2 Hazard classes ... 32
6.2.1 General ... 32
6.2.2 Light Hazard – LH ... 32
6.2.3 Ordinary Hazard – OH ... 32
6.2.4 High Hazard – HH ... 33
6.3 Storage ... 34
6.3.1 General ... 34
6.3.2 Storage Configuration ... 34

7 Hydraulic design criteria ... 37
7.1 LH, OH and HHP ... 37
7.2 High Hazard Storage – HHS ... 38
7.2.1 General ... 38
7.2.2 Ceiling or roof protection only ... 38
7.2.3 Intermediate level in-rack sprinklers ... 39
7.3 Pressure and flow requirements for pre-calculated systems ... 41
7.3.1 LH and OH systems ... 41
7.3.2 HHP and HHS systems without in-rack sprinklers ... 42

8 Water supplies ... 44

8.1 General 44
8.1.1 Duration 44
8.1.2 Continuity 44
8.1.3 Frost protection 44
8.2 Maximum water pressure 44
8.3 Connections for other services 45
8.4 Housing of equipment for water supplies 46
8.5 Test facility devices 46
8.5.1 General 46
8.5.2 At pump house 47
8.5.3 At control valve sets 47
8.6 Water supply test 47
8.6.1 General 47
8.6.2 Storage tank and pressure tank supplies 47
8.6.3 Town main, booster pump, elevated private reservoir and gravity tank supplies 48

9 Type of water supply 48
9.1 General 48
9.2 Town mains 48
9.3 Storage tanks 48
9.3.1 General 48
9.3.2 Water volume 49
9.3.3 Refill rates for full capacity tanks 50
9.3.4 Reduced capacity tanks 50
9.3.5 Effective capacity of tanks and dimensions of suction chambers 52
9.3.6 Strainers 53
9.4 Inexhaustible sources – settling and suction chambers 53
9.5 Pressure tanks 56
9.5.1 General 56
9.5.2 Housing 56
9.5.3 Minimum capacity (water) 56
9.5.4 Air pressure and contents 56
9.5.5 Charging with air and water 57
9.5.6 Control and safety equipment 57
9.6 Choice of water supply 57
9.6.1 Single water supplies 57
9.6.2 Superior single water supplies 58
9.6.3 Duplicate water supplies 58
9.6.4 Combined water supplies 58
9.7 Isolation of water supply 59

10 Pumps 59
10.1 General 59
10.2 Multiple pump arrangements 59
10.3 Compartments for pumpsets 60
10.3.1 General 60
10.3.2 Sprinkler protection 60
10.3.3 Temperature 60
10.3.4 Ventilation 60
10.4 Maximum temperature of water supply 60
10.5 Valves and accessories 60
10.6 Suction conditions 61
10.6.1 General 61
10.6.2 Suction pipe 61

10.7 Performance characteristics 64
10.7.1 Pre-calculated systems – LH and OH 64
10.7.2 Pre-calculated systems – HHP and HHS with no in-rack sprinklers 65
10.7.3 Calculated systems 66
10.7.4 Pressure and water capacity of boosted town mains 67
10.7.5 Pressure switches 67
10.8 Electrically driven pumpsets 67
10.8.1 General 67
10.8.2 Electricity supply 67
10.8.3 Main switchboard 68
10.8.4 Installation between the main switchboard and the pump controller 68
10.8.5 Pump controller 69
10.8.6 Monitoring of pump operation 69
10.9 Diesel engine driven pumpsets 69
10.9.1 General 69
10.9.2 Engines 69
10.9.3 Cooling system 70
10.9.4 Air filtration 70
10.9.5 Exhaust system 70
10.9.6 Fuel, fuel tank and fuel feed pipes 70
10.9.7 Starting mechanism 71
10.9.8 Electric starter motor batteries 72
10.9.9 Battery chargers 72
10.9.10 Siting of batteries and chargers 72
10.9.11 Starter alarm indication 72
10.9.12 Tools and spare parts 73
10.9.13 Engine tests and exercising 73

11 Installation type and size 74
11.1 Wet pipe installations 74
11.1.1 General 74
11.1.2 Protection against freezing 74
11.1.3 Size of installations 74
11.2 Dry pipe installations 75
11.2.1 General 75
11.2.2 Size of installations 75
11.3 Alternate installations 75
11.3.1 General 75
11.3.2 Size of installations 76
11.4 Pre-action installations 76
11.4.1 General 76
11.4.2 Automatic detection system 76
11.4.3 Size of installations 77
11.5 Subsidiary dry pipe or alternate extension 77
11.5.1 General 77
11.5.2 Size of subsidiary extensions 77
11.6 Subsidiary water spray extension 77

12 Spacing and location of sprinklers 77
12.1 General 77
12.2 Maximum area of coverage per sprinkler 78
12.3 Minimum distance between sprinklers 80
12.4 Location of sprinklers in relation to building construction 80
12.5 Intermediate sprinklers in HH occupancies 86

12.5.1 General 86
12.5.2 Maximum vertical distance between sprinklers at intermediate levels 86
12.5.3 Horizontal position of sprinklers at intermediate levels 86
12.5.4 Numbers of rows of sprinklers at each level 88
12.5.5 HHS intermediate sprinklers in non-shelved racks 88
12.5.6 HHS intermediate sprinklers below solid or slatted shelves in racks (ST5 and ST6) 89

13 Pipe sizing and layout 90
13.1 General 90
13.2 Calculation of pressure losses in pipework 90
13.2.1 Pipe friction loss 90
13.2.2 Static pressure difference 91
13.2.3 Velocity 91
13.2.4 Pressure loss through fittings and valves 91
13.2.5 Accuracy of calculations 92
13.3 Pre-calculated systems 93
13.3.1 General 93
13.3.2 Location of Design Points 93
13.3.3 Light Hazard - LH 94
13.3.4 Ordinary Hazard - OH 96
13.3.5 High hazard - HHP and HHS (except intermediate level sprinklers) 97
13.4 Fully calculated systems 106
13.4.1 Design density 106
13.4.2 Locations of the area of operation 107
13.4.3 Shape of the area of operation 107
13.4.4 Minimum sprinkler discharge pressure 110
13.4.5 Minimum pipe diameters 110

14 Sprinkler design characteristics and uses 111
14.1 General 111
14.2 Sprinkler types and application 111
14.2.1 General 111
14.2.2 Ceiling, flush, recessed and concealed pattern 112
14.2.3 Sidewall pattern 112
14.2.4 Flat spray pattern 112
14.3 Flow from sprinklers 112
14.4 Sprinkler temperature ratings 113
14.5 Sprinkler thermal sensitivity 114
14.5.1 General 114
14.5.2 Interaction with other measures 114
14.6 Sprinkler guards 114
14.7 Sprinkler water shields 114
14.8 Sprinkler rosettes 115
14.9 Corrosion protection of sprinklers 115

15 Valves 115
15.1 Control valve set 115
15.2 Stop valves 115
15.3 Ring main valves 115
15.4 Drain valves 115
15.5 Test valves 116
15.5.1 Alarm and pump start test valves 116
15.5.2 Remote test valves 117
15.6 Flushing connections 117
15.7 Pressure gauges 117

15.7.1 General ... 117
15.7.2 Water supply connections ... 117
15.7.3 Control valve set ... 117
15.7.4 Removal ... 118

16 Alarms and alarm devices ... 118
16.1 Water flow alarms ... 118
16.1.1 General ... 118
16.1.2 Water motor and gong ... 118
16.1.3 Piping to water motor ... 118
16.2 Electrical water flow and pressure switches ... 118
16.2.1 General ... 118
16.2.2 Water flow alarm switches ... 118
16.2.3 Dry and pre-action systems ... 119
16.3 Fire brigade and remote central station alarm connection ... 119

17 Pipework ... 119
17.1 General ... 119
17.1.1 Underground piping ... 119
17.1.2 Above ground piping ... 119
17.1.3 Welding of steel pipe ... 119
17.1.4 Flexible pipes and joints ... 120
17.1.5 Concealment ... 120
17.1.6 Protection against fire and mechanical damage ... 120
17.1.7 Painting ... 120
17.1.8 Drainage ... 120
17.1.9 Copper pipe ... 121
17.2 Pipe supports ... 121
17.2.1 General ... 121
17.2.2 Spacing and location ... 121
17.2.3 Design ... 122
17.3 Pipework in concealed spaces ... 122
17.3.1 General ... 122
17.3.2 False ceilings above OH occupancies ... 122
17.3.3 All other cases ... 123

18 Signs, notices, and information ... 123
18.1 Block plan ... 123
18.2 Signs and notices ... 123
18.2.1 Location plate ... 123
18.2.2 Signs for stop valves ... 123
18.2.3 Control valve set ... 123
18.2.4 Water supply connections to other services ... 124
18.2.5 Suction and booster pumps ... 124
18.2.6 Electric switches and control panels ... 124
18.2.7 Testing and operating devices ... 125

19 Commissioning ... 125
19.1 Commissioning tests ... 125
19.1.1 Pipework ... 125
19.1.2 Equipment ... 125
19.1.3 Water supplies ... 126
19.2 Completion certificate and documents ... 126

20 Maintenance ... 126
20.1 General ... 126

20.1.1 Introduction ... **126**
20.1.2 Programmed work ... **126**
20.1.3 Precautions while carrying out work ... **126**
20.1.4 Replacement sprinklers ... **126**
20.2 User's programme of inspection and checking ... **127**
20.2.1 General ... **127**
20.2.2 Weekly routine ... **127**
20.2.3 Monthly routine ... **128**
20.3 Service, testing and maintenance schedule ... **128**
20.3.1 General ... **128**
20.3.2 Quarterly routine ... **128**
20.3.3 Half-yearly routine ... **129**
20.3.4 Yearly routine ... **130**
20.3.5 3 Yearly routine ... **130**
20.3.6 10 yearly routine ... **131**
21 〈A1〉 Periodic system inspection ... **131**
Annex A (normative) **Classification of typical hazards** ... **132**
Annex B (normative) **Methodology for categorizing stored goods** ... **135**
B.1 General ... **135**
B.2 Material factor (M) ... **135**
B.2.1 General ... **135**
B.2.2 Material Factor 1 ... **135**
B.2.3 Material factor 2 ... **136**
B.2.4 Material factor 3 ... **136**
B.2.5 Material factor 4 ... **137**
B.3 Storage configuration ... **137**
B.3.1 Effect of storage configuration ... **137**
B.3.2 Exposed plastic container with non-combustible content ... **138**
B.3.3 Exposed plastic surface – unexpanded ... **138**
B.3.4 Exposed plastic surface – expanded ... **138**
B.3.5 Open structure ... **138**
B.3.6 Solid block materials ... **139**
B.3.7 Granular or powdered materials ... **139**
B.3.8 No special configuration ... **139**
Annex C (normative) **Alphabetical listing of stored products and categories** ... **140**
Annex D (normative) **Zoning of sprinkler installations** ... **144**
D.1 General ... **144**
D.2 Zoning of installations ... **144**
D.3 Requirements for zoned installations ... **144**
D.3.1 Extent of zones ... **144**
D.3.2 Zone subsidiary stop valves ... **144**

D.3.3 Flushing Valves **144**
D.3.4 Monitoring **144**
D.3.5 Zone test and drainage facilities **145**
D.3.6 Installation control valve set **145**
D.3.7 Installation monitoring and alarms **145**
D.4 Block plan **145**
Annex E (normative) **Special requirements for high rise systems** **147**
E.1 General **147**
E.2 Design criteria **147**
E.2.1 Hazard group **147**
E.2.2 Subdivision of high rise sprinkler systems **147**
E.2.3 Standing water pressures at non-return and alarm valves **147**
E.2.4 Calculation of distribution pipework for pre-calculated systems **147**
E.2.5 Water pressures **147**
E.3 Water supplies **148**
E.3.1 Types of water supplies **148**
E.3.2 Pressure and flow requirements for pre-calculated installations **148**
E.3.3 Water supply characteristics for pre-calculated installations **148**
E.3.4 Pump performance for pre-calculated installations **148**
Annex F (normative) **Additional measures to improve system reliability and availability** **151**
F.1 General **151**
F.2 Subdivision into zones **151**
F.3 Wet pipe installations **151**
F.4 Sprinkler type and sensitivity **151**
F.5 Control valve set **151**
F.6 Water supplies **151**
F.7 Additional measures for theatres **151**
F.8 Additional precautions for maintenance **152**
Annex G (normative) **Protection of special hazards** **153**
G.1 General **153**
G.2 Aerosols **153**
G.3 Clothes in multiple garment hanging storage **153**
G.3.1 General **153**
G.3.2 Categorization **154**
G.3.3 Sprinkler protection other than at ceiling **154**
G.3.4 Sprinklers in operation **154**

G.3.5 Ceiling sprinklers **154**
G.3.6 Automatic shutdown **154**
G.3.7 Control valve set **155**
G.4 Flammable liquid storage **155**
G.5 Idle pallets **157**
G.6 Spirit based liquors in wooden barrels **158**
G.7 Non-woven synthetic fabric **158**
G.7.1 Free standing storage **158**
G.7.2 Rack storage **159**
G.8 Polypropylene or polyethylene storage bins **159**
G.8.1 General **159**
G.8.2 Classification **159**
G.8.3 Palletized rack storage (ST4) **159**
G.8.4 All other storage **159**
G.8.5 Foam additive **160**
Annex H (normative) **Sprinkler systems monitoring** **161**
H.1 General **161**
H.2 Functions to be monitored **161**
H.2.1 General **161**
H.2.2 Stop valves controlling water flow to sprinklers **161**
H.2.3 Other stop valves **161**
H.2.4 Liquid levels **161**
H.2.5 Pressures **161**
H.2.6 Electrical power **162**
H.2.7 Temperature **162**
Annex I (normative) **Transmission of alarms** **163**
I.1 Functions to be monitored **163**
I.2 Alarm levels **164**
Annex J (informative) **Precautions and procedures when a system is not fully operational** **165**
J.1 Minimizing the effects **165**
J.2 Planned shut-down **165**
J.3 Unplanned shut-down **166**
J.4 Action following sprinkler operation **166**
J.4.1 General **166**
J.4.2 Installations protecting cold storage warehouses (air circulation refrigeration) **166**
Annex K (informative) **Twenty-five year inspection** **167**

Annex L (informative) **Special technology** 168
Annex M (informative) **Independent certification body** 169
Annex N (normative) **Control Mode Specific Application Sprinklers: CMSA** 170
N.1 Introduction 170
N.1.1 General 170
N.1.2 Definitions 170
N.1.3 General 170
N.1.4 Sprinkler type and temperature rating 170
N.1.5 Water demand 171
N.2 Sprinkler location 171
N.2.1 Sprinkler spacing 171
N.2.2 Range pipe sizes 171
N.2.3 Minimum clear space below sprinklers 171
N.2.4 Excessive clearance 171
N.2.5 Distance of sprinklers below ceiling 171
N.2.6 Location of sprinklers in beam and girder, concrete T and panel construction 172
N.2.7 Obstructions to sprinkler distribution 172
N.3 Design 176
Annex O (informative) **Example of P&ID** 182
Annex P (normative) **ESFR sprinkler protection** 183
P.1 Introduction 183
P.2 Scope 183
P.3 Definitions 183
P.3.1 Sprinkler, ESFR pattern 183
P.3.2 Suppression mode 183
P.3.3 Classification of goods 183
P.3.4 Ceiling height 184
P.3.5 Laced tyre storage 184
P.3.6 Paper categories, based on weight 184
P.4 Contract arrangements 184
P.5 General 184
P.6 Occupancies and fire hazards 185
P.7 Racked, shelved and post pallet storage 185
P.7.1 Longitudinal and transverse flues 185
P.7.2 Shelving 186
P.7.3 In-rack sprinklers for ESFR systems 186

P.7.4 Design requirements ... **186**
P.8 Building requirements ... **205**
P.8.1 Roof or ceiling slope ... **205**
P.8.2 Measures required to correct excessive roof or ceiling slope ... **205**
P.8.3 Ceiling strength ... **206**
P.8.4 Sky lights ... **206**
P.8.5 Powered ventilation ... **206**
P.8.6 Walkways and conveyors ... **208**
P.8.7 Sprinkler protection beneath mezzanines ... **208**
P.9 ESFR sprinkler installation design ... **208**
P.9.1 Installation type ... **208**
P.9.2 Sprinkler nominal k-factor ... **208**
P.9.3 Temperature ratings thermal sensitivity and colour codings ... **208**
P.9.4 ESFR sprinkler location relative to obstructions at or near the ceiling or roof ... **209**
P.10 Pipe sizing ... **210**
P.10.1 General ... **210**
P.10.2 Minimum pipe sizes ... **210**
P.10.3 Minimum ESFR sprinkler flow pressure ... **210**
P.10.4 The number of sprinklers assumed to be operating ... **210**
P.10.5 Shape of design sprinkler area ... **211**
P.10.6 Sprinklers beneath obstructions ... **211**
P.11 Sprinkler spacing and location ... **211**
P.11.1 ESFR sprinkler area of coverage ... **211**
P.11.2 Obstructions ... **211**
P.11.3 Sprinkler positioning relative to roof and ceilings ... **212**
P.11.4 Sprinkler orientation relative to the floor or pipework ... **212**
P.11.5 Clear space below sprinklers ... **212**
P.11.6 Sprinkler location relative to draught or smoke curtains ... **212**
P.11.7 Positioning of ESFR sprinklers relative to draught or smoke curtains ... **212**
P.11.8 ESFR sprinkler protection adjacent to areas protected by standard sprinklers ... **212**
P.12 Water supplies ... **213**
P.12.1 Pump drive and power arrangements ... **213**
P.12.2 Pump selection ... **213**
P.12.3 Duration ... **213**
Annex Q (informative) 〈A1〉 **Periodic system inspection** ... **214**
Bibliography ... **215**