

# ISO 7240-7:2023-07 (E)

## Fire detection and alarm systems - Part 7: Point-type smoke detectors using scattered light, transmitted light or ionization

---

Contents		Page
Foreword .....		vi
Introduction .....		vii
1	Scope .....	1
2	Normative references .....	1
3	Terms and definitions .....	1
4	General requirements .....	3
4.1	Conformance .....	3
4.2	Response threshold value of detectors using scattered or transmitted light .....	3
4.3	Individual alarm indication .....	3
4.4	Connection of ancillary devices .....	3
4.5	Monitoring of detachable detectors .....	3
4.6	Manufacturer's adjustments .....	4
4.7	On-site adjustment of response behaviour .....	4
4.8	Protection against the ingress of foreign bodies .....	4
4.8.1	Closed detectors .....	4
4.8.2	Open detectors .....	4
4.9	Response to slowly developing fires .....	4
4.10	Requirements for software-controlled detectors .....	5
4.10.1	General .....	5
4.10.2	Software design .....	5
4.10.3	Storage of programs and data .....	5
5	Tests .....	5
5.1	General .....	5
5.1.1	Atmospheric conditions for tests .....	5
5.1.2	Operating conditions for tests .....	5
5.1.3	Mounting arrangements .....	6
5.1.4	Tolerances .....	6
5.1.5	Measurement of response threshold value .....	6
5.1.6	Provision for tests .....	7
5.1.7	Test schedule .....	7
5.1.8	Test report .....	8
5.2	Repeatability .....	8
5.2.1	Object of test .....	8
5.2.2	Test procedure .....	8
5.2.3	Requirements .....	8
5.3	Directional dependence .....	8
5.3.1	Object of test .....	8
5.3.2	Test procedure .....	8
5.3.3	Requirements .....	9
5.4	Reproducibility .....	9
5.4.1	Object of test .....	9
5.4.2	Test procedure .....	9
5.4.3	Requirements .....	9
5.5	Variation in supply parameters .....	9
5.5.1	Object of test .....	9

5.5.2	Test procedure .....	9
5.5.3	Requirements .....	10
5.6	Air movement .....	10
5.6.1	Object of test .....	10
5.6.2	Test procedure .....	10
5.6.3	Requirements .....	10
5.7	Dazzling .....	11
5.7.1	Object of test .....	11
5.7.2	Test procedure .....	11
5.7.3	Requirements .....	11
5.8	Additional tests for open detectors .....	11
5.8.1	Object of the test .....	11
5.8.2	Test procedure .....	11
5.9	Dry heat (operational) .....	12
5.9.1	Object of test .....	12
5.9.2	Test procedure .....	12
5.9.3	Requirements .....	12
5.10	Cold (operational) .....	13
5.10.1	Object of test .....	13
5.10.2	Test procedure .....	13
5.10.3	Requirements .....	13
5.11	Damp heat, steady state (operational) .....	13
5.11.1	Object of test .....	13
5.11.2	Test procedure .....	14
5.11.3	Requirements .....	14
5.12	Damp heat, steady state (endurance) .....	14
5.12.1	Object of test .....	14
5.12.2	Test procedure .....	14
5.12.3	Requirements .....	15
5.13	Sulfur dioxide (SO <sub>2</sub> ) corrosion (endurance) .....	15
5.13.1	Object of test .....	15
5.13.2	Test procedure .....	15
5.13.3	Requirements .....	16
5.14	Shock (operational) .....	16
5.14.1	Object of test .....	16
5.14.2	Test procedure .....	16
5.14.3	Requirements .....	17
5.15	Impact (operational) .....	17
5.15.1	Object of test .....	17
5.15.2	Test procedure .....	17
5.15.3	Requirements .....	18
5.16	Vibration, sinusoidal, (operational) .....	18
5.16.1	Object of test .....	18
5.16.2	Test procedure .....	18
5.16.3	Requirements .....	19
5.17	Vibration, sinusoidal (endurance) .....	19
5.17.1	Object of test .....	19
5.17.2	Test procedure .....	19
5.17.3	Requirements .....	20
5.18	Electromagnetic compatibility (EMC) immunity tests (operational) .....	20
5.19	Fire sensitivity .....	20
5.19.1	Object of test .....	20
5.19.2	Test procedure .....	20
5.19.3	Requirements .....	22
6	Test report .....	22
7	Marking .....	22
8	Data .....	23
8.1	Hardware documentation .....	23

<b>8.2</b>	<b>Software documentation</b>	<b>23</b>
	<b>Annex A (normative) Smoke tunnel for response threshold value measurements</b>	<b>25</b>
	<b>Annex B (normative) Test aerosol for response threshold value measurements</b>	<b>26</b>
	<b>Annex C (normative) Smoke-measuring instruments</b>	<b>27</b>
	<b>Annex D (normative) Apparatus for dazzling test</b>	<b>31</b>
	<b>Annex E (normative) Apparatus for impact test</b>	<b>32</b>
	<b>Annex F (normative) Fire test room</b>	<b>34</b>
	<b>Annex G (normative)Smouldering(pyrolysis)woodfire(TF2)</b>	<b>36</b>
	<b>Annex H (normative)Glowingsmoulderingcottonfire(TF3)</b>	<b>39</b>
	<b>Annex I (normative)Flamingplastics(polyurethane)fire(TF4)</b>	<b>42</b>
	<b>Annex J (normative) Flaming liquid (n-heptane)fire(TF5)</b>	<b>45</b>
	<b>Annex K (informative) Information concerning the construction of the smoke tunnel</b>	<b>48</b>
	<b>Annex L (informative) Compensation for detector drift</b>	<b>50</b>
	<b>Annex M (informative) Information concerning the construction of the measuring ionization chamber</b>	<b>54</b>
	<b>Annex N (normative) Apparatus for open detector static object test</b>	<b>56</b>
	<b>Annex O (normative) Apparatus for testing the protection against the effect of moving objects</b>	<b>57</b>
	<b>Bibliography</b>	<b>59</b>