

ISO 7240-7:2023-07 (E)

Fire detection and alarm systems - Part 7: Point-type smoke detectors using scattered light, transmitted light or ionization

Contents		Page
Foreword		vi
Introduction		vii
1	Scope	1
2	Normative references	1
3	Terms and definitions	1
4	General requirements	3
4.1	Conformance	3
4.2	Response threshold value of detectors using scattered or transmitted light	3
4.3	Individual alarm indication	3
4.4	Connection of ancillary devices	3
4.5	Monitoring of detachable detectors	3
4.6	Manufacturer's adjustments	4
4.7	On-site adjustment of response behaviour	4
4.8	Protection against the ingress of foreign bodies	4
4.8.1	Closed detectors	4
4.8.2	Open detectors	4
4.9	Response to slowly developing fires	4
4.10	Requirements for software-controlled detectors	5
4.10.1	General	5
4.10.2	Software design	5
4.10.3	Storage of programs and data	5
5	Tests	5
5.1	General	5
5.1.1	Atmospheric conditions for tests	5
5.1.2	Operating conditions for tests	5
5.1.3	Mounting arrangements	6
5.1.4	Tolerances	6
5.1.5	Measurement of response threshold value	6
5.1.6	Provision for tests	7
5.1.7	Test schedule	7
5.1.8	Test report	8
5.2	Repeatability	8
5.2.1	Object of test	8
5.2.2	Test procedure	8
5.2.3	Requirements	8
5.3	Directional dependence	8
5.3.1	Object of test	8
5.3.2	Test procedure	8
5.3.3	Requirements	9
5.4	Reproducibility	9
5.4.1	Object of test	9
5.4.2	Test procedure	9
5.4.3	Requirements	9
5.5	Variation in supply parameters	9
5.5.1	Object of test	9

5.5.2	Test procedure	9
5.5.3	Requirements	10
5.6	Air movement	10
5.6.1	Object of test	10
5.6.2	Test procedure	10
5.6.3	Requirements	10
5.7	Dazzling	11
5.7.1	Object of test	11
5.7.2	Test procedure	11
5.7.3	Requirements	11
5.8	Additional tests for open detectors	11
5.8.1	Object of the test	11
5.8.2	Test procedure	11
5.9	Dry heat (operational)	12
5.9.1	Object of test	12
5.9.2	Test procedure	12
5.9.3	Requirements	12
5.10	Cold (operational)	13
5.10.1	Object of test	13
5.10.2	Test procedure	13
5.10.3	Requirements	13
5.11	Damp heat, steady state (operational)	13
5.11.1	Object of test	13
5.11.2	Test procedure	14
5.11.3	Requirements	14
5.12	Damp heat, steady state (endurance)	14
5.12.1	Object of test	14
5.12.2	Test procedure	14
5.12.3	Requirements	15
5.13	Sulfur dioxide (SO ₂) corrosion (endurance)	15
5.13.1	Object of test	15
5.13.2	Test procedure	15
5.13.3	Requirements	16
5.14	Shock (operational)	16
5.14.1	Object of test	16
5.14.2	Test procedure	16
5.14.3	Requirements	17
5.15	Impact (operational)	17
5.15.1	Object of test	17
5.15.2	Test procedure	17
5.15.3	Requirements	18
5.16	Vibration, sinusoidal, (operational)	18
5.16.1	Object of test	18
5.16.2	Test procedure	18
5.16.3	Requirements	19
5.17	Vibration, sinusoidal (endurance)	19
5.17.1	Object of test	19
5.17.2	Test procedure	19
5.17.3	Requirements	20
5.18	Electromagnetic compatibility (EMC) immunity tests (operational)	20
5.19	Fire sensitivity	20
5.19.1	Object of test	20
5.19.2	Test procedure	20
5.19.3	Requirements	22
6	Test report	22
7	Marking	22
8	Data	23
8.1	Hardware documentation	23

8.2	Software documentation	23
	Annex A (normative) Smoke tunnel for response threshold value measurements	25
	Annex B (normative) Test aerosol for response threshold value measurements	26
	Annex C (normative) Smoke-measuring instruments	27
	Annex D (normative) Apparatus for dazzling test	31
	Annex E (normative) Apparatus for impact test	32
	Annex F (normative) Fire test room	34
	Annex G (normative)Smouldering(pyrolysis)woodfire(TF2)	36
	Annex H (normative)Glowingsmoulderingcottonfire(TF3)	39
	Annex I (normative)Flamingplastics(polyurethane)fire(TF4)	42
	Annex J (normative) Flaming liquid (n-heptane)fire(TF5)	45
	Annex K (informative) Information concerning the construction of the smoke tunnel	48
	Annex L (informative) Compensation for detector drift	50
	Annex M (informative) Information concerning the construction of the measuring ionization chamber	54
	Annex N (normative) Apparatus for open detector static object test	56
	Annex O (normative) Apparatus for testing the protection against the effect of moving objects	57
	Bibliography	59