DIN EN 12416-1:2024-10 (E)

Fixed firefighting systems - Powder systems - Part 1: Requirements and test methods for components

Contents

Page

European foreword 5

Introduction 7

1 Scope 8

2 Normative references 8

3 Terms and definitions 9

4 General requirements for components 11
4.1 Working temperature range 11
4.2 General test facilities 11
4.3 Stress corrosion test 12

5 Powder container 12
5.1 Capacity 12
5.2 Design 12
5.3 Maximum working pressure 12
5.4 Colour 12
5.5 Container components 12
5.5.1 Powder filling opening 12
5.5.2 Drain connection 12
5.5.3 Pressure relief device 12
5.5.4 Connection for the expellant gas tube 12
5.5.5 Powder diptube 13

6 Expellant gas container assembly 13
6.1 Expellant gas containers 13
6.2 Expellant gas valves 13
6.3 Actuators for expellant gas valves 13
6.4 Manifolds 13
6.5 Flexible connectors and non-return valve 13

7 Pressure gauges 14

8 Pressure regulators 14
8.1 General 14
8.2 Material 14
8.3 Corrosion resistance 14
8.4 Resistance to internal pressure 14
8.5 Flow 14

9 Actuators 15
9.1 General 15
9.1.1 Design 15
9.1.2 Materials 15
9.1.3 Vibration resistance 15
9.1.4 Temperature resistance 15
9.1.5 Operational reliability 15
9.1.6 Corrosion resistance 15

9.1.7 Operating force ... 15
9.1.8 Electric switch and monitoring equipment ... 15
9.2 Solenoid operated type actuators ... 15
9.3 Pneumatic powered actuators ... 16
9.4 Mechanical operated actuators ... 16
9.5 Pyrotechnic actuators ... 16
9.6 Manually released actuators ... 16
9.7 Use in combination ... 17

10 Main isolating valve and selector valve ... 17
10.1 General ... 17
10.2 Material ... 17
10.3 Temperature resistance ... 17
10.4 Resistance to pressure ... 17
10.5 Flow characteristics ... 17
10.6 Corrosion resistance ... 17
10.7 Vibration resistance ... 17
10.8 Operating force ... 17

11 Nozzles ... 18
11.1 Material ... 18
11.2 Resistance to pressure ... 18
11.3 Resistance to heat ... 18
11.4 Corrosion resistance ... 18
11.5 Orifice diameter ... 18
11.6 Connections ... 18
11.7 Nozzle covers ... 18
11.8 Discharge characteristics ... 18
11.8.1 Total flooding nozzle ... 18
11.8.2 Local application nozzle ... 18

12 Documentation ... 18

13 Marking ... 19
13.1 General ... 19
13.2 Powder containers ... 19
13.3 Expellant gas containers and pilot containers ... 20
13.4 Actuators ... 20
13.5 Expellant gas valves and container valves ... 20
13.6 Main isolating valves and selector valves ... 20
13.7 Nozzles ... 21

14 Type test methods ... 21
14.1 Conditions ... 21
14.2 Samples and order of tests ... 21

15 Evaluation of conformity ... 24
15.1 General ... 24
15.2 Initial type testing ... 24
15.3 Factory production control (FPC) ... 24

Annex A (normative) Compliance test ... 25

Annex B (normative) Internal pressure test ... 26

Annex C (normative) Operating force and function test ... 27

C.1 Actuators ... 27
C.2 Main isolating valve and selector valve ... 28
C.3 Pressure regulators ... 28
C.4 Protective cover of nozzles ... 29

Annex D (normative) Determination of the remaining media in the container after discharge 30

Annex E (normative) Opening and closing times 31

Annex F (normative) Low temperature test for actuators and valves 32

Annex G (normative) High temperature test for actuators and valves 33

G.1 Actuators and valves 33
G.2 Nozzles 33

Annex H (normative) Salt spray corrosion test 34

Annex I (normative) Stress corrosion test 35

Annex J (normative) Strength test for pressure regulators, main isolating valves and selector valves 36

Annex K (normative) Jet velocity test 37

Annex L (normative) Flow rate test 38

Bibliography 39