

DIN EN 12416-1:2024-10 (E)

Fixed firefighting systems - Powder systems - Part 1: Requirements and test methods for components

Contents		Page
European foreword		5
Introduction		7
1	Scope	8
2	Normative references	8
3	Terms and definitions	9
4	General requirements for components	11
4.1	Working temperature range	11
4.2	General test facilities	11
4.3	Stress corrosion test	12
5	Powder container	12
5.1	Capacity	12
5.2	Design	12
5.3	Maximum working pressure	12
5.4	Colour	12
5.5	Container components	12
5.5.1	Powder filling opening	12
5.5.2	Drain connection	12
5.5.3	Pressure relief device	12
5.5.4	Connection for the expellant gas tube	12
5.5.5	Powder diptube	13
6	Expellant gas container assembly	13
6.1	Expellant gas containers	13
6.2	Expellant gas valves	13
6.3	Actuators for expellant gas valves	13
6.4	Manifolds	13
6.5	Flexible connectors and non-return valve	13
7	Pressure gauges	14
8	Pressure regulators	14
8.1	General	14
8.2	Material	14
8.3	Corrosion resistance	14
8.4	Resistance to internal pressure	14
8.5	Flow	14
9	Actuators	15
9.1	General	15
9.1.1	Design	15
9.1.2	Materials	15
9.1.3	Vibration resistance	15
9.1.4	Temperature resistance	15
9.1.5	Operational reliability	15
9.1.6	Corrosion resistance	15

9.1.7	Operating force	15
9.1.8	Electric switch and monitoring equipment	15
9.2	Solenoid operated type actuators	15
9.3	Pneumatic powered actuators	16
9.4	Mechanical operated actuators	16
9.5	Pyrotechnic actuators	16
9.6	Manually released actuators	16
9.7	Use in combination	17
10	Main isolating valve and selector valve	17
10.1	General	17
10.2	Material	17
10.3	Temperature resistance	17
10.4	Resistance to pressure	17
10.5	Flow characteristics	17
10.6	Corrosion resistance	17
10.7	Vibration resistance	17
10.8	Operating force	17
11	Nozzles	18
11.1	Material	18
11.2	Resistance to pressure	18
11.3	Resistance to heat	18
11.4	Corrosion resistance	18
11.5	Orifice diameter	18
11.6	Connections	18
11.7	Nozzle covers	18
11.8	Discharge characteristics	18
11.8.1	Total flooding nozzle	18
11.8.2	Local application nozzle	18
12	Documentation	18
13	Marking	19
13.1	General	19
13.2	Powder containers	19
13.3	Expellant gas containers and pilot containers	20
13.4	Actuators	20
13.5	Expellant gas valves and container valves	20
13.6	Main isolating valves and selector valves	20
13.7	Nozzles	21
14	Type test methods	21
14.1	Conditions	21
14.2	Samples and order of tests	21
15	Evaluation of conformity	24
15.1	General	24
15.2	Initial type testing	24
15.3	Factory production control (FPC)	24
Annex A (normative) Compliance test		25
Annex B (normative) Internal pressure test		26
Annex C (normative) Operating force and function test		27
C.1	Actuators	27
C.2	Main isolating valve and selector valve	28
C.3	Pressure regulators	28
C.4	Protective cover of nozzles	29

Annex D (normative) Determination of the remaining media in the container after discharge	30
Annex E (normative) Opening and closing times	31
Annex F (normative) Low temperature test for actuators and valves	32
Annex G (normative) High temperature test for actuators and valves	33
G.1 Actuators and valves	33
G.2 Nozzles	33
Annex H (normative) Salt spray corrosion test	34
Annex I (normative) Stress corrosion test	35
Annex J (normative) Strength test for pressure regulators, main isolating valves and selector valves	36
Annex K (normative) Jet velocity test	37
Annex L (normative) Flow rate test	38
Bibliography	39