

# ISO 4901:2011-08 (E)

## Reinforced plastics based on unsaturated-polyester resins - Determination of the residual styrene monomer content, as well as the content of other volatile aromatic hydrocarbons, by gas chromatography

---

<b>Contents</b>		<b>Page</b>
Foreword .....		iv
Introduction .....		v
<b>1</b>	<b>Scope .....</b>	<b>1</b>
<b>2</b>	<b>Normative references .....</b>	<b>1</b>
<b>3</b>	<b>Terms and definitions .....</b>	<b>1</b>
<b>4</b>	<b>Principle .....</b>	<b>1</b>
<b>5</b>	<b>Materials .....</b>	<b>2</b>
<b>6</b>	<b>Apparatus .....</b>	<b>2</b>
<b>7</b>	<b>Preparation of sample .....</b>	<b>3</b>
<b>8</b>	<b>Procedure .....</b>	<b>3</b>
8.1	General .....	3
8.2	Preparation of extraction solvent .....	3
8.3	Preparation of test solution .....	3
8.4	Determination of glass and mineral content .....	3
8.5	Preparation of calibration solutions .....	4
8.6	Gas-chromatographic procedure .....	4
<b>9</b>	<b>Expression of results .....</b>	<b>6</b>
9.1	Calculation of results from a calibration graph .....	6
9.2	Calculation of the content of styrene (or another aromatic hydrocarbon) in the original UP resin sample .....	7
9.3	Calculation of the content of styrene (or another aromatic hydrocarbon) in the pure UP resin .....	8
<b>10</b>	<b>Test report .....</b>	<b>8</b>
<b>Annex A (informative)</b>	<b>Typical operating conditions .....</b>	<b>9</b>