DIN EN 13967:2012-07 (E)

Flexible sheets for waterproofing - Plastic and rubber damp proof sheets including plastic and rubber basement tanking sheet - Definitions and characteristics

Contents

Page

Foreword 4

1 Scope 5

2 Normative references 5

3 Terms and definitions 6

4 Product designation 7

5 Product characteristics 7
5.1 General 7
5.2 Deviation from test sample dimensions 7
5.3 Visible defects 7
5.4 Dimensions and tolerances 7
5.5 Thickness and mass per unit area 7
5.6 Water tightness 8
5.7 Resistance to impact 8
5.8 Durability 8
5.9 Compatibility with bitumen 8
5.10 Resistance to tearing (nail shank) 8
5.11 Joint strength 8
5.12 Water vapour transmission properties 9
5.13 Resistance to static loading 9
5.14 Tensile properties 9
5.15 Resistance to deformation under load 9
5.16 Reaction to fire 9
5.17 Dangerous substances 9

6 Evaluation of conformity 10
6.1 General 10
6.2 Type testing 10
6.3 Factory production control (FPC) 10

7 Product data sheet and designation 13

8 Marking, labelling and packaging 13

Annex A (informative) Product designation, typical materials and structure of sheets 14

Annex B (normative) Method of measuring the resistance of ventilating and draining damp- proof sheets to deformation under load 15

Annex C (informative) Example of product data sheet 19

Annex ZA (informative) Clauses of this European Standard addressing essential requirements or other provisions of EU Directives 21

Bibliography 31