DIN 16917-1:2015-10 (E)

Pipes and fittings made of thermoplastic materials with profi led wall and smooth pipe inside - Large pipes over DN 1200 for underground installation - Part 1: General requirements and performance characteristics

Contents

Page

Foreword ... 3

1 Scope ... 4

2 Normative references ... 4

3 Terms and definitions, symbols and abbreviations ... 5
3.1 Terms and definitions ... 5
3.2 Symbols and abbreviations ... 8

4 Material ... 9
4.1 General ... 9
4.2 Use of non-virgin material ... 9
4.3 Retaining components for sealing rings ... 9
4.4 Sealing rings ... 9
4.5 Fused or welded joints ... 9

5 Designation of wall constructions ... 9

6 Appearance and colour ... 9
6.1 Appearance ... 9
6.2 Colour ... 9

7 Geometrical characteristics ... 10

8 Types of fittings ... 10
8.1 General ... 10
8.2 Design lengths of fittings ... 15

9 System performance in relation to pipe properties and test methods used ... 16

10 Marking ... 17
10.1 Presentation ... 17
10.2 General requirements ... 17
10.3 Size ... 17

Annex A (normative) **Characteristics of PVC-U, PP and PE pipes and fittings** ... 18

Annex B (informative) **Methods of assessing the load-bearing capacity of pipes** ... 20

Annex C (informative) **Information for ordering pipes and related fittings** ... 23

Bibliography ... 24