

DIN EN 13967:2017-08 (E)

Flexible sheets for waterproofing - Plastic and rubber damp proof sheets including plastic and rubber basement tanking sheet - Definitions and characteristics (includes Amendment :2017)

Contents		Page
European foreword		4
1	Scope	5
2	Normative references	5
3	Terms and definitions	6
4	Product designation	7
5	Product characteristics	8
5.1	General	8
5.2	Deviation from test sample dimensions	8
5.3	Visible defects	8
5.4	Dimensions and tolerances	8
5.5	Thickness and mass per unit area	8
5.6	Water tightness	8
5.7	Resistance to impact	8
5.8	"Durability of water tightness"	9
5.9	Compatibility with bitumen	9
5.10	Resistance to tearing (nail shank)	9
5.11	Joint strength	9
5.12	Water vapour transmission properties	9
5.13	Resistance to static loading	9
5.14	Tensile properties	9
5.15	Resistance to deformation under load	10
5.16	Reaction to fire	10
5.17	Dangerous substances	11
6	Assessment and verification of constancy of performance - AVCP	11
6.1	General	11
6.2	Type testing	11
6.3	Factory production control (FPC)	15
7	Product data sheet and designation	20
8	Marking, labelling and packaging	20
Annex A (informative) Product designation, typical materials and structure of sheets		21
A.1	Typical materials	21
A.1.1	General	21
A.1.2	Plastics	21
A.1.3	Rubbers	21
A.1.4	Thermoplastic rubbers	22
Annex B (normative) Method of measuring the resistance of ventilating and draining damp-proof sheets to deformation under load		23

B.1	Principle	23
B.2	Apparatus	24
B.3	Preparation of test samples and test specimens	25
B.3.1	Sampling	25
B.3.2	Preparation of test specimens	25
B.4	Procedure	26
B.5	Expression of results	26
B.6	Test report	26
Annex ZA (informative) "Relationship of this European Standard with Regulation (EU) No.305/2011"		
	28
ZA.1	Scope and relevant characteristics	28
ZA.2	System of Assessment and Verification of Constancy of Performance (AVCP)	29
ZA.3	Assignment of AVCP tasks	29
Bibliography		32