DIN 16874:2018-09 (E)

Pipes of high-density polyethylene (PE-HD) for buried telecommunication - Dimensions and technical delivery conditions

Contents

Page

Foreword ... 4

1 Scope ... 5

2 Normative references ... 5

3 Terms and definitions ... 6

4 Symbols and abbreviations ... 7
4.1 Symbols ... 7
4.2 Abbreviations ... 7

5 Dimensions ... 7
5.1 General ... 7
5.2 Pipes ... 8

6 Material ... 9
6.1 Pipes ... 9
6.2 Seals ... 10

7 Requirements ... 10
7.1 General ... 10
7.2 Appearance ... 10
7.3 Colour ... 10
7.4 Dimensions and tolerances ... 10
7.5 Strength properties ... 10
7.6 Melt mass-flow rate ... 11
7.7 Heat reversion ... 11
7.8 Interchangeability ... 11

8 Testing ... 11
8.1 Appearance ... 11
8.2 Colour ... 11
8.3 Dimensions ... 11
8.4 Ovality ... 12
8.5 Long-term hydrostatic strength ... 12
8.6 Melt mass-flow rate ... 12
8.7 Heat reversion ... 12
8.8 Weldability ... 12

9 Marking ... 12
9.1 General ... 12
9.2 Minimum marking of pipes ... 13

10 Laying instructions ... 13
10.1 Structural strength ... 13
10.2 Installation of pipes ... 13

Annex A (informative) Long-term hydrostatic strength of PE-HD pipes for non-pressure applications ... 14

Annex B (informative) Connecting and sealing elements for pipes complying with this standard ... 15

B.1 Connecting elements **15**
B.2 Sealing elements **16**
B.3 Welding sockets **16**

Annex C (informative) **Terms which are not used in this standard, but are of relevance for the user** **17**

Bibliography **18**