

ISO 14852:2018 (E)

Determination of the ultimate aerobic biodegradability of plastic materials in an aqueous medium — Method by analysis of evolved carbon dioxide

Contents

| | |
|---------|---|
| | Foreword |
| | Introduction |
| 1 | Scope |
| 2 | Normative references |
| 3 | Terms and definitions |
| 4 | Principle |
| 5 | Test environment |
| 6 | Reagents |
| 7 | Apparatus |
| 8 | Procedure |
| 8.1 | Test material |
| 8.2 | Reference material |
| 8.3 | Preparation of the inoculum |
| 8.3.1 | General |
| 8.3.2 | Inoculum from wastewater-treatment plants |
| 8.3.3 | Inoculum from soil and/or compost |
| 8.4 | Test |
| 9 | Calculation and expression of results |
| 9.1 | Calculation |
| 9.1.1 | Theoretical amount of carbon dioxide evolved by the test material |
| 9.1.2 | Percentage biodegradation from CO ₂ evolution |
| 9.2 | Expression and interpretation of results |
| 10 | Validity of results |
| 11 | Test report |
| Annex A | (informative) Principle of a system for measuring evolved carbon dioxide (example) |
| Annex B | (informative) Examples of methods for the determination of evolved carbon dioxide |
| B.1 | CO ₂ determination by DIC measurement |
| B.2 | Titrimetric method using a barium hydroxide solution |
| Annex C | (informative) Example of the determination of a carbon balance |
| C.1 | Principle |
| C.2 | Test procedure |
| C.3 | Calculation of the carbon balance |
| C.4 | Example: Carbon balance of poly(b-hydroxybutyrate)1 1 Taken from Reference [9]. |
| Annex D | (informative) Example of a determination of the amount of water insoluble polymer remaining at the end of a biodegradation test and the molecular mass of the polymer |